First Baptist Weekday Educational 222 1st Street Magee, Ms 39111 (601) 721-1996 Lic # 0515 Capacity 216



Faci	lity inspection			
County Simpson	Date / 8.2020			
· ·	License Number	515		
Facility Name	Electine I tumber			
Purpose Renewal Ca	pacity_216		77	
All Items In Red Are Critical  Qualified director present  Proper staff to child ratio present	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	In Out	cos	N/A
Qualified director present  Proper staff to child ratio present  Room and playground capacity met  Center capacity met  License/complaint visible  Certified food manager	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair	<b>4</b> 0		
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,	<b>中中中</b>		
Waste water system approved	and functioning			
and functioning Food service approved  Possible Monetary Penalty	Electrical outlets protected  Large appliances located properly  Sinks and toilets working properly	中中中		
Monetary Penalty  1	Hot water at all sinks, not to exceed 120° Children barred from kitchen	# 0		
2\$	Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices			-
4	single action approved and in good working order	-		
5,\$	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers	-0 0		
1. Infant (10)	and thermometers placed properly and n good working order			
2. Infant (5)	First aid kits stocked and easily accessit	ole.		
3. Tyrold 3) 4. 1/2 yrs old (a)	Playground area clean, shaded, well drained and equipped and fence in good repair			
5. 2yrs 9	Playground equipment meets standards			
6. 21/15 7. 31/15	Pool area clean, fenced, and adequately maintained			
3/4yrs (4) Hyrs (8)	Diaper changing stations adequate in number and each fully supplied (number)	Am C	01	
Center Director/Individual DOMA Welch	_ Child Care Representative _	XHany (	Shu	7

White Copy - Facility File

Yellow Copy - Facility Operator

Mississippi State Department of Health

12-10-08



First Baptist Weekday Educational 222 1st Street

r	1	to	e	r

	First Baptist Weekday Educational	10 000
District	222 1st Street	Date_/. 8. 2020
	Magee, Ms 39111 (601) 721-1996 Lic # 0515	
Name	Capacity 216	nse No
Address	Center/Organization/Ind	lividual
2		
Purpose Renewa	al Director	Heather Weleh
Mileage Start	Mileage En	d
County	Telephone 1	No
Time In 9:45	Time Out 1130am	Total Time
	aggreed at the facility	met we director
Findings/Comments_	aviava gar fre fycillia	at was to and at love ut
acknowledge	reason for foday's VI	SIT Was TO CERUACI REPRINT.
- Alle	Tour al the bookle it.	Ollater Wilet
	TOUR OF the facility, the	following violations wase
observed.	11 V	
history 1	0: Building and Grounds	
sque igper	c. punging and crowns	The state of the s
Dalining	D. L. 110 5 11-16 11-11 10	amount half on 1 . II 1
1. descrency.	Kule 1.10.5 Flooks Spall be	spaced well apart so I had
Clothes and	belonging do not touch the	ose of another Child.
	, ,	
Findings! Li	cense, official observed in	several classrooms Children
belonding 11		other child
nelonging w	ere journing muc or and	yna opina
Drata. Lin	100 100 11 11 111	- 1 posist 1 poster 11 h
	ense official provided techni	
Children per	ongrang shall not touch they	e of another unita, Wolaso
helped direc	for Careaver with the be	est way to stere belonging
to that the	y do NOT forch thoses	of another child. This was
Corrected b	n 8 He en JAn. 8, 2020.	
GUITTELLA	in one on sain of succession	0
D.6 112	18 11 character 1 1 10 mm	iki wina records
July 11 (1.0)		Riwling records
(S) Children	with expired MSDH 1.	di tarii
Please subm	art updated 121 form with	thin 14days to LO VIa email
of fax.		Ke.

Center Director/Designee/Individual

White Copy - Facility File Yellow Copy - Operator



# Child Care Encounter (Continuation)

Date 1.8. 2020

Employee with invalid MSDH 121 form  employee can not return to work until a valid MSDH 121 form  15 on file at the facility. Please send LO a copy of updated  121 form via email or fax.
Need documents *  1. 2. wks meny cycle. on fam 444 — wheathyms. god  2. Fire. Safety form 333  3. All documents on encaunter peeded to  complete renewal process.  1)(3) Children 121 farm  2.(1) staff 121 farm  Green survey and was provided
"Class I and II violations may result in a monetary penalty. Repeated violations may result in the doubling of a monetary penalty, suspension, or revocation of the license."
White Copy - Facility File Yellow Copy - Operator

First Baptist Weekday Educational 222 1st Street Magee, Ms 39111 (601) 721-1996 Lic # 0515 Capacity 216



### **Program Review**

<u>න</u>	,	20	20	_
_	<u>8</u>	8.	8.20	8.2020

Yes	No	N/A					
1. 1es		U	Policies and procedures (Parent's Handbook) {Rule 1.4.1}				
	ā	_	Proof of Accident/Liability Insurance or documentation that parent has been notified that no				
2.	_	_	insurance is in effect {Rule 1.4.1 (i) & (j)}				
3.			Approved arrival and departure procedures {Rule 1.4.1 (2)}				
			Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}				
4. 5.			Attendance records for children and staff {Rule 1.6.3 (1)}				
			, , , , , ,				
6. <b>1</b>			Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}				
			Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)} Monthly records of fire/disaster drills {Rule 1.6.3 (5)}				
8. 2	-						
4100			Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}				
1000000			Immunization Records for Children and Staff (Rule 1.6.3 (8))				
11.			Personnel records (attach employee's records form) {Rule 1.6.4}				
12.			Volunteer records (Rule 1.6.5 & Rule 1.6.6)  Children records (attach children's records form) (Pule 1.6.7)				
13. <b>1</b>			Children records (attach children's records form) {Rule 1.6.7} Reports of serious occurences made as required {Rule 1.7.1}				
15.			Communicable diseases reported as required {Rule 1.7.3}				
16.			Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}				
17.			Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}				
18.			Age appropriate program of activities posted in each room {Subchapter 9}				
19.			Required toys present in infant room {Rule 1.10.1 (2)}				
20.			Required toys present in toddler room {Rule 1.10.1 (3)}				
21.			Required toys present preschool room {Rule 1.10.1 (4)}				
22.			Licensed pest control contractor {Rule 1.11.14}				
23.			Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}				
24. 🖳			Appropriate discipline policy followed {Subchapter 14}				
25			Appropriate transportation policy followed {Subchapter 15}				
26	ш		Infant feeding schedules posted (Appendix C, VII)				
Comm	ta	/D	annuar dations				
Comm	ents	Rec	ommendations				
			Helpful Reminders:				
=			Please send your LO- 2 or 4 weeks menus,  Fire Form, and Contact hours for staff.				
			**License will be made available when all				
		_	documents have been submitted and all				
			violations corrected.				
-							
-							
☐ Pass							
1177		o be i	issued: Regular Probational Restricted				
☐ Fail			Manufactural ala				
☐ Foll-	ow-uj	p with					
			Director Designee Child Care Representative				

Mississippi State Department of Health White Copy - Facility File Yellow Copy - Operator Revised 12-19-13

Form 289

# Test Bantist Woods The Facility Inspection Results

First Baptist Weekday Educational 222 1st Street Magee, Ms 39111 (601) 721-1996 Lic # 0515 Capacity 216

Date	
1.8.	2020

CRITICAL VIOLATIONS	CORRECTION PLAN AND SCHEDULE
No Oritical Violations during inspection	
during inspection	
Continua	
10	
-	
* * * * * * * * * * * * * * * * * * * *	List Toney TS exp 1:17.26
☐ 92020 Scheduled — 92010 Permit N	
☐ 92030 Followup ☐ 92015 Permit 1	
☐ 92040 Complaint ☐ 92011 Permit 2 ☐ 92050 Consultation ☐ 92012 Permit 3	
☐ 92070 Plan Review/Const. ☐ 92013 Permit 4	6/A
92080 No Inspection	
92090 Restaurant Training	Facility Signature
Permit/Date Environmentalist	
Please Remit within 10 days to:	White Copy - Facility Physics Province
	Pink Copy- Environmentalist

#### First Baptist Weekday Educational 222 1st Street Magee, Ms 39111 (601) 721-1996 Lic # 0515 Capacity 216

## re Playground Checklist

		Inspection Date / 6, 4040
YES NO N	√A. "	
	□ [.	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
	] 2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)
	3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)
	4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
	1 5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)
	6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2). pg 36)
	7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)
000	8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)
	9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC
0 0	10.	3.4, 3.5, pg 15) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
	. 11.	If swings are present, are S-hooks in good repair? If not, state deficiency  (CPSC 3.2, pg13)
	12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency  (CPSC 5. 3. 6. 4-5 pgs 34-35)
	13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
	14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate  (Rule 1.10.2, pg 36)
	15.	Is playground area clean & free of hazards? If not, state deficiency.  (Rule 1.11.11 (1), pg 49)
	16.	Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)
	17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
	18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC
Director 100	Dheri	Licensing Official Hony
		Joseph Mars