

# MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Facility Inspection

County De Soto	Date3-23-23
Facility Name Lil Rps Learning Bar	License Number 4 676
Purpose Revenal Ca	pacity147
All Items In Red Are Critical  Qualified director present  Proper staff to child ratio present	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities  In Out COS N/A                                Building and Grounds
Room and playground capacity met  Center capacity met  License/complaint visible	Walls, ceilings, floors, toys, equipment clean and in good repair
Certified food manager  Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning Waste water system approved	Lighting approved  Heating/cooling approved  Ventilation adequate  Glass approved and shielded  Telephone on premises, available, and functioning
and functioning Food service approved	Electrical outlets protected  Large appliances located properly  Sinks and toilets working properly  Hot water at all sinks, not to
1	exceed 120°  Children barred from kitchen  Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good working order
4.       \$         5.       \$	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers
1. See encounter	and thermometers placed properly and in good working order
2. 2 2 3. 4.	Playground area clean, shaded, well drained and equipped and fence in good repair
5.	Playground equipment meets standards
6	Pool area clean, fenced, and adequately maintained
Center Director/Individual	Diaper changing stations adequate in number and each fully supplied (number)  Child Care Representative

White Copy - Facility File Yellow Copy Facility Operator Mississippi State Department of Health

12-10-08

Form No. 281



Child Care Program Review
Facility Name Li Reoples Learng Park License No. 4474 Date 3-23-23

Yes Nó N/A  1. Policies and procedures (Parent's Handbook) {Rule 1.4.1}  2. Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (2)}  4. Approved arrival and departure procedures {Rule 1.4.1 (2)}  4. Approved arrival and departure procedures {Rule 1.6.3 (1)}  6. Date that contains the procedure of children and staff {Rule 1.6.3 (1)}  7. Date Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}  8. Date of hirth {Rule 1.6.3 (5)}  9. Date of the procedure of t
Pass-Pendins
License to be issued: Regular Probational Restricted  Fail Follow-up within 30 days  Director Designee  Child Care Representative

Mississippi State Department of Health White Copy - Facility File Yellow Copy - Operator

Revised 12-19-13

Form 289



#### **Child Care Encounter**

Child Care Encounter
District
Name Lil Peoples Ligraing Barr License No. 4474
Address 8133 Cootwell Rd Southauen M 5 38672  Center/Organization/Individual
Purpose PTZ Inspection Director Suzan Wilbanks
Mileage Start Mileage End
County De SO + OGG Telephone No. ULZ - Z80 - OGG T
Time In Sph Total Time Total Time
Findings/Comments flue to conduct a program renewal inspection. Met with Suzan Wilbanks upon arrival.
The almost - Slatt ins
In Compliance - Staff & Children HSDH 121 - CPR FA In Compliance
- Emergency Brill Log
Menu 444, & Contact hes for O employee. by
3 63
- 4
Center Birector/Designee/Individual  Child Care Representative  White Copy - Facility File Yellow Copy - Operator

## **Food Service Facility Inspection Results**

PIMS ID	Facility Name, Address Lil Keoples Cearning Bary Date		
	8133 Coetwell	Pd, Southern 38072 3-23-23	
CRITICALV	VIOLATIONS	CORRECTION PLAN AND SCHEDULE	
NO	Violations	Peceives A	
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint	92010 Permit No Charge 92015 Permit 1 \$30.00 92011 Permit 2 \$100.00	Sozan Wilbanks Tury Safe  Certified Manager  Licence Number	
□ 92050 Consultation □ 92070 Plan Review/Const. □ 92080 No Inspection □ 92090 Restaurant Training	☐ 92012 Permit 3 \$150.00 ☐ 92013 Permit 4 \$200.00	Facility Signature	
Permit Date	Environmentalist Code	Environmentalist Signature	
Please Remit within 10 days	to:	White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist	

### **Child Care Licensure Playground Checklist**

Center	Nam	eLil	Proples Learning Barn Inspection Date 4474
YES )	VO N	A	
		1.	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
		2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)
		3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)
		4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
		5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)
		6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)
		7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)
		8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)
		9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15)
		10.	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
		11.	If swings are present, are S-hooks in good repair? If not, state deficiency  (CPSC 3.2, pg13)
		12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency  (CPSC5.3.6.4-5 pgs 34-35)
		13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
		14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate  (Rule 1.10.2, pg 36)
		15.	Is playground area clean & free of hazards? If not, state deficiency.  (Rule 1.11.11 (1), pg 49)
b		16.	Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)
		17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
		18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5)
Directo	or _	2	Licensing Official