



MISSISSIPPI STATE DEPARTMENT OF HEALTH

**Child Care Facility Inspection**County HumphreyDate 6/13/2019Facility Name Moh's Ark Christian CenterLicense Number 27CPFA-3699Purpose Cemetary ITACapacity 37**All Items In Red Are Critical**

	In	Out	COS	N/A
Qualified director present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper staff to child ratio present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Room and playground capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Center capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
License/complaint visible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Certified food manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**Sanitation Approved**

Garbage and garbage bins maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vector control maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Waste water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food service approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**Possible Monetary Penalty**

1. Date 1.14.1 (3) Discipline + Guidance Monetary Penalty \$ \_\_\_\_\_
2. \_\_\_\_\_ \$ \_\_\_\_\_
3. \_\_\_\_\_ \$ \_\_\_\_\_
4. \_\_\_\_\_ \$ \_\_\_\_\_
5. \_\_\_\_\_ \$ \_\_\_\_\_

	Age/Child/Staff Name
1.	<u>5 mos-6 mos (3) / caregiver</u>
2.	<u>1-2 years (4) / caregiver</u>
3.	
4.	<u>2-3 years (8) / caregiver</u>
5.	
6.	<u>3-4 years (2) / caregiver</u>
7.	<u>After schoolers (9) / caregiver</u>

**Other Items - Must be corrected**

	In	Out	COS	N/A
Children's belongings separated/stored	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Evacuation plans posted	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Menus posted and served	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Plan of activities	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**Building and Grounds**

Walls, ceilings, floors, toys, equipment clean and in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lighting approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heating/cooling approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ventilation adequate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Glass approved and shielded	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Telephone on premises, available, and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Electrical outlets protected	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Large appliances located properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sinks and toilets working properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hot water at all sinks, not to exceed 120°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Children barred from kitchen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vending machine snacks meet nutritional guidelines, if present	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Exits, doors and fastening devices single action approved and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Exits unobstructed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
First aid kits stocked and easily accessible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground area clean, shaded, well drained and equipped and fence in good repair	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Playground equipment meets standards	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Pool area clean, fenced, and adequately maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Diaper changing stations adequate in number and each fully supplied (number <u>02</u> )	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Center Director/Individual Debrae TurnerChild Care Representative Dana Jones





MISSISSIPPI STATE DEPARTMENT OF HEALTH

## Child Care Encounter

District 3Date 6/13/2019

Name	<u>Mans Am Christian Center</u>	License No.	<u>27CCPFA-3699</u>
Address	<u>407 Julia St. Isola MS 38754</u>		
Purpose	<u>Lengthy IHA</u>	Director	<u>Debra Tanner</u>
Mileage Start		Mileage End	
County	<u>Humphrey</u>	Telephone No.	<u>(662) 962-2460</u>
Time In	<u>1:51 pm</u>	Time Out	<u>3:21 pm</u>
		Total Time	

Findings/Comments THE REASON FOR VISIT IS FOR A SIX MONTH INSPECTION.Subchapter 14: Discipline & Guidance

Rule 1.14.1(3) STATE IN PART "Abuse or profane language to include but not limited to yelling at, and/or using harsh tones toward the children or in close proximity to children."

Findings: Licensing observed the After-school teacher speak harshly to A school-age child. Facility is recommended to train staff on prohibited behavior on discipline & guidance in the Regulations Governing Licensure of Child Care Facilities book.

Plan of Correction: Per Ms. Tanner she will correct the staff on the inappropriate behavior ASAP. She will also train staff on prohibited behavior.

Facility playground was observed being renovated. Per Ms. Tanner she has partnered with Friends & Children Headstart who will renovate the playground.

Facility is asked to contact Licensing once playground renovations are complete.

A new addition to the facility was observed added. Per Ms. Tanner she is requesting a permit.

Debra Tanner  
Center Director/Designee/Individual

Dana Jones  
Child Care Representative

White Copy - Facility File  
Yellow Copy - Operator





MISSISSIPPI STATE DEPARTMENT OF HEALTH

# Child Care Encounter (Continuation)

Date 6/13/2019Facility Name Noahs Ark Christian Center License No. 27CCPFA-3699

Licensing instructed Ms. Tanner that a schedule will be checked to see a convenient time to return to conduct a measurement.

Licensing instructed that children do not utilize the playground until the renovations have been completed.

Technical Assistance was provided on the appropriate guidance for children.

A given survey was left with Rebecca Tanner, owner/director

for all questions contact Anna (pne)@ (662) 887-4951

Class I and II violations may result in a monetary penalty. Repeated violations may result in the doubling of a fine, revocation or suspension of license.

Debrae Tanner  
Center Director/Designee/Individual

Anna (pne)  
Child Care Representative

White Copy - Facility File  
Yellow Copy - Operator

# Food Service Facility Inspection Results

PIMS ID 3699	Facility Name, Address Noah's Ark Christian Center	Date 6/13/2019
-----------------	---	-------------------

## CRITICAL VIOLATIONS

## CORRECTION PLAN AND SCHEDULE

<p>No Critical Violations Observed</p>	<p>Met Compliance</p> <p>Facility Rec'd a 'A'</p>
--	---

- ☐ 92020 Scheduled
- ☐ 92030 Followup
- ☐ 92040 Complaint
- ☐ 92050 Consultation
- ☐ 92070 Plan Review/Const.
- ☐ 92080 No Inspection
- ☐ 92090 Restaurant Training

- ☒ 92010 Permit No Charge
- ☐ 92015 Permit 1 \$30.00
- ☐ 92011 Permit 2 \$100.00
- ☐ 92012 Permit 3 \$150.00
- ☐ 92013 Permit 4 \$200.00

Permit Date

Environmental Code

DS3

Please Remit within 10 days to:

Deborah Tanner  
Certified Manager

Jummya  
Licence Number  
exp: 8/2022

Facility Signature

Environmental Signature

White Copy - Facility  
Yellow Copy - PIMS  
Pink Copy - Environmentalist



# Child Care Licensure Playground Checklist

Center Name Noah's Ark Christian Center Inspection Date 6/13/19

YES NO N/A

- |                          |                          |                          |     |  |
|--------------------------|--------------------------|--------------------------|-----|--|
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1.  | Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)  |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 2.  | 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)   |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 3.  | Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)  |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 4.  | AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)  |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 5.  | No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)  |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 6.  | Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)  |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 7.  | Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)   |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 8.  | All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)                |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 9.  | Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16)  |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 10. | Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)   |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 11. | If swings are present, are S-hooks in good repair? If not, state deficiency<br><div style="text-align: right;">(CPSC 3.2, pg 14;<br/>2.5.2, pg 1 &amp; 5.3.8.1, pg 37)</div>   |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 12. | If slide is present, is exit height/exit zone adequate? If not, state deficiency<br><div style="text-align: right;">(CPSC 5.3.6.4-5 pgs 34-35)</div>                           |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 13. | Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7, pg 36-37)   |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 14. | Is age-appropriate equipment being used? If not, state which pieces are inappropriate<br><div style="text-align: right;">(Rule 1.10.2, pg 46<br/>&amp; CPSC 2.2.6, pg 6)</div> |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 15. | Is playground area clean & free of hazards? If not, state deficiency.<br><div style="text-align: right;">(Rule 1.11.11 (1), pg 61)</div>                                       |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 16. | Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)   |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 17. | Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)   |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 18. | Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15)  |

Director Debra Tanner Licensing Official Dana Jones

\*Playarea is being renovated. Playarea will be checked once completed.