

MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Facility Inspection

County Harrison		Date 2-20-19					
Facility Name MCCCC-7d Early Childhood License Number 4895							
/ /	Capa	/ -					
All Items In Red Are Critical Qualified director present	Out COS N/A	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	In Out	COS	N/A		
Proper staff to child ratio present Room and playground capacity met Center capacity met License/complaint visible Certified food manager		Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair					
Sanitation Approved Garbage and garbage bins maintained Vector control maintained		Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,					
Water system approved and functioning Waste water system approved and functioning Food service approved		and functioning Electrical outlets protected Large appliances located properly Sinks and toilets working properly					
Possible Monetary Penalty 1							
2. 3.		nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good working order					
4 _{*!} 5 _{*!}		Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and					
1	5	in good working order First aid kits stocked and easily accessible					
2 3	0 7	Playground area clean, shaded, well drained and equipped and fence in good repair					
5	-	Playground equipment meets standards					
6		Pool area clean, fenced, and adequately maintained					
Contag Director/In dissidual	22000	Diaper changing stations adequate in number and each fully supplied (number) Child Caro Representative		75			
Center Director/Individual Child Care Representative Child Care Representative White Copy - Facility File Yellow Copy - Facility Operator							
Mississippi State Department of Health	12-10-	-08	Fo	rm No.	. 281		

Form No. 287



Child Care Encounter

0	Child Ca	re Encounter	Date 2-20-19
District			Date_2 ~ VIII
Name MGCC-JD EQ	aly Childhoo	License No. 489	5
Address 2226 Switzer	RA. Gulton Center/Orga	nization/Individual	
(,)		(1h 1 -	Conc
Mileage Start		Mileage End	
County Harrison		Telephone No. 228-89	7-3782
Time In	Time Out	Total Time	
Findings/Comments			Ψ
No violations obser	word du	ing this west.	
		-	
Excellent Job			
Donard			
- application			
- 7'le Waired			
- Henris			
- the Durby			
	اله الم		
Center Director/Pesignee/Individual	Child Care	Larly Pauley Representative	White Copy - Facility File Yellow Copy - Operator
(//-		, 0	- N. 20-

Revised 6-24-09

Mississippi State Department of Health



Child Care Program Review

Yes No N/A	Policies and procedures (Parent's Handbook) {Rule 1.4.1} Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)} Approved arrival and departure procedures {Rule 1.4.1 (2)} Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)} Attendance records for children and staff {Rule 1.6.3 (1)} Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)} Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)} Monthly records of fire/disaster drills {Rule 1.6.3 (5)} Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)} Immunization Records for Children and Staff {Rule 1.6.3 (8)} Personnel records (attach employee's records form) {Rule 1.6.4} Volunteer records (attach children's records form) {Rule 1.6.7} Reports of serious occurences made as required {Rule 1.7.1} Communicable diseases reported as required {Rule 1.7.3} Daily written reports provided to parents for infants and toddlers {Rule 1.7.4} Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)} Age appropriate program of activities posted in each room {Subchapter 9} Required toys present in infant room {Rule 1.10.1 (2)} Required toys present in toddler room {Rule 1.10.1 (3)} Required toys present preschool room {Rule 1.10.1 (4)} Licensed pest control contractor {Rule 1.11.14}
26. 🗆 🖸 🛂	Infant feeding schedules posted (Appendix C, VII) commendations

Follow-up within ____

days

Child Care Representative

Child Care Licensure Playground Checklist

2-20-19

Center Nam	Mr.	Inspection Date 4
YES NO N	_ 1	Playground fence less than 3 ½".from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
	2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg. 48)
	3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)
] 4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
	5.	No standing water present on playground or in/on playground equipment or walkways?
	6.	(CPSC 2.4.2.2-5, pg 10) Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)
	7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.0, pg 13)
	8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and rencing transferwares facing away from the playground area? (Rule 1.11.9 (5), pg 47)
	9. 10.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
	11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg13)
400	12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35)
ппр	13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
	14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 36)
	15.	Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 49)
	16.	Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)
	17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 30)
Q 0 0	18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC
irector	A	Licensing Official Moreque Fauly