



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County	Washington	Date	4/10/2019
Facility Name	First Presbyterian Preschool	License Number	76CDLF 0565
Purpose	6 month / TA	Capacity	90

All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present	☒	☐	☐	☐
Proper staff to child ratio present	☒	☐	☐	☐
Room and playground capacity met	☒	☐	☐	☐
Center capacity met	☒	☐	☐	☐
License/complaint visible	☒	☐	☐	☐
Certified food manager	☒	☐	☐	☐

Sanitation Approved

Garbage and garbage bins maintained	☒	☐	☐	☐
Vector control maintained	☒	☐	☐	☐
Water system approved and functioning	☒	☐	☐	☐
Waste water system approved and functioning	☒	☐	☐	☐
Food service approved	☒	☐	☐	☐

Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	6 wks - 6 mon (8) 2 caregivers
2.	1 year (3) 1 caregiver
3.	1-2 year (5) 1 caregiver
4.	1 year olds (9) 1 caregiver
5.	2 year (13) 1 caregiver
6.	2-3 year (9) 1 caregiver
7.	3-4 year (12) 1 caregiver

59

Center Director/Individual

Christa Smith

White Copy - Facility File

Yellow Copy - Facility Operator

Mississippi State Department of Health

12-10-08

Other Items - Must be corrected	In	Out	COS	N/A
Children's belongings separated/stored	☒	☐	☐	☐
Evacuation plans posted	☒	☐	☐	☐
Menus posted and served	☒	☐	☐	☐
Plan of activities	☒	☐	☐	☐

Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair	☒	☐	☐	☐
Lighting approved	☒	☐	☐	☐
Heating/cooling approved	☒	☐	☐	☐
Ventilation adequate	☒	☐	☐	☐
Glass approved and shielded	☒	☐	☐	☐
Telephone on premises, available, and functioning	☒	☐	☐	☐
Electrical outlets protected	☒	☐	☐	☐
Large appliances located properly	☒	☐	☐	☐
Sinks and toilets working properly	☒	☐	☐	☐
Hot water at all sinks, not to exceed 120°	☒	☐	☐	☐
Children barred from kitchen	☒	☐	☐	☐
Vending machine snacks meet nutritional guidelines, if present	☐	☐	☐	☒
Exits, doors and fastening devices single action approved and in good working order	☒	☐	☐	☐
Exits unobstructed	☒	☐	☐	☐
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	☒	☐	☐	☐
First aid kits stocked and easily accessible	☒	☐	☐	☐
Playground area clean, shaded, well drained and equipped and fence in good repair	☒	☐	☐	☐
Playground equipment meets standards	☐	☒	☐	☐
Pool area clean, fenced, and adequately maintained	☐	☐	☐	☒
Diaper changing stations adequate in number and easily supplied (number 05)	☐	☐	☐	☐

Child Care Representative

Teresa Figgins

Dana Jones

Form No. 281



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District IIIDate 4/10/2019Name First Presbyterian Preschool License No. 76CDRF-0565Address 1 John Calvin Circle, Greenville, MS 38701
Center/Organization/IndividualPurpose Mid-Year Inspection/TA Director Christina SmithMileage Start — Mileage End —County Washington Telephone No. 662-332-1214Time In 1:17 p.m. Time Out 2:31 p.m. Total Time Findings/Comments The licensing officials met with Carolyn Williams and Christina SmithThe purpose for this visit was for a mid-year inspection/TA visit.Subchapter 9: Program of ActivitiesDeficiency: Rule 1.9.4(5b)(5d) states in part, items such as but not limited to pillows, blankets, sheepskins, bumpers, soft objects, stuffed toys, loose bedding etc., shall not be in the crib. Infants shall be dressed in clothing appropriate for sleeping that is designed to keep the infant warm without possible hazard of head covering entrapment.Findings: The licensing officials observed in the infant classroom, that there were infants in their cribs with blankets, bobby pillows, covering, stuffed teddy bears, pacifiers, etc.P.O.C.: Plan of Correction1.) What measures will you as a facility, put into place to correct the immediate violation? How will you prevent recurrence of the violation?I will take all objects out of the crib/room depending on the object. Ms. Carolyn and I will do random checks to make sure no others objects are in the cribs.2.) Who will be responsible for monitoring to prevent recurrence of the violation? Myself and Ms. Carolyn will do checks; also the teachers in the rooms will be held accountable for any recurrence.3.) What is the date of expected completion for compliance? 4/10/2019Christ Smith
Center Director/Designee/IndividualJenny Liggins
Child Care RepresentativeWhite Copy - Facility File
Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter (Continuation)

Date 4/10/2019

Facility Name First Presbyterian Preschool License No. 0565

Subchapter 25: Hearings, Emergency Suspensions, Legal Actions and Penalties
 Deficiency: Rule 1.25.9(21), states in part failure to have (proper up-to-date immunization in each child's record).

Findings: The licensing officials observed two (2) children's MSDH 121 forms had expired.

P.O.C. What will you do as a facility to prevent recurrence of this violation? I will check the 121 forms more often to see who is out of date.

2.) Who will be responsible for monitoring to prevent recurrence of the violation? I will.

3.) What is the date of expected completion for compliance?
 4/24/19 if not sooner.

A green child care survey card was left with Christina Smith.

Items needed: a copy of current MSDH 121 forms for two (2) children within (14) days of today's date.

TA: Technical Assistance was provided on Safe Sleep for Your Baby. A Brochure was given to Director Christina Smith. The licensing official recommends that staff development training on Regulations, Subchapter 9: Program of Activities; Rule 1.9.4(5a-5d).

Class I and II violations may result in a monetary penalty. Repeated violations may result in the doubling of a monetary penalty, suspension, or revocation of the license.

Christa Smith
 Center Director/Designee/Individual

Teresa Liggins
 Child Care Representative

White Copy - Facility File
 Yellow Copy - Operator

Food Service Facility Inspection Results

PIMS ID 0565	Facility Name, Address First Presbyterian Preschool / 1 John Calvin Circle, Greenville, MS 38901	Date 4/10/2019
------------------------	--	--------------------------

CRITICAL VIOLATIONS

CORRECTION PLAN AND SCHEDULE

<i>- observed no violations</i>	<i>Facility received a grade of "A."</i>
--	---

☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training	☒ 92010 Permit No Charge ☐ 92015 Permit 1 \$30.00 ☐ 92011 Permit 2 \$100.00 ☐ 92012 Permit 3 \$150.00 ☐ 92013 Permit 4 \$200.00
Permit Date	Environmental Code TL3
Please Remit within 10 days to:	

Mary Brazan
Certified Manager

Serv Safe
Licence Number
Exp. 10/23/2019

Facility Signature <i>Christa Smith</i>
Environmental Signature <i>Jesus Leggio / Dana Jones</i>

White Copy - Facility
Yellow Copy - PIMS
Pink Copy - Environmentalist

Child Care Licensure Playground Checklist

Center Name First Presbyterian Preschool Inspection Date 4/10/2019

YES NO N/A

- ☒ ☐ ☐ 1. Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
- ☒ ☐ ☐ 2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
- ☒ ☐ ☐ 3. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
- ☒ ☐ ☐ 4. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
- ☒ ☐ ☐ 5. No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)
- ☒ ☐ ☐ 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
- ☒ ☐ ☐ 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
- ☒ ☐ ☐ 8. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
- ☒ ☐ ☐ 9. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16)
- ☒ ☐ ☐ 10. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
- ☒ ☐ ☐ 11. If swings are present, are S-hooks in good repair? If not, state deficiency _____ (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37)
- ☒ ☐ ☐ 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency _____ (CPSC 5.3.6.4-5 pgs 34-35)
- ☐ ☐ ☒ 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7, pg 36-37)
- ☒ ☐ ☐ 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate _____ (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6)
- ☐ ☒ ☐ 15. Is playground area clean & free of hazards? If not, state deficiency. observed red blue + yellow Little Tikes swings on playground. Little Tikes play toys swings can not be utilized by children (Rule 1.11.11 (1), pg 61)
- ☒ ☐ ☐ 16. Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
- ☒ ☐ ☐ 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
- ☐ ☐ ☒ 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15)

Director Christ Suth

Licensing Official Teresa Liggins / Dana Jones