

MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County VV A HOAL	Date 0.3.2				
Facility Name Little Children D/N License Number 5677					
Car	bacity 30				
All Items In Red Are Critical In Out COS N/A	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities				
Qualified director present Proper staff to child ratio present Room and playground capacity met Center capacity met License/complaint visible Certified food manager	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair				
Sanitation Approved	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded				
Garbage and garbage bins maintained Vector control maintained Water system approved and functioning	Telephone on premises, available, and functioning				
Waste water system approved and functioning Food service approved	Electrical outlets protected Large appliances located properly Sinks and toilets working properly Hot water at all sinks, not to				
Possible Monetary Penalty Monetary Penalty	exceed 120°				
2	Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good				
\$	working order				
5. \$ \$ \$	Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order				
1. 3.5yr/8/C Caregiver 1	id kits stocked and easily accessible				
2. Infants/5 11 112 3. 1-2yr/8/A. 11 113	ound area clean, shaded, well d and equipped and fence in good				
4.	round equipment meets standards				
5, 6.	area clean, fenced, and adequately ained				
Diaper changing stations adequate in number and each fully supplied (number)					
Center Director/Individual Child Care Representative Mile Copy - Facility File Yellow Copy - Facility Operator					

12-10-08

Form No. 281

White Copy - Facility File Yellow Cop Mississippi State Department of Health



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter		
District	Little Children Christian D/N Care	Date (0.3.2)
Name	Director: Jacqueline Payton 123 S. Sandifer Street	License No
Address	Tylertown, Ms 39667 (601)- 876-4696 Lincense# 5677	
Dan		nization/Individual
Purpose Ken	zwal	Director O. Pay ton
Mileage Start		Mileage End
County Wa H	tall	Telephone No. 1001.876.4096
Time In [1.10]	Time Out 1.0	Total Time
Findings/Comments	Arrived at H	ne facility and
met v	vith D. Desi	gnee Coretha Magee today's visit.
Stated	purpose tor	Hoday's visit.
TA WOS	s providedon +	re following
	provide of 1	re reacting.
Rule 1.4	1.4 Changes in	Facility L.O observed
equipme	ent on Front a	nd back playaround
Call was	made to L.O	after installation.
1.0 1860	mmenas the ch	hildren to play under
carpore	te Frant for	ayground areas are
		completed. Once
		please make call or send
email +	O LO For fir	nal inspection before
use. Dir	ector will be re	sponsible for compliance.
0		
		on viewing, including
	ses and for ot	
	10	nilaren under the age
0+ 2 or		the infant toddler area.
		eintantroom and 1:2 yr
Old room		greed to namove television
and wi		ensure compliance at
all tim		0.4.21.
A 1	. 0 4 2	White Come Explicated
Center Director/Desi	gnee Individual Child Care	White Copy - Facility File Yellow Copy - Operator



Child Care Encounter (Continuation)

Date 6.3.21

Facility Name_Little Christian License No. 5677 D/N Care
License will be issued once fire Survey form #333, (2) Menus, and contact hours are received. License expires 8.31.21.
hours are received. License expires
8.31.21.
A 0/5000 6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
A green survey card was given to director.
Thanks for all you do and continue to
Class I II violations may result in a monetary penalty.
Repeated violations may result in the doubling of a monetary penalty,
suspension or revocation of license.
360
Center Director/Designee/Individual Child Care Representative White Copy - Facility File Yellow Copy - Operator



Child Care Program Review

Facility Name Little Children License No. Date 0.3.21			
D/N Care			
Yes No N/A 1.			
Pass — License to be issued: Regular Probational Restricted Fail Follow-up within days Director Designee Child Care Representative			

Food Service Facility Inspection Results

PIMS ID	Facility Name, Address	Children Christian Date
5107	1235. Sandifer	Care MS3000 U.3.21
		7.
CRITICAL VIOLATIONS		CORRECTION PLAN AND SCHEDULE
No critico	il Violations	
WITH TITE	COT	
Visit.		"A" Issued
	11-162	D
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection	☐ 92010 Permit No Charge ☐ 92015 Permit 1 \$30.00 ☐ 92011 Permit 2 \$100.00 ☐ 92012 Permit 3 \$150.00 ☐ 92013 Permit 4 \$200.00	Certified Manager Licence Number Expires 9/15/25
92090 Restaurant Training		Facility Signature
Permit Date	Environmentalist Code	(Environmentalist Signature
Please Remit within 10 days to	o:	White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist

Child Care Licensure Playground Checklist

Center Name	tle Children Christian Inspection Date U.3.21
YES NO N/A	DIN Care
	Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60) Front Fence not complete.
	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
A G G 3 .	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
☑ □ □ 4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
□ □ 5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)
D 0 0 6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
□	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
2 0 0 9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16)
	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
0 0 2 11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14)
	2.5.2, pg 1 & 5.3.8.1, pg 37)
O O Ø 12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC5.3.6.4-5 pgs 34-35)
	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)
0 0 14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46)
	& CPSC 2.2.6, pg 6)
	Is playground area clean & free of hazards? If not, state deficiency.
D 0 16	(Rule 1.11.11 (1), pg 61,
0 0 16.	Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
Z 0 0 17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
□ □ 18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC
Director Cacque	Licensing Official Sulpho Sadifi