St. James Head Start Center 120 Head Start Lane Pearl, MS 39208

Ph.: 601-932-6029 Lic.: 61C4IH-1041 Director: Karen Edwards

MISSISSIPPI STATE DEPARTMENT OF HEALTH
Child Care Facility Inspection

County On In		Date 02 28 20	18		
Facility Name	ř	License Number			
Purpose Renewa	T. 0 Cap	acity 12.4			
All Items In Red Are Critical Qualified director present	In Out COS N/A	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	In Out	cos	N/A
Proper staff to child ratio present Room and playground capacity met Center capacity met License/complaint visible Certified food manager		Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair			
Sanitation Approved Garbage and garbage bins maintained Vector control maintained		Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,	0000		
Water system approved and functioning Waste water system approved and functioning Food service approved	<b>∀</b>	and functioning  Electrical outlets protected  Large appliances located properly  Sinks and toilets working properly			
Possible Monetary Penalty  1  2	Monetary Penalty \$ \$	Hot water at all sinks, not to exceed 120° Children barred from kitchen Vending machine snacks meet nutritional guidelines, if present			
3 4	\$ \$	Exits, doors and fastening devices single action approved and in good working order			
5Age/Child/Sta	ff Name	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	<b>V</b> 0		
Thean 17 Ca	regiver#1,#2	First aid kits stocked and easily accessib	le 🔽 🗆		
2. 4 Jear 19 car 4. 3-4 Jear 18 D	egiver#1,#2	Playground area clean, shaded, well drained and equipped and fence in good repair	<b>V</b> ,0		
5.	0. 1. 1.	Playground equipment meets standards			
6.	-	Pool area clean, fenced, and adequately maintained			N
7. L	and Samuel	Diaper changing stations adequate in number and each fully supplied (number)	2-4		10
White Copy - Facility File Yellow C	Copy - Facility Operator	Child Care Representative	F. O	orm No	. 281

Pearl, MS 39208 Ph.: 601-932-6029 Lic.: 61C4IH-1041 MISSISSIPPI STATE DEPARTMENT OF HEALTH Director: Karen Edwards

#### **Child Care Encounter**

	1	()
Page	of _	-

District_	Date 00 008
Name	License No
Address_	Renewal ITa Center/Organization/Individual
Purpose_	Director
Mileage S County	Start Mileage End Telephone No
Time In_	7:359M Time Out 1:00 9.m Total Time
Findings/	director mrs. Karen edwards.
the	purpose of this Visit is to conduct a renewal
Tech	nical assistance was privided on the following
Inclu	nical assistance was provided on the following ude date of birth for staff on staff nister.
	*
	× ·
th .	Dominia Rajio
I areaC Tenter Di	White Copy - Facility File Yellow Copy - Operator  Child Care Representative  White Copy - Facility File Yellow Copy - Operator

Mississippi State Department of Health

Revised 6-24-09

Form No. 287

St. James Head Start Center 120 Head Start Lane Pearl, MS 39208 Ph.: 601-932-6029 Lic.: 61C4IH-1041

Director: Karen Edwards

MISSISSIPPI STATE DEPARTMENT OF HEALTH

Page of \_\_\_

# Child Care Encounter (Continuation)

Date_	02	20	120	8
	- 1			

Facility Name	License No
think in for all	that included
Hamily gen 19 all	that you do!
- U	
	2
Green survey ca	and provided to mrs. Karen Edwards
email:	
	Class I and II violations may result in a monetary penalty. Repeated violations may result in the doubling of a monetary penalty, suspension or revocation of the icense.

Form 289

St. James Head Start Center 120 Head Start Lane Pearl, MS 39208 Ph.: 601-932-6029 Lic.: 61C4IH-1041 Director: Karen Edwards

Mississippi State Department of Health

White Copy - Facility File Yellow Copy - Operator



#### **Child Care Program Review**

Yes No N/A  1.	rogram Keview	minalona
Policies and procedures (Parent's Han Proof of Accident/Liability Insurance or insurance is in effect {Rule 1.4.1 (i) &	License No	Date DIADIADIC
	documentation that parent has been and	)} (4) & (5)}
Pass License to be issued: Regular Probational Fail Follow-up within days	Restricted  The self Aug roll	emonia Rouri

Revised 12-19-13

### **Food Service Facility Inspection Results**

St. James Head Start Center Facility N120 Head Start Lane PIMS ID Pearl, MS 39208 Ph.: 601-932-6029 Lic.: 61C4IH-1041 CRITICAL VIOLATIC Director: Karen Edwards CTION PLAN AND SCHEDULE Licence Number Certified Manager 92010 Permit No Charge 92020 Scheduled \$30.00 ☐ 92030 Followup ☐ 92015 Permit 1 \$100.00 ☐ 92040 Complaint 92011 Permit 2 \$150.00 ☐ 92050 Consultation ☐ 92012 Permit 3 \$200.00 ☐ 92070 Plan Review/Const. ☐ 92013 Permit 4 ☐ 92080 No Inspection Facility Signature 92090 Restaurant Training Environmentalist Signature Environmentalist Code Permit Date White Copy - Facility Please Remit within 10 days to: Yellow Copy - PIMS Pink Copy- Environmentalist

## Child Care Licensura Playground Checklist

L Charle C	NO MODIO
St. James Head Start C 120 Head Start Lane	tion Date
Pearl, MS 39208	Inspection Date UN 100 100
Center NamePh.: 601-932-6029	\ .
YES NO N/A Lic.: 61C4IH-1041 Director: Karen Edwar	rds nce less than 3 ½" from surface. (Rule 1.11.9 (8), pg 48) In good repair, (Rule 1.11.9 (8), pg 48)
D D 1. Playground fer	nce less than 3 ½ from surface. (1555
with no gaps?	(Rule 1.11.9 (8), pg 48)
D 2. 2 entrances/ex	(Rule 1.11.9 (8), pg 48) its, with one being remote from the building? (Rule 1.11.9 (8), pg 48)
2. 2	dequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)
-	h-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
□ □ □ 4. AC units, hig	h-voltage cabling/wires maccessione. (Italian and Italian and Ital
No standing V	vater present on playground or in/on playground equipment or walkways?
□ □ 5. No standing \	2.5 ng 10) = 1.10.2 (2) ng 36)
(CPSC 2.4.2.	2-5, pg 10) oment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36) oment in good repair? (none broken/deteriorating) (CPSC 3.6, pg 15)
□ □ 7. Sidewalks pr	equipment & fence <2 threads beyond the nut? Are all bolts and fencing equipment from the playground area? (Rule 1.11.9 (5), pg 47)
twists/wires	facing away from the playground area? (Rule 1.11.9 (5), pg 47)
O Tree limbs a	facing away from the playground area. (2000) t least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC)
$\square$ $\square$ 9. Tree limbs a 3 4 3 5, pg	(15) (CPSC 5.3.9, pg 40)
$\square$ $\square$ 10. Are use zone	es adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
10. 710	o IS A state deficiency
11 If essings ar	e present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg13)
□ □ □ 11. If swings are	1. Coinnay
IC 1: le ig nr	resent, is exit height/exit zone adequate? If not, state deficiency (CPSC5.3.6.4-5 pgs 34-35)
77	
	rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
☐ 13. Are spring	opriate equipment being used? If not, state which pieces are inappropriate  (Rule 1.10.2, pg 3t)
□ □ 14. Is age-appr	opriate equipment being used? If not, state which process at (Rule 1.10.2, pg 3t
N □ □ 15. Is playgrou	nd area clean & free of hazards? If not, state deficiency <i>(Rule 1.11.11 (1), pg 4</i> 5
/#=1.	
- I Is adequate	shade present on the playground? (CPSC 2.1.1, pg 5)
	1 1 1 1 = = 1 6" NOMESTITITE SULTAVE 1 1 1 1 1 = 1 6"
□ □ 17. Are concre	te footings located at least o beneath the same properly treated. (CPSC nooth? Documentation provided that wood has been properly treated.
□ □ 18. Is wood sn	nooth? Documentation provides
2.5.5)	$\frac{1}{2}$
Margue Som	ard Licensing Official
Director 1 January	
T	T. A.