

Child Care Facility Inspection Report

FAITH PRESBYTERIAN KINDERGARTEN

License #: 1570

Director: JANE STATHAM

Inspection Date: 08/18/2022

Annual/Mid Inspection

Inspector: Tiffany Slay

Program Administration Violations Cited

1. **Out of Compliance:** Facility has appropriate number of operational toilets and handwashing lavatories. A ratio of 1:15 is required. Each sink is supplied with hot and cold running water, soap, and individual towers for drying. Each toilet is supplied with toilet paper. (Rule 1.11.5 Page 56)

Kitchen Violations Cited

No violations cited

Nutritional Guidelines Violations Cited

No violations cited

Playground Violations Cited

No violations cited.

Twos Classroom Violations Cited

Two - Classroom Number: 2
No violations cited

Twos Classroom - Classroom Number: 2

Preschool Classroom Violations Cited

<u>Three - Classroom Number: 3</u>

No violations cited.

Preschool Classroom - Classroom Number: 3

Four - Classroom Number: 5

No violations cited.

Preschool Classroom - Classroom Number: 5

Four - Classroom Number: 4

No violations cited.

Preschool Classroom - Classroom Number: 4

Four/Five - Classroom Number: 1

No violations cited.

Preschool Classroom - Classroom Number: 1

Legend

COS: Corrected on SitePOC: Plan of Correction

Child Care Director Signature

1

MSDH Licensure Representative Signature

Piffang Kang