

MISSISSIPPI STATE DEPARTMENT OF HEALTH

### **Child Care Facility Inspection**

County attala		Date 12/14/2020	)		
Facility Name 3 Hep Da	yeare 2	License Number <u>0400</u>		16	
Purpose Kenewal Capacity 38					
All Items In Red Are Critical Qualified director present Proper staff to child ratio present	In Out COS N/A	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	In Out	COS	N/A
Room and playground capacity met Center capacity met License/complaint visible Certified food manager		Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair			
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning		Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,			
Waste water system approved and functioning		and functioning			
Food service approved  Possible Monetary Penalty		Electrical outlets protected Large appliances located properly Sinks and toilets working properly			
1	Monetary Penalty \$	Hot water at all sinks, not to exceed 120° Children barred from kitchen			
3	\$	Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good			
4	\$	working order			
5		Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers			
1. 2/15/fwo Caregiver3		and thermometers placed properly and in good working order			
2. In Fants /6/ two cores		First aid kits stocked and easily accessible	: 🔽 🗆		
3. 3/8/ one Care giver	5	Playground area clean, shaded, well drained and equipped and fence in good repair		П	П
5.		Playground equipment meets standards			
6		Pool area clean, fenced, and adequately maintained			
Diaper changing stations adequate in number and each fully supplied  Center Director/Individual  Center Director/Individual					

White Copy - Facility File Yellow Copy - Facility Operator Mississippi State Department of Health



MISSISSIPPI STATE DEPARTMENT OF HEALTH

# **Child Care Encounter**

3	Child Care Encounter	
District		Date 2/14/2020
Name 3 Step Day are 2	License No. D4CCP	FA-2516
Address 1/29 No Natchez	Kosciusko MS 39090 Center/Organization/Individual	
Purpose Renewal		
[5]	Director Linda Teag	rul .
Mileage Start	Mileage End	
County AHala	Telephone No	
	me Out_/2.'0/ Total Time_	
Findings/Comments 1513 visit	is for Renewal for Child	Care license.
The ligania and		
the huilding Witchen	cial did not observe any	Concerns with
-11	. ~	newal inspection.
No Concerns observed	d with student and staff re	ecords.
It any questions	or concerns Please Conta	of the licensing
agency at 1601.364.28	21 or the licensing official	at Shundra givensomsthy
		J.
		1
Center Director Designee/Individual	Child Care Representative	White Copy - Facility File Yellow Copy - Operator

Mississippi State Department of Health

Revised 6-24-09

Form No. 287



#### MISSISSIPPI STATE DEPARTMENT OF HEALTH

Facility Name 3 Step Day Care 2 License No. 0410 PTA-7516 Date 12/14/2020

			/	,
10.	Policies and procedures (Parent's Hand Proof of Accident/Liability Insurance or insurance is in effect {Rule 1.4.1 (i) & (j) Approved arrival and departure procedured Letter of suitability for staff {Rule 1.5.2 Attendance records for children and staff Current alphabetical roster of children (in Current staff roster (includes date of birth Monthly records of fire/disaster drills {R Medication record with date, time, sign Immunization Records for Children and Personnel records (attach employee's record Volunteer records {Rule 1.6.5 & Rule 1.6.5 &	documentation that parent )} es {Rule 1.4.1 (2)} & Rule 1.6.4 (1) (f)} {Rule 1.6.3 (1)} encludes date of birth) {Rule 1.6.3 (5)} entered for 90 days {Rule 1.6.3 (8)} encludes form) {Rule 1.6.4} encludes form) {Rule 1.6.7} encludes form) {Rule 1.7.1} encludes form) {Rule 1.6.7} encludes form) {Rule 1.6.4} encl	le 1.6.3 (2)} 6.3 (3)} 1.6.3 (6)} Rule 1.7.4} Rule 1.8.1 (4) & (5)} upter 9}	
			· · · · · · · · · · · · · · · · · · ·	
		9		
			P	7.50 0
☐ Fail	ithin days \\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Restricted Sesignee	Child Care Representative	

# **Food Service Facility Inspection Results**

PIMS ID Fac	cility Name, Address 3 He	Day Care 2	Date
04/CPFA-7516	1189 N	o DayCare 2 Jatchez Kasciusko, MS 390.	12/14/2020
CRITICAL VIO		CORRECTION PLAN A	ND SCHEDULE
NO VID	lations	1/41	
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training	☐ 92010 Permit No Charge ☐ 92015 Permit 1 \$30.00 ☐ 92011 Permit 2 \$100.00 ☐ 92012 Permit 3 \$150.00 ☐ 92013 Permit 4 \$200.00	Certified Manager  Facility Signature	Serv Sa-7e Licence Number
Permit Date  Please Remit within 10 days to:	Environmentalist Code	White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist	

# **Food Service Facility Inspection Results**

PIMS ID Fac	cility Name, Address 3 3/e	o DayCored	Date
04/CPFA-7516	1189 N	p Day Care 2 Jatchez Kosciusko, MS 39091	12/14/2020
CRITICAL VIO	LATIONS	CORRECTION PLAN AN	D SCHEDULE
NO VID	lations		
		"H"	
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const.	☐ 92010 Permit No Charge ☐ 92015 Permit 1 \$30.00 ☐ 92011 Permit 2 \$100.00 ☐ 92012 Permit 3 \$150.00 ☐ 92013 Permit 4 \$200.00	Certified Manager I	icence Number
☐ 92080 No Inspection ☐ 92090 Restaurant Training		Facility Signature  Environmentalist Signature	+ Berray
Permit Date	Environmentalist Code	Frich 5	tand Antiquipment
Please Remit within 10 days to:		White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist	

### Child Care Licensure Playground Checklist

Cen	ter N	ame	3	Step Day Care 2 Inspection Date 12/14/2020
YES	NO	N/A		
		□ .	1.	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
			2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)
		0	<b>3</b> .	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)
				No playground equipment
			4.	AC units, high voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
			5.	No standing water present on playground or in/on playground equipment or walkways (CPSC 2.4.2.2-5, pg 10)
			6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36,
Z			7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)
			8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)
D			9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15)
			10.	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
			11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg
			12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency  (CPSC 5.3.6.4-5 pgs 34-
			13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
			14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate  (Rule 1.10.2, pg
			15.	Is playground area clean & free of hazards? If not, state deficiency.  (Rule 1.11.11 (1), pg
V			16.	Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)
T.			17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
			18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPS)
Direct	or_	M	a	10 BUU M Licensing Official Show