



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County <u>Washington</u>	Date <u>04/03/2018</u>
Facility Name <u>Care Bears Child Development Center</u>	License Number <u>6885</u>
Purpose <u>Renewal Inspection/TA</u>	Capacity <u>30</u>

All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper staff to child ratio present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Room and playground capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Center capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
License/complaint visible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Certified food manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Sanitation Approved

Garbage and garbage bins maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vector control maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Waste water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food service approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	<u>2yr olds/6/ caregiver #1 + #4</u>
2.	<u>infants/5/ caregiver #2 + #3</u>
3.	
4.	
5.	
6.	
7.	

Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Evacuation plans posted	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Menus posted and served	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Plan of activities	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lighting approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heating/cooling approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ventilation adequate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Glass approved and shielded	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Telephone on premises, available, and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Electrical outlets protected	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Large appliances located properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sinks and toilets working properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hot water at all sinks, not to exceed 120°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Children barred from kitchen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vending machine snacks meet nutritional guidelines, if present	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Exits, doors and fastening devices single action approved and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Exits unobstructed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
First aid kits stocked and easily accessible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground area clean, shaded, well drained and equipped and fence in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground equipment meets standards	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Pool area clean, fenced, and adequately maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Diaper changing stations adequate in number and each fully supplied (number <u>02</u>)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Center Director/Individual Alvaro GomezChild Care Representative Teresa Higgins



MISSISSIPPI STATE DEPARTMENT OF HEALTH
Child Care Encounter

District III

Date 04/03/18

Name Care Bears Child Development Center License No. 76C3PFA-6885
Address 303 Huddleston Street, Leland, MS 38756
Center/Organization/Individual
Purpose Renewal Inspection Director Lakeaver Flowers Thomas
Mileage Start — Mileage End —
County Washington Telephone No. 662-771-6023
Time In 11:41 a.m. Time Out 1:34 p.m. Total Time

Findings/Comments The licensing official met with director Lakeaver Flowers Thomas.

The purpose for this visit was for a renewal inspection and technical assistance visit.

The facility had some changes to the facility within the last 12 months. Per owner/director Lakeaver Thomas, she knocked down a wall which separated the toddler room and preschool room. Per Mrs. Thomas she would like to request a measurement to expand her toddler classroom. Per Mrs. Thomas, a request to measure her office space which will be the new afterschool classroom. Per Mrs. Thomas, she also has added (1) more toilet in the bathroom.

The licensing official conducted a measurement of both classrooms. The new capacity for the toddler classroom measured (21). The new capacity for the afterschool classroom measured (5). The facility's new maximum capacity is (44). The license fee for that capacity is \$200.00. Once the facility has submitted a renewal application on-line, payed the required license fee a new license will be issued reflecting the new maximum capacity.

Subchapter 5: Personnel Requirements

Deficiency: Rule 1.5.8(2) states in part, "All child care staff, directors, designers, and caregivers are required to complete (15) contact hours of staff development, accrued during the licensure year annually."

Lakeaver Thomas
Center Director/Designer/Individual

Teresa Figgins
Child Care Representative

White Copy - Facility File
Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter (Continuation)

Date 04/03/18Facility Name Care Bears Child Development License No. 76C3PFA-6885

Findings: The licensing official observed not all staff had completed (15) contact hours of staff development during the records review.

POC: Director Katherine Thomas will be responsible for making sure all staff complete contact hours before the license period expires 6/30/2018.

TA: Technical Assistance was provided on staff development.

A green child care survey card was left with Katherine Thomas.

Class I and II violations may result in a monetary penalty. Repeated violations may result in the doubling of a monetary penalty, suspending, or revocation of the license.

Items received: A Request of measurement letter
a new floor plan
a new evacuation plan

Items left: A Fire Safety Survey Form #333.

Katherine Thomas
Center Director/Designee/Individual

Teresa Figgins
Child Care Representative

White Copy - Facility File
Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Program Review

Facility Name Care Bears Child Development Center License No. 6885 Date 04/03/18

- | | Yes | No | N/A | |
|-----|-------------------------------------|--------------------------|-------------------------------------|--|
| 1. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Policies and procedures (Parent's Handbook) {Rule 1.4.1} |
| 2. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)} |
| 3. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Approved arrival and departure procedures {Rule 1.4.1 (2)} |
| 4. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)} |
| 5. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Attendance records for children and staff {Rule 1.6.3 (1)} |
| 6. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)} |
| 7. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)} |
| 8. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Monthly records of fire/disaster drills {Rule 1.6.3 (5)} |
| 9. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)} |
| 10. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Immunization Records for Children and Staff {Rule 1.6.3 (8)} |
| 11. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Personnel records (attach employee's records form) {Rule 1.6.4} |
| 12. | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | Volunteer records {Rule 1.6.5 & Rule 1.6.6} |
| 13. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Children records (attach children's records form) {Rule 1.6.7} |
| 14. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Reports of serious occurrences made as required {Rule 1.7.1} |
| 15. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Communicable diseases reported as required {Rule 1.7.3} |
| 16. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Daily written reports provided to parents for infants and toddlers {Rule 1.7.4} |
| 17. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)} |
| 18. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Age appropriate program of activities posted in each room {Subchapter 9} |
| 19. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Required toys present in infant room {Rule 1.10.1 (2)} |
| 20. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Required toys present in toddler room {Rule 1.10.1 (3)} |
| 21. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Required toys present preschool room {Rule 1.10.1 (4)} |
| 22. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Licensed pest control contractor {Rule 1.11.14} |
| 23. | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6} |
| 24. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Appropriate discipline policy followed {Subchapter 14} |
| 25. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Appropriate transportation policy followed {Subchapter 15} |
| 26. | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | Infant feeding schedules posted (Appendix C, VII) |

Comments/Recommendations

- ☒ Pass –
 License to be issued: ☒ Regular ☐ Probational ☐ Restricted
☐ Fail
☐ Follow-up within _____ days

Rakeena Thomas
☒ Director ☐ Designee

Teresa Leggin
 Child Care Representative

Food Service Facility Inspection Results

PIMS ID 7603PFA-6885	Facility Name, Address Care Bears child Development 303 Huddleston Street, Leland, MS 38756	Date 04/03/18
--------------------------------	--	-------------------------

CRITICAL VIOLATIONS

CORRECTION PLAN AND SCHEDULE

<p><i>-observed no violations</i></p>	<p><i>Facility received a grade of "A"</i></p>
---------------------------------------	--

<input type="checkbox"/> 92020 Scheduled <input type="checkbox"/> 92030 Followup <input type="checkbox"/> 92040 Complaint <input type="checkbox"/> 92050 Consultation <input type="checkbox"/> 92070 Plan Review/Const. <input type="checkbox"/> 92080 No Inspection <input type="checkbox"/> 92090 Restaurant Training	<input checked="" type="checkbox"/> 92010 Permit No Charge <input type="checkbox"/> 92015 Permit 1 \$30.00 <input type="checkbox"/> 92011 Permit 2 \$100.00 <input type="checkbox"/> 92012 Permit 3 \$150.00 <input type="checkbox"/> 92013 Permit 4 \$200.00
Permit Date	Environmental Code TL3
Please Remit within 10 days to:	

Lakeaver Flowers Serv Safe
 Certified Manager Thomas Licence Number
 Exp. 02/11/2020

Facility Signature <i>Lakeaver Thomas</i>
Environmental Signature <i>Teresa Higgins</i>

White Copy - Facility
 Yellow Copy - PIMS
 Pink Copy- Environmentalist

Child Care Licensure Playground Checklist

Center Name Care Bears Child Development Center Inspection Date 04/03/18

- | YES | NO | N/A | |
|-------------------------------------|--------------------------|-------------------------------------|---|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1. Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 3. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
<u>No equipment present</u> |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 4. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 5. No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 8. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 9. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 10. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 11. If swings are present, are S-hooks in good repair? If not, state deficiency
<div style="text-align: right;">(CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37)</div> |
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency
<div style="text-align: right;">(CPSC 5.3.6.4-5 pgs 34-35)</div> |
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate
<u>No equipment present</u>
<div style="text-align: right;">(Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6)</div> |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 15. Is playground area clean & free of hazards? If not, state deficiency.
<div style="text-align: right;">(Rule 1.11.11 (1), pg 61)</div> |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 16. Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15) |

Director Alicia Thomas Licensing Official Teresa Leggin