BEE SMART AFTER SCHOOL/PROGRAM-25CBPA-7544 P:2570 N. Siwell Rd. Suite A M: 28 CASTLE CV Jackson, Ms 39212



1-007-0032	Facility Inspection					
County_1111145	Date_5.10.202					
Facility Name License Number # 7544 Purpose Number 30						
Unalified director present In Out COS Notes to child ratio present	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities In Out COS N/A U U U U U U U U U U U U U U U U U U U					
oom and playground capacity met lenter capacity met license/complaint visible lertified food manager	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair					
anitation Approved arbage and garbage bins maintained cotor control maintained ater system approved and functioning	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,					
aste water system approved d functioning od service approved Dessible Monetary Penalty	and functioning Electrical outlets protected Large appliances located properly Sinks and toilets working properly					
Monetary Penalty \$\$	Hot water at all sinks, not to exceed 120° Children barred from kitchen Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices					
\$\$ \$	single action approved and in good working order					
Age/Child/Staff Name	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order					
1 CG	First aid kits stocked and easily accessible					
Children are Virtual learning	Playground area clean, shaded, well drained and equipped and fence in good repair					
at tacility.	Playground equipment meets standards					
	Pool area clean, fenced, and adequately maintained					
Rod Wal	Diaper changing stations adequate in number and each fully supplied (number)					
Center Director/Individual White Copy - Facility File Yellow Copy - Facility Operator	Child Care Representative Plan Tele					

White Copy - Facility File

Yellow Copy - Facility Operator Mississippi State Department of Health



MISSISSIPPI STATE DEPARTMENT OF HEALTH

		Encounter	
District	BEE SMART AFTER SCHOOL PROGRAM-25CB 7544	PA-	Date_5.10.202
Nama	P:2570 N. Siwell Rd. Suite A M: 28 CASTLE CV	# 15	SHL
Name	Jackson, Ms 39212	_ License No.	77
Address	601-862-8662 Center/Organ	ization/Individual	
Purpose VIIII	1 Inspection /TA	Director	
Mileage Start		Mileage End	
County HINAS		Telephone No	
Time In 1:02	Time Out	G.M. Total Time	
Findings/Comments	pon arrival the C	/ /	or: Beatrice
1100000			
THE MYDDS	of This VIST	ISTD CONQUET	a renewal
1115 DECTION	Laria 10 proviae	Technical as	sistance
WY TACILIT	7.		
Children	Were virtual lea	mina on today	us Visit
) - 1/2//
Serving the	Spection Keep VI Children in N	o the areat wo lississippoi.	rk for
0116161	Anna 14 alla Mar	15/14/12/10/10/10	
riense see j	101141 # 209 DUV	renewal proces	5,
		· ·	
Class I II violations may r	esult in a		
monetary penalty.	LO- Licen	sing Official ected on Site	
Repeated violations may doubling of a monetary p	POC-Plan o	al Assistance of Correction	
suspension or revocation	of license.	of Suitability	
LD. left, a	green survey ca	rd NI Beamce	Nash
011 700 ag	S Y151t.	/	
<u> </u>			
Bot 11.11	4	11 60	
Center Director/Designed	e/Individual Child Card Re	la Ellis Y	White Copy - Facility File ellow Copy - Operator

BEE SMART AFTER SCHOOL PROGRAM-25CBPA-7544
P:2570 N. Siwell Rd. Suite A
M: 28 CASTLE CV
Jackson, Ms 39212

601-862-8662



Child Care Program Review

License No.# 7544

Date 5.10.2021

Facility Name		License No # 1544 Date 5.10.2025			
	27/1				
Yes No	N/A	· · · · · · · · · · · · · · · · · · ·			
1.		Policies and procedures (Parent's Handbook) {Rule 1.4.1}			
2.	Proof of Accident/Liability Insurance or documentation that parent has been notified that no				
2 16		insurance is in effect {Rule 1.4.1 (i) & (j)}			
3.		Approved arrival and departure procedures {Rule 1.4.1 (2)}			
4.		Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}			
5.		Attendance records for children and staff {Rule 1.6.3 (1)}			
6.		Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}			
7.		Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}			
8.		Monthly records of fire/disaster drills {Rule 1.6.3 (5)}			
9.		Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}			
10.	☐ Immunization Records for Children and Staff {Rule 1.6.3 (8)}				
11.		Personnel records (attach employee's records form) {Rule 1.6.4}			
12.		Volunteer records {Rule 1.6.5 & Rule 1.6.6}			
		Children records (attach children's records form) {Rule 1.6.7}			
14.		Reports of serious occurences made as required {Rule 1.7.1}			
15.		Communicable diseases reported as required {Rule 1.7.3}			
16.		Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}			
17.		Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}			
19.	b	Age appropriate program of activities posted in each room {Subchapter 9}			
20.		Required toys present in infant room {Rule 1.10.1 (2)}			
21.		Required toys present in toddler room {Rule 1.10.1 (3)}			
22.		Required toys present preschool room {Rule 1.10.1 (4)}			
23.	b	the chief pest control contractor (Rule 1.11.14)			
24.		Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}			
25.		Appropriate discipline policy followed {Subchapter 14}			
26.		Appropriate transportation policy followed {Subchapter 15}			
20. 4	4	Infant feeding schedules posted (Appendix C, VII)			
Comments	Rec	ommendatio Please submit the following for your			
		Renewal process:			
		*Fire Form #333			
		*2, 4, or 6 weeks menus *Zoning Letter (Hinds County Only)			
		*Contact hours 🗸			
		Go online to www.healthyms.com			
		to complete your online application			
		and pay fees and print your license on			
		or before Unit 30, 2021 to avoid			
		or before Mile 20, 202, to avoid			
		late fees and reinstatement fees.			
□ Pass –					
The second secon	o be i	ssued: Regular Probational Restricted			
☐ Fail	001	1 regular - regular - restricted			
Follow-up within days DMA / Tollow-up within days					
		The state of the s			
		Director Designee Child Care Representative			

Child Care Licensure Playground Checklist

, DEC CAMART AETE	ER SCHOOL PROGRAM-25CBPA-	
7544	ER SCHOOL PROGRAM-23CBPA- Inspection Date 5.10.	2021
P:2570 N. Siwell	No. Saite A	
Center Name _ M: 28 CASTLE CV Jackson, Ms 392	V 212	- I monoir with
VEX NO N/A 601-862-8662	round fence less than 3 $\frac{1}{2}$ " from surface. (Rule 1.11.9 (8), pg 60))) In good repair, with
Playg	round fence less than 3 72 Hom salary	
no ga	ps? (Rule 1.11.9 (8), pg 60) rances/exits, with one being remote from the building? (Rule 1.	.11.9 (8), pg 60)
	its with one being remote Iron the bunding.	2 10 0 12
	rances/exits, with one setup rfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2,)	pg 9-10 & 4.3)
□ □ □ 3. Is sur	facing adequate (II I	
	71.2 (Della 1.11.9 (5)	ng 59)
A C 7	mits, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5),	11
9 0 A. Ac.	miss, mg-	ipment or walkways:
плл 5. Nos	mits, high-voltage cabinity which make real interpretation in the standing water present on playground or interpretation of playground equivalent to the standing water present on playground or interpretation of the standing water present on playground or interpretation of the standing water present on playground or interpretation of the standing water present on playground or interpretation of the standing water present on playground or interpretation of the standing water present on playground or interpretation of the standing water present on playground or interpretation of the standing water present on playground or interpretation of the standing water present on playground or interpretation of the standing water present on playground or interpretation of the standing water present on playground or interpretation of the standing water present on playground or interpretation of the standing water present of the standing	
(CPS	standing water present surprises from the standing water present surprises (1.11.11 (4), pg 61) SC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61) A remain? (none broken/deteriorating) (Ru	ule 1.10.2 (2), pg 46)
Torr	2 & equipment 11 good repail: (note of the	
0. 20,	ewalks provide smooth walking surface? (no trip hazards) (CP)	SC 3.6, pg 16-17)
7. Side	ewalks provide smooth walking surface: (no day	1 C
	a it is a toward the nut? Are a	Il boits and ichomb
пп 8. АШ	bolts on equipment & fence <2 threads beyond the hat. 129 (sts/wires facing away from the playground area? (Rule 1.11.9 (sts/wires facing away from the playground area? In fence free of brush	5), pg 59)
twis	sts/wires facing away from the player	Novergrowth? (CPSC
-/ 0 Tree	e limbs at least 7ft. above play surfaces? Is fence free of brush	
3.4.	3.5, pg 16)	C 5.3.9, pg 41)
п п 10. Are	3.5, pg 16) e use zones adequate? If not, where are they inadequate? (CPS)	
	1 12 If not state de	ficiency
11 If s	wings are present, are S-hooks in good repair? If not, state de	(CPSC 3.2, pg 14
	2.5.2	1, pg 1 & 5.3.8.1, pg 37)
	tate	deficiency
TF S	slide is present, is exit height/exit zone adequate? If not, state	CPSC5.3.6.4-5 pgs 34-3:
\square \square \square 12. If s	SHOO IS PLOSTED	apac 5 3 7 no 36-37)
_	re spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & C	POC 3.3.7. PB 33
□ □ □ 13. Ar	e spring rockers a manufacture which pie	ces are inappropriate
п п п 14. Is	e spring rockers a minimum of out apart. (Merra which pie age-appropriate equipment being used? If not, state which pie	(Rule 1.10.2, pg 4
		& CPSC 2.2.6, pg 6)
_	C1 1-2 If not state deficies	acy.
□ □ 15. Is	playground area clean & free of hazards? If not, state deficier	(Rulė 1.11.11 (1), pg t
		in & CPSC 2.1.1. pg 5
/ -	adequate shade present on the playground? (Rule 1.11.9 (7), ps	500 00 C1 DO 1.1.1.10
✓/□□ 16. ls	adequate shade pros-1	Rule 1.10.2 (2), pg 40 ot
√ /□ □ 17. A	adequate shade present on the playground: (12000 2000) adequate shade present of the playground: (12000 2000) adequate sh	PSC 3.6, pg 10-1/)
	swood smooth? Documentation provided that wood has been	properly treated. (CPS
N □ □ 18. Is	wood smooth? Documentation provided that wood has	
18.	\$.\$, pg 15)	PAIN!
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Licensing Official	_ (see
Director / ////	Y KO IN	
1		