



## MISSISSIPPI STATE DEPARTMENT OF HEALTH

# Child Care Facility Inspection Report

GENESIS LEARNING CENTER #2

License #: 4932

Director: THELMA NASH

Inspection Date: 08/22/2023

Annual/Mid Inspection

Inspector: Ramona Bowden

### Program Administration Violations Cited

1. **Out of Compliance:** Facility is clean and in good repair. (Rule 1.11.1 (19))

#### Plan of Correction

1. **POC:** During the walk through of the facility, licensing official observed the bathroom toilet was not working properly. When LO flushed toilet, water came up on the floor. Director got mopped and got water off the floor. Person responsible is owner, Betty Dilworth. The facility must have flooring put down by September 01, 2023. LO will conduct a follow up in 2 weeks. According to Rule 1.11.5 . Toilets, urinals, hand washing lavatories, and sinks shall be clean and operational. Bathrooms, hand washing lavatories, and sinks shall be supplied with soap, and individual towels for drying hands. Each toilet shall be supplied with toilet paper.

**Person Responsible:** Owner-Betty Dilworth    **Date for Completion:** September 1, 2023

### Kitchen Violations Cited

No violations cited.

### Nutritional Guidelines Violations Cited

No violations cited.

### Playground Violations Cited

No violations cited.

### School Age Room Violations Cited

Room 1 - Classroom Number: 1

No violations cited.

School Age Room - Classroom Number: 1

Room 2 - Classroom Number: 2

No violations cited.

School Age Room - Classroom Number: 2

### **Legend**

- COS: Corrected on Site
- POC: Plan of Correction

### **Child Care Director Signature**

A handwritten signature in black ink, appearing to read "M. R. Roth".

### **MSDH Licensure Representative Signature**

A handwritten signature in black ink, appearing to read "Ramona Barden".