

MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County_Cee	Date9-21-20
Facility Name Changing Livis	License Number 4154
Purpose PR	Capacity
	Other Items - Must be corrected In Out COS N//
Il Items In Red Are Critical In Out COS N/A ualified director present	Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities
roper staff to child ratio present oom and playground capacity met	Building and Grounds Walls, ceilings, floors, toys, equipment
icense/complaint visible	clean and in good repair
anitation Approved Garbage and garbage bins maintained	Heating/cooling approved Ventilation adequate
Vector control maintained Vater system approved and functioning	Glass approved and shielded Telephone on premises, available, and functioning
Vaste water system approved nd functioning	Electrical outlets protected Large appliances located properly
Possible Monetary Penalty Monetary Penalty	Sinks and toilets working properly Hot water at all sinks, not to exceed 120°
· \$	Children barred from kitchen Vending machine snacks meet nutritional guidelines, if present
\$\$	Exits, doors and fastening devices single action approved and in good working order
4 \$ \$	Exits unobstructed Required smoke detectors, carbon
Age/Child/Staff Name	monoxide monitors, fire extinguishers and thermometers placed properly and in good working order
1. 2, 11 , Caregius 2.	First aid kits stocked and easily accessible
3. No Children	Playground area clean, shaded, well drained and equipped and fence in good
4. Infants, 6, Caregiver 3-4 5. 1,9, Caregiver S	repair
6. NO Children	Pool area clean, fenced, and adequately maintained
7.	Diaper changing stations adequate in number and each fully supplied (number)
	Child Care Representative

Form No. 287



MISSISSIPPI STATE DEPARTMENT OF HEALTH
Child Care Encounter

T	la Care Effectaires	8-21-60
District		Date
Name Changing Lives De	Curcare License No	(N)
945 Thomas S	to tapelo, MS	38801
De / Wintral	enter/Organization/Individual	1 Transon
Purpose N VII Cac	Director	31 3
Mileage Start	Mileage End	= C ///CD
County	Telephone No. Lolo 7-	205-4153
Time In 10:00 Time Out_	Total	Time
Findings/Comments Here to Conv	duet a Virtual	Program Penewal
inspection Won arrival	the licensin m	it with the director
	ation and Per	must be Submitte
online at www. heal	thems. Com. Fire	form, menus
and Contact hours	Can be Seit	ct. 31, 2020 at noon.
Shepika Pratt a Msdh. M	13.30V By	C1. 51, 200 W 1601.
Stack to Child ratio	n Compliance	1.1
Discit to Character	ritical violations	
Playround was not inspe		Wealter
Facilly will Pass to a	fogula license.	
	· · · · · · · · · · · · · · · · · · ·	
"Class I and II violations may result		
in a monetary penalty. Repeated		
violations may result in the doubling———	,	
of a monetary penalty, suspension, or revocation of the license"		
OI ICAOCATION OF SEC MANAGEMENT	Can Ont	White Copy - Facility File Yellow Copy - Operator
Center Director/Designee/Individual	Child Care Representative	renow Copy - Operator

Mississippi State Department of Health



MISSISSIPPI STATE DEPARTMENT OF HEALTH

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 12. 12. 12. 12. 12. 12. 12. 12. 12. 12		Communicable diseases reported Daily written reports provided to pa Staff present who hold valid CPR Age appropriate program of activiti Required toys present in infant root Required toys present in toddler root Required toys present preschool root	Handbook) {Rule 1.4.1} the or documentation that pare (% (j)) the dures {Rule 1.4.1 (2)} 1.5.2 & Rule 1.6.3 (1)} the includes date of birth) {It staff {Rule 1.6.3 (1)} the includes date of birth) {Rule (Includes date	Rule 1.6.3 (2)} 1.6.3 (3)} tle 1.6.3 (6)} s {Rule 1.7.4} n {Rule 1.8.1 (4) & (5)} ochapter 9}	5-21-20
☐ Fai	cense to b	e issued: Regular Probation	al	Child Says Physics	Putt

Mississippi State Department of Health
White Conv. Facility File

Revised 12-19-13

Form 289

Food Service Facility Inspection Results

PIMS ID Facility Name, Address homes 94 S. Thomas S	ing Lives Date 4.21-20
CRITICAL VIOLATIONS	CORRECTION PLAN AND SCHEDULE
-NO Critical Violations on	
today's Visit.	
NAII	
Pass	Share Trader (0186)
□ 92020 Scheduled □ 92010 Permit No Charge □ 92030 Followup □ 92015 Permit 1 \$30.00 □ 92040 Complaint □ 92011 Permit 2 \$100.00 □ 92050 Consultation □ 92012 Permit 3 \$150.00 □ 92070 Plan Review/Const. □ 92013 Permit 4 \$200.00	k family see
☐ 92080 No Inspection ☐ 92090 Restaurant Training Permit Date Environmentalist Code	Facility Signature Environmentalist Signature
Please Remit within 10 days to:	White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist

Child Care Licensure Playground Checklist

Cont	er Na	me	0.	nanaina lives Inspection Date 8-21-20
Cen	CI ING	inc		
YES	NO	N/A		Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair,
			1.	with no gaps? (Rule 1.11.9 (8), pg 48)
		9999,29		2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)
			2.	
			3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)
			4.	AC units, high-voltage cabling wires inaccessible? (Rule 1.11.9 (5), pg 47)
			5.	No standing water present on playground or in/on playground equipment or walkways?
				(CPSC 2.4.2.2-5 ng 10)
			6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)
			7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)
			8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)
	1000		0	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC)
			9.	2 4 2 5 15
			10.	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
			11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pgl3)
			12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency CPSC5.3.6.4-5 pgs 34-35)
			13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.12, pg 15)
П			14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 36)
			15.	Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 49)
			16.	Is adequate shade present on the playground? (CPSC 2.1.1. pg 5)
			17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
_	_		18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC
L	لــا			2.5.5)
Dire	ctor			Licensing Official Jane
11	_	3 1 0	10	Licensing Official Jane Phalt inclement Weather the Playgroud was not ted. (Raining)
X	P	We	T	(Prining)
, (1	15	De d	ted. (Kair)