



	-111	Cillia	are Lincounter	
District				Date 12/03/2000
Name_Fi	15t Presbyterran Pre	school	License No. 76 CDR F	=-0565
Address_4	L John Circle, E	reenville, Ms	3870 1	
		Center/Or	ganization/Individual	
Purpose_	Cenewal Inspecti	on/TA	Director Christina Smi	th
Mileage Sta			Mileage End	
County 1	lashington		Telephone No. 662 - 332 - 1	1214
Time In jo	2:36 pim.	Time Out 1:20	p Total Time	
Findings/C	Comments The luen		met with, Christina	Smith director.
The	purpose for this	Visit was	for a renewal inspecte	in and (TA) technical
1.			on todays Visit.	
agre	en child care s	unvey carel	was left with Chris	tio Smith.
In fe	the questions	or concern, p	lease contact Sensofte	ggin, chedare



MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Facility Inspection

County Washington			Date 12/03/2020			
Facility Name First fres bytemen Preschool License Number 0565 Purpose Renewal Inspection / TA Capacity 90						
Purpose Renewal Inspection /TA Capacity 90						
All Items In Red Are Critical Qualified director present Proper staff to child ratio present	In Out COS	N/A	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	In Out	COS	N/A
Room and playground capacity met Center capacity met License/complaint visible Certified food manager			Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair			
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning			Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,			
Water system approved and functioning Waste water system approved and functioning Food service approved			and functioning Electrical outlets protected Large appliances located properly			
Possible Monetary Penalty 1.	Monetary Pena \$\$	Sinks and toilets working properly Hot water at all sinks, not to exceed 120° Children barred from kitchen				
2. 3.	_ \$ _ \$		Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good working order			
4. 5.						
1. refart, 6mon. 17/Co		#2	monoxide monitors, fire extinguishers and thermometers placed properly and in good working order			
2. Infats 6 mm. 19 19 Caregiver #3 #4 3. 14v. olds 19 Caregiver #5 Playground area clean, shaded, well drained and equipped and fence in good						
4. 2yr-3yrolds/tharegiver#6 5. 2yr-3yrolds/d/ (aregiver#7			repair Playground equipment meets standards			
6. 7.	J		Pool area clean, fenced, and adequately maintained			
	642	-GA	Diaper changing stations adequate in number and each fully supplied (number)	100	0-	
Center Director/Individual Child Care Representative Justifuggi						



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Program Review

Facility Name	First Presbytenan Preschool	License No.	0565	Date	12/	103/2000
Tacinty Traine_		C DESCRIPTION OF THE PROPERTY	the state of the s		/	1

Yes No	N/A						
1.	□ Policies and procedures (Parent's Handbook) {Rule 1.4.1}						
2.							
	insurance is in effect {Rule 1.4.1 (i) & (j)}						
3.	☐ Approved arrival and departure procedures {Rule 1.4.1 (2)}						
4.	☐ Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}						
5.	☐ Attendance records for children and staff {Rule 1.6.3 (1)}						
6.	☐ Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}						
7.	☐ Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}						
8.	☐ Monthly records of fire/disaster drills {Rule 1.6.3 (5)}						
9.	☐ ☐ Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}						
10.	0.						
11. Personnel records (attach employee's records form) {Rule 1.6.4}							
12.	12. Volunteer records {Rule 1.6.5 & Rule 1.6.6}						
13.	13. Children records (attach children's records form) {Rule 1.6.7}						
14. 🖸 🖸	☐ Reports of serious occurences made as required {Rule 1.7.1}						
15. 🗗 🚨	☐ Communicable diseases reported as required {Rule 1,7.3}						
16.	☐ Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}						
17.	☐ Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}						
18.	☐ Age appropriate program of activities posted in each room {Subchapter 9}						
19.	☐ Required toys present in infant room {Rule 1.10.1 (2)}						
20.	☐ Required toys present in toddler room {Rule 1.10.1 (3)}						
21.	☐ Required toys present preschool room {Rule 1,10.1 (4)}						
22.	☐ Licensed pest control contractor {Rule 1.11.14}						
23.	Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}						
24. 🕡 🔾	Appropriate discipline policy followed {Subchapter 14}						
25.	Appropriate transportation policy followed (Subchapter 15)						
26.	26. Infant feeding schedules posted (Appendix C, VII)						
Comments/Recommendations							
Comments	s/Recommendations						
Pass -							
S. West	e to be issued: Regular Probational Restricted						
☐ Fail	OD D X + 1 D.						
Follow-up within days							
	Director Designee Child Care Representative						
1							

Food Facility Inspection Results

Permit ID Facil	ity Name, Address First	Presbytenian Pre-School	Date
0565 1	John Calvin Circle,	Greenville, MS 38701	103/03/000
CRITICAL VIOL		CORRECTION PLAN AN	D SCHEDULE
- Observed no cri		Facility pereived a	grade of "A".
Encounter Type Scheduled Complaint Consultation Plan Review/Const. No Inspection Training Permit Follow-Up FDA State Contract Inspection Permit Date	Permit No Charge Permit 1 Permit 2 Permit 3 Permit 4 Re-Inspection Corrective Follow-Up Environmentalist Code	Cartified Monagon	Serv Safe License Number Exp. 09/2.6/200

Child Care Licensure Playground Checklist

Cent	er Na	ame_	First	Presbyterian Pre-School Inspection Date 103/03/2000
YES	NO	N/A		
C C	П		1.	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
			2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
			3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
	口		4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
ď			5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)
U			6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
U			7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
9			8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
			9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16)
V			10.	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
musing replacements reported to	unter monetare	ray control to the		
ta/			11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14;
			11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37)
			STATE TO SERVE	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14;
			11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency
			11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46)
			11. 12. 13. 14.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6)
			11.12.13.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46)
			11. 12. 13. 14.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6) Is playground area clean & free of hazards? If not, state deficiency.
			11. 12. 13. 14.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6) Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 61)
			11. 12. 13. 14.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6) Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 61) Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5) Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 &



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District	Date 12/03/2000
Name First Presbyterran Preschool	License No. 76 CDR F - 0565
Address 1 John Circle, Greenville, Ms	3870 1
Department of Table 1	ganization/Individual
Purpose Renewal Inspection/TA	Director_Christinasmith
Mileage Start	Mileage End
County Washington	Telephone No. 662 - 332 - 1214
Time In 12:36 pim. Time Out 1:20	p. — Total Time
Findings/Comments The luensing official	
The purpose for this Visit was	for a renewal inspection and (TA) technico
assistance Visits	V
There were no defineries noted	on todays visit.
as a les la	a transfer of the contract of the
a green chied core survey carel	was left with Christia Smith.
In fature questions or concerns or	lease contact Service Chi Care
0 0	lease contact Seus Fragin, chiedare
	662-378-2620 fox
	email: Terea. Liggins amodh, ms. gov
Class. I and II Violations may	resulting monetary pens Ot p. til
Violation may result in the doubt	erig of a more ton near the
or revocation of the lumps	J / Husperson,
\bigcap	
Center Director/Designee/Individual Child Care	White Copy - Facility File Yellow Copy - Operator