



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County <u>Washington</u>	Date <u>01/10/2020</u>
Facility Name <u>Education Station</u>	License Number <u>0208</u>
Purpose <u>Renewal Inspection/TA</u>	Capacity <u>90</u>

All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present	☒	☐	☐	☐
Proper staff to child ratio present	☒	☐	☐	☐
Room and playground capacity met	☒	☐	☐	☐
Center capacity met	☒	☐	☐	☐
License/complaint visible	☒	☐	☐	☐
Certified food manager	☒	☐	☐	☐

Sanitation Approved

Garbage and garbage bins maintained	☒	☐	☐	☐
Vector control maintained	☒	☐	☐	☐
Water system approved and functioning	☒	☐	☐	☐
Waste water system approved and functioning	☒	☐	☐	☐
Food service approved	☒	☐	☐	☐

Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	3yr. olds / 5 / caregiver #1
2.	2yr. olds / 6 / caregiver #2
3.	1yr. olds / 3 / caregiver #3
4.	infants / 2 / caregiver #4
5.	
6.	
7.	

Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	☒	☐	☐	☐
Evacuation plans posted	☒	☐	☐	☐
Menus posted and served	☒	☐	☐	☐
Plan of activities	☒	☐	☐	☐

Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair	☒	☐	☐	☐
Lighting approved	☒	☐	☐	☐
Heating/cooling approved	☒	☐	☐	☐
Ventilation adequate	☒	☐	☐	☐
Glass approved and shielded	☒	☐	☐	☐
Telephone on premises, available, and functioning	☒	☐	☐	☐
Electrical outlets protected	☒	☐	☐	☐
Large appliances located properly	☒	☐	☐	☐
Sinks and toilets working properly	☒	☐	☐	☐
Hot water at all sinks, not to exceed 120°	☒	☐	☐	☐
Children barred from kitchen	☒	☐	☐	☐
Vending machine snacks meet nutritional guidelines, if present	☐	☐	☐	☒
Exits, doors and fastening devices single action approved and in good working order	☒	☐	☐	☐
Exits unobstructed	☒	☐	☐	☐
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	☒	☐	☐	☐
First aid kits stocked and easily accessible	☒	☐	☐	☐
Playground area clean, shaded, well drained and equipped and fence in good repair	☒	☐	☐	☐
Playground equipment meets standards	☐	☐	☐	☒
Pool area clean, fenced, and adequately maintained	☐	☐	☐	☒
Diaper changing stations adequate in number and each fully supplied (number <u>02</u>)	☒	☐	☐	☐

Center Director/Individual

White Copy - Facility File Yellow Copy - Facility Operator
Mississippi State Department of Health

Child Care Representative

12-10-08

Form No. 281



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District IIIDate 01/10/2020

Name Education Station License No. 76CDPFA-0208
 Address 1544 Old Leland Rd., Greenville, MS 38701
 Center/Organization/Individual
 Purpose Renewal Inspection/TA Director Angela Williams
 Mileage Start — Mileage End —
 County Washington Telephone No. 662-378-5860
 Time In 8:32 a.m. Time Out 10:25 a.m. Total Time —

Findings/Comments The licensing official met with, director Angela Williams.The purpose for this visit was for a renewal inspection/TA visit.Caregiver Andrea Hires, arrived to the facility at 8:57 a.m.There were no deficiencies noted on today's visit.A green child care survey card was left with Angela Williams.

(TA) Technical Assistance was provided on Regulations + Guidelines.
The licensing official informed the director of the new Child Care
Regulations + Guidelines implemented, 01/01/2020, it can be found
at the website www.healthymississippi.com.

For future questions or concerns, please contact Jeremy Liggins, Child Care
Licensing Dept.
662-332-8177 office #
662-378-2620 fax #

Class I and II violations may result in a monetary penalty.
Repeated violations may result in the doubling of a monetary
penalty, suspension, or revocation of the license.

Sharon Williams
 Center Director/Designee/Individual

Jeremy Liggins
 Child Care Representative

White Copy - Facility File
 Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Program Review

Facility Name Education Station License No. 6208 Date 01/10/2020

	Yes	No	N/A	
1.	☒	☐	☐	Policies and procedures (Parent's Handbook) {Rule 1.4.1}
2.	☒	☐	☐	Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)}
3.	☒	☐	☐	Approved arrival and departure procedures {Rule 1.4.1 (2)}
4.	☒	☐	☐	Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}
5.	☒	☐	☐	Attendance records for children and staff {Rule 1.6.3 (1)}
6.	☒	☐	☐	Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}
7.	☒	☐	☐	Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}
8.	☒	☐	☐	Monthly records of fire/disaster drills {Rule 1.6.3 (5)}
9.	☒	☐	☐	Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}
10.	☒	☐	☐	Immunization Records for Children and Staff {Rule 1.6.3 (8)}
11.	☒	☐	☐	Personnel records (attach employee's records form) {Rule 1.6.4}
12.	☐	☐	☒	Volunteer records {Rule 1.6.5 & Rule 1.6.6}
13.	☒	☐	☐	Children records (attach children's records form) {Rule 1.6.7}
14.	☐	☐	☒	Reports of serious occurrences made as required {Rule 1.7.1} <u>NONE</u>
15.	☐	☐	☒	Communicable diseases reported as required {Rule 1.7.3} <u>NONE</u>
16.	☒	☐	☐	Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}
17.	☒	☐	☐	Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}
18.	☒	☐	☐	Age appropriate program of activities posted in each room {Subchapter 9}
19.	☒	☐	☐	Required toys present in infant room {Rule 1.10.1 (2)}
20.	☒	☐	☐	Required toys present in toddler room {Rule 1.10.1 (3)}
21.	☒	☐	☐	Required toys present preschool room {Rule 1.10.1 (4)}
22.	☒	☐	☐	Licensed pest control contractor {Rule 1.11.14}
23.	☐	☐	☒	Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}
24.	☒	☐	☐	Appropriate discipline policy followed {Subchapter 14}
25.	☒	☐	☐	Appropriate transportation policy followed {Subchapter 15}
26.	☒	☐	☐	Infant feeding schedules posted (Appendix C, VII)

Comments/Recommendations Please go online to the website to renew your license and pay the license fee at www.healthymississippi.com before the licensure period expires 3/31/2020; also submit current two week cycle menu plan to licensing official.

☒ Pass –
 License to be issued: ☒ Regular ☐ Probational ☐ Restricted
☐ Fail
☐ Follow-up within _____ days

☒ Director ☐ Designee

[Signature] [Signature]
 Child Care Representative

Food Service Facility Inspection Results

PIMS ID 0208	Facility Name, Address Education Station 1544 Old Leland Rd. Greenville, Ms 38701	Date 01/10/2020
-----------------	---	--------------------

CRITICAL VIOLATIONS

CORRECTION PLAN AND SCHEDULE

observed no critical violations	Facility received a grade of "A".
--	--

☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training	☒ 92010 Permit No Charge ☐ 92015 Permit 1 \$30.00 ☐ 92011 Permit 2 \$100.00 ☐ 92012 Permit 3 \$150.00 ☐ 92013 Permit 4 \$200.00
Permit Date	Environmentalism Code TL3
Please Remit within 10 days to:	

Angela R. Williams Tummy Safe
Certified Manager Licence Number

Exp. 08/06/2024

Joan Daniels/Tummy Safe/Exp. 07/23/2024

Facility Signature

Environmentalism Signature

White Copy - Facility
Yellow Copy - PIMS
Pink Copy- Environmentalism

Child Care Licensure Playground Checklist

Center Name Education Station

Inspection Date 01/10/2020

YES NO N/A

- ☒ ☐ ☐ 1. Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
- ☒ ☐ ☐ 2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
- ☐ ☐ ☒ 3. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
No equipment present
- ☒ ☐ ☐ 4. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
- ☒ ☐ ☐ 5. No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)
- ☐ ☐ ☒ 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
None present
- ☒ ☐ ☐ 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
- ☒ ☐ ☐ 8. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
- ☒ ☐ ☐ 9. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16)
- ☐ ☐ ☒ 10. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
- ☐ ☐ ☒ 11. If swings are present, are S-hooks in good repair? If not, state deficiency _____ (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37)
- ☐ ☐ ☒ 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency _____ (CPSC 5.3.6.4-5 pgs 34-35)
- ☐ ☐ ☒ 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7, pg 36-37)
- ☐ ☐ ☒ 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate
No equipment present (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6)
- ☒ ☐ ☐ 15. Is playground area clean & free of hazards? If not, state deficiency. _____ (Rule 1.11.11 (1), pg 61)
- ☐ ☐ ☒ 16. Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
None present
- ☒ ☐ ☐ 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
- ☐ ☐ ☒ 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15)

Director

Licensing Official

[Signature]