

MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facili	ty Inspection			
County Whohlus	Date 2/23/10			
Purpose LIWA TA Capa	License Number 270 acity 38	JPF-U	341	
All Items In Red Are Critical Qualified director present Proper staff to child ratio present	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	In Out	COS	N/A
Room and playground capacity met Center capacity met License/complaint visible Certified food manager	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair	Z 0		
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning Waste water system approved	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available, and functioning			
Possible Monetary Penalty Monetary Penalty	Electrical outlets protected Large appliances located properly Sinks and toilets working properly Hot water at all sinks, not to			
2. Jul 1.8. (4) cha et And 100. 00	exceed 120° Children barred from kitchen Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good			
4. \$	working order Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers			
1. Thank 9 Welliam 2 Yulks	and thermometers placed properly and in good working order First aid kits stocked and easily accessil	ple D		
3. 4. 5.	Playground area clean, shaded, well drained and equipped and fence in good repair CO DO TO			
6. 7.	Pool area clean, fenced, and adequately maintained			Z
Center Director/Individual Copy - Facility File Yellow Copy - Facility Operator	Diaper changing stations adequate in number and each fully supplied (number) Child Care Representative	Jana-	6	har and
	0-08		Form No	o. 281



MISSISSIPPI STATE DEPARTMENT OF HEALTH

\mathcal{Q}	Child Care Encounter	Date 2/23/18
District		Date
Name VOSCINAMO AMOS	ALL CARROL 29023	724PF-4341
Address	Center/Organization/Individual	
Purpose Ventual TA	Director_ Direct	/ White
Mileage Start	Mileage End_	
County MM NWS	Telephone No (ULL ?) 2	47-3483
Time In 12:30 pm	Time Out EOD M Total Tir	
Findings/Comments The pupils	e for visit to for A Renew	al Inspection.
Subchapter 8: STAFFIN	9	
Pull 13.1(1) States In mountained At all Time	part, The Christman to-chie	ol potro shall be
Findings: The licensing thought Age 10 poor lovel the plopel so five children	Aficial observed Nine (9) cl the with one carrigines. The statt- to-chiel retwith	vildlen, with the trough is as four Children of Desper States to Child Capegner.
Plan of coffection Per MS Williams She It the Children where to MS Williams Statings A Children where two of Stati-to-child latio	heals of hole yether their	oudbest pelent Lew. 1.8.2 (4) Hh He exception would still be out A ps. glugs.
fer Ms. William she is	sit mule sule what she has she has observed between	of the proper start
FACILITY STAFF STARDS	IN part, Duling out hours of be present who holds a valid	
Center Director/Designee/Individual	Child Care Representative	White Copy - Facility File Yellow Copy - Operator



Child Care Encounter (Continuation)

Facility Name COMMANS DOYCAR License No. 27041F-6341	
Finding: Licental observed facility folled to the A CPLY CULTARCHING. JACHIN TO LECUMMENTED TO TWO CIFT IST AND DEGOLO THE LICENSE COFFLES ON 4/30/2018.	1st And att Acotion
Plan of Coelection	
Del Ms. Williams she is due to complex the CPF + pt A.	id
,	
Center Director/Designee/Individual White Copy Yellow Copy Yellow Copy Yellow Copy Yellow Copy Yellow Copy On the Copy of th	- Facility File py - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Program Review

My Dought License No (24)

Yes/	No	N/A	
1.			Policies and procedures (Parent's Handbook) {Rule 1.4.1}
2.			Proof of Accident/Liability Insurance or documentation that parent has been notified that no
1,			insurance is in effect {Rule 1.4.1 (i) & (j)}
3.			Approved arrival and departure procedures {Rule 1.4.1 (2)}
4.			Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}
5. %			Attendance records for children and staff {Rule 1.6.3 (1)}
6 7			Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}
7. 7	ā	ā	Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}
8.	ā		Monthly records of fire/disaster drills {Rule 1.6.3 (5)}
9. 6		1	Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}
10.		<u></u>	Immunization Records for Children and Staff (Rule 1.6.3 (8))
11. 7		0,	Personnel records (attach employee's records form) {Rule 1.6.4}
12.			Volunteer records {Rule 1.6.5 & Rule 1.6.6}
12.		_	
13.	/		Children records (attach children's records form) {Rule 1.6.7}
14."			Reports of serious occurences made as required (Rule 1.7.1)
15.			Communicable diseases reported as required {Rule 1.7.3}
16.	<u> </u>	, 🗆	Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}
17.			Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}
18.	u		Age appropriate program of activities posted in each room {Subchapter 9}
19.			Required toys present in infant room {Rule 1.10.1 (2)}
20.			Required toys present in toddler room {Rule 1.10.1 (3)}
21.			Required toys present preschool room {Rule 1.10.1 (4)}
22. 🗖		, \(\Bar{\pi} \)	Licensed pest control contractor {Rule 1.11.14}
23.	Z		Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}
24.			Appropriate discipline policy followed {Subchapter 14}
25. 🗀			Appropriate discipline policy followed {Subchapter 14} Appropriate transportation policy followed {Subchapter 15} Infant feeding schedules posted (Appendix C. VII)
26. 🗆		A	Infant feeding schedules posted (Appendix C, VII)
			Lay and LIA And And Mampel
Comm	ents	/Rec	commendations THE CPP 11/10, 1000 1100 199
0.00	1/	1.2.	alid & (Mary 1000) Magan Alle Dage Truck
U	1.7	HCI	ation to (cull) 88/2 1999 Attn. 1) are June
			11 10
			8 a 1
-	- Distriction		
-			
			1- and VICT And Make and And Make
Doc Doc	. 1	PNO	ling CPR+10+ And centification, good manager
			issued: Regular Probational Restricted
☐ Fai		10 00	
		112 33714	hin_days Kosemay Whillians and John
I TOI	10W-U	ıp wit	
			Director Designee Child Care Representative

Food Service Facility Inspection Results

PIMS ID Facility Name, Address	Date
6341 ROSEMANUS DONCA	Per + LEAMING 2/23/2018
CRITICAL VIOLATIONS J	CORRECTION PLAN AND SCHEDULE
Subchapter 13: Nutrition + Male (Jood manager) Pule 1.13.60 States In part, Each Childrane Facility must have a Certified Front manager. Findings: The licularing official Observed Facility with a Food Manager Curtification however manager Curtification however. IT NAS EXPIRED ON 3/2017.	FACILITY IS RECOmmended To penew the food manager CEPAPICATION before licentee CEPAPICATION before licentee CEPAPICATION before licentee AND 14 days to comprete Moduly for Food manager and submit to licentary. Ancilly recid A'C"
□ 92020 Scheduled □ 92010 Permit No Charge □ 92030 Followup □ 92015 Permit 1 \$30.00 □ 92040 Complaint □ 92011 Permit 2 \$100.00 □ 92050 Consultation □ 92012 Permit 3 \$150.00 □ 92070 Plan Review/Const. □ 92013 Permit 4 \$200.00 □ 92090 Restaurant Training □ Permit Date Environmentalist Code Please Remit within 10 days to:	Certified Manager Licence Number Environmentalist Signature White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist

Child Care Licensure Playground Checklist

Cent	er Na	ame	osen	My Day CAR J CAMONG Inspection Date 2/23/18
YES	NO	N/A		
F			1.	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
£			2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
		P	3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
Ø,			4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1119 (5), pg 59)
Ø,			5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)
P			6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
Z			7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
A			8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
A			9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16)
				10
		Ø	10.	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
		7	10.11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14;
	CONTROL SECTION AND SECTION AN	P P		If swings are present, are S-hooks in good repair? If not, state deficiency
		A A	11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency
		P P F	11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46)
			11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) Is age-appropriate equipment being used? If not, state which pieces are inappropriate
			11. 12. 13. 14.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6) Is playground area clean & free of hazards? If not, state deficiency.
			11. 12. 13. 14.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6) Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 61)
			11. 12. 13. 14. 15.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37) Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6) Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 61) Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5) Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 &