



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection Report

COLUMBIA PRESBYTERIAN PRESCHOOL

License #: 2486

Director: NANCY MCNAIR

Inspection Date: 04/06/2022

Annual/Mid Inspection

Inspector: Sharetha Bennett

Program Administration Violations Cited

1. **Out of Compliance:** All required facility records are present and up-to-date: (1) child and employee attendance records, (2) alphabetical roster of children, (3) alphabetical roster of staff and volunteers, (4) current license, (5) records of monthly fire /disaster drills, (6) medication log, (7) volunteer log, (8) notebook of 121 forms for staff members and children w/roster, (9) notebook with Letters of Suitability for all employees w/roster. (Rule 1.6.3 Page 29)
2. **Out of Compliance:** Facility has appropriate number of operational toilets and handwashing lavatories. A ratio of 1:15 is required. Each sink is supplied with hot and cold running water, soap, and individual towers for drying. Each toilet is supplied with toilet paper. (Rule 1.11.5 Page 56)

Plan of Correction

1. **POC:** Director will submit updated immunization forms within 14 days.
Person Responsible: Nancy McNair **Date for Completion:** 4.22.22
2. **POC:** Director has contacted maintenance to have repairs completed today.
Person Responsible: Nancy McNair **Date for Completion:** 4.7.22

Kitchen Violations Cited

No violations cited.

Nutritional Guidelines Violations Cited

No violations cited.

Playground Violations Cited

1. **COS:** Concrete footings are at least six inches below ground surface. (Rule 1.10.2(2) Page 46)

Infant Classroom Violations Cited

Room 1 - Classroom Number: 1

No violations cited.

Infant Classroom - Classroom Number: 1

Toddler Classroom Violations Cited

Room 6 - Classroom Number: 6

1. **Out of Compliance:** A proper diaper changing station is provided which includes: (a) hot & cold running water, (b) smooth, easily cleanable surface, (c) plastic, lined and covered garbage receptacle, (d) sanitizing & disinfecting solution. Handwashing sink is used only for handwashing. (Rule 1.16.1 Page 77)

Toddler Classroom - Classroom Number: 6

1. **POC:** Director is in the process of changing all diaper changing mats.
Person Responsible: Nancy McNair **Date for Completion:** 4.15.22

Room 3 - Classroom Number: 3

No violations cited.

Toddler Classroom - Classroom Number: 3

Twos Classroom Violations Cited

Room 2 - Classroom Number: 2

No violations cited.

Twos Classroom - Classroom Number: 2

Preschool Classroom Violations Cited

Room 5 - Classroom Number: 5

No violations cited.

Preschool Classroom - Classroom Number: 5

Room 4 - Classroom Number: 4

No violations cited.

Preschool Classroom - Classroom Number: 4

Legend

- COS: Corrected on Site
- POC: Plan of Correction

Child Care Director Signature

Nancy McNeil

MSDH Licensure Representative Signature

Shanatha
Bennett