Kids "R" Us Learning Center 523 Schwen Ave. Brookhaven, MS 39601 (601) 833-7223 Lic# 6160 Capacity 97



		-acii	ity inspection				
County Lincoln			Date $5/6/19$			1	
Facility Name			License Number				
Purpose Renewal		Ca _l	pacity				,
All Items In Red Are Critical Qualified director present Proper staff to child ratio present	In Out COS N	N/A	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities		Out		N/A
Room and playground capacity met Center capacity met License/complaint visible Certified food manager			Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair				
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning			Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,	AAAA			
Waste water system approved and functioning Food service approved			and functioning Electrical outlets protected Large appliances located properly	प्रेषेष प्र			
Possible Monetary Penalty 1	Monetary Penalty		Sinks and toilets working properly Hot water at all sinks, not to exceed 120° Children barred from kitchen Vending machine snacks meet	N N N			
3	_ \$ \$		nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good working order				
5. Age/Child/	\$		Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and	P			· 🗆
1. 3yrold (13)			in good working order				
2. 2 yr old (9) 3. 1 yr old (9) 4. 3 yr old (11)			First aid kits stocked and easily accessib Playground area clean, shaded, well drained and equipped and fence in good repair				
5. Zyrold (12)			Playground equipment meets standards	D			
6. 2 yr old (12) 7. 44-yr old (15)			Pool area clean, fenced, and adequately maintained				
Center Director/Individual	h Diallin	0	Diaper changing stations adequate in number and each fully supplied (number) Child Care Representative	Riffe	any	Sla	<u> </u>

Yellow Copy - Facility Operator

White Copy - Facility File Mississippi State Department of Health

12-10-08

Form No. 281



Form No. 287



District	Kids "R" Us Learning Center 523 Schwen Ave.	Date 5/6/19
Name	Brookhaven, MS 39601 (601) 833-7223 Lic# 6160	Date S/W//
Address	Capacity 97	
Purpose_Renewal	Director	lafv Stalling
Mileage Start	Mileage End	<u>— Granning</u>
County Lincoln	Telephone No	
Time In/0:50 Time	ne Out	Total Time
Findings/Comments Orrived (DHV Stalling. (RK)	at the facility	met w/director
HUS FO Conduct a	Kenewal inspe	Hon.
UPter a tour of the	e facility the	Ollowing Violations
g Stive at		
Subshapter 11 Building	Ground	
Deficiency: Rule. 1.11.11	(1) Phygraund (area clean/free, of
1920143.	1	/ -
Finding: LO Observed were Observed on 31de walk where Cl	Mhite touring main playarou hildren enter 1	Playground ant beds nd and alone the Dlayaround.
Deficiency: Rule: CPS: walting surface, r.		alk provide smooth
Finding: LO obsery	ied while tour	ing main Dayground Side walk
Deficiency: CRSC 2	2. 4.2 (8) Syrfac	ung adequate
Finding: LO observe	ed Inadequate	Surfacing on
enter Director/Designee/Individual	Christi Care Representative	White Copy - Facility File Yellow Copy - Operator

Revised 6-24-09

Mississippi State Department of Health



MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Encounter (Continuation)

Date 5/6/19

Facility Name Kids "R" US &C. License No. (160 Deficiency: Rule: 1.11. 9(8) Playground Fence/gate in good repair with no gaps.
remir with no gaps. Playground tence/gate in good
Tightage 10 Observed == 10
has a gar more that 31/2 small child che easing
Finding: LD Observed gate on main Playaround has a gap more that 31/2, small child can easily exit from playground unnotice.
Déficiency: Ruk 1.10.2(2) Toys/equipment in good répair, Mone broken/déteriorating:
Finding: LO observed on the composite structure
Finding: 2.0 observed on the Composite Structure O. Connector was exposed causing a hazard also Stakes connecting border, needed to be hammer
down.
P.OC: The owner/director will be responsible for
daily monitoring violations and contacting maintenence to have violations corrected. L.O is recommendance
that students do not return to playround
Facility has been given 10 days to correct violation
Follow-up inspection will be conducted on or before.
Completion date May 20, 2019. LD is recommending
Used to remove from playground or make
the necessary undates to have equipment meet MSDH regulations.
Center Director/Designee/Individual Child Care Representative White Copy - Facility File Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Encounter (Continuation)

Page 40f Date 5/6/9

Facility Name Kid "R" US Li	cense No	6/60	
	while to veral of providing the chipp	ouring areas ded TA hept o ed paint	the. With DU LIEGH and Druken
Rule 1.11.1(8) Lo observed u area on floor in classrom (rug on the floor has Started TA by explaining Ceiling, for Covering Shall be Droperty in and in good Condition and i	phile tou 3 peold) = 21 to De 100r, an DStalled Maintair	ring Cla Lel. 2019 el. 2019 d/or fla Ded in a	TSS room d) The Drovicled Sir Jean Jood Repati
"Class I and II violation result in a monetary part of the doubling of a monetary suspension, or revocation of the double of the	penalty. y result in ary penalty,		
Center Director/Designee/Individual Child Care Representative	Bey	White Cop Yellow (oy - Facility File Copy - Operator





Kids "R" Us Learning Center 523 Schwen Ave. Brookhaven, MS 39601 (601) 833-7223 Lic# 6160 Capacity 97

Program Review

	(6	601) 833-7223 Lic# 6160 Capacity 97	License No	Date <u>5/16/19</u>
1. 2. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 124. 15. 26. 26. 26. 27. 26. 27. 26. 27. 26. 27. 27. 27. 27. 27. 27. 27. 27. 27. 27		Policies and procedures (Parent's H. Proof of Accident/Liability Insurance insurance is in effect {Rule 1.4.1 (i) & Approved arrival and departure proced. Letter of suitability for staff {Rule 1.4.1 (i) & Approved arrival and departure proced. Letter of suitability for staff {Rule 1.4.1 (i) & Attendance records for children and s. Current alphabetical roster of children and s. Current staff roster (includes date of the Monthly records of fire/disaster drills. Medication record with date, time, Immunization Records for Children at Personnel records (attach employee's Volunteer records {Rule 1.6.5 & Rule Children records (attach children's records of serious occurences made Communicable diseases reported as Daily written reports provided to parent Staff present who hold valid CPR at Age appropriate program of activities Required toys present in infant room {Required toys present in toddler room Required toys present preschool room Licensed pest control contractor {Rule Pets present (proof of immunization as Appropriate discipline policy followed Appropriate transportation policy followed Appropriate transportation policy followed Appropriate program schedules posted (Appendix posted).	fandbook) {Rule 1.4.1} or documentation that parent has been to {\$\& (j)\$} dures {Rule 1.4.1 (2)} 5.2 & Rule 1.6.3 (1)} or includes date of birth) {Rule 1.6.3 (2)} birth & date of hire) {Rule 1.6.3 (3)} signature for 90 days {Rule 1.6.3 (6)} or documentation for \$\frac{1}{2}\$ days {Rule 1.6.3 (6)} or documentation for \$\frac{1}{2}\$ days {Rule 1.6.3 (6)} or records form) {Rule 1.6.4} or for infants and toddlers {Rule 1.7.1} or equired {Rule 1.7.3} or for infants and toddlers {Rule 1.7.4} or for infants and toddlers {Rule 1.8.1} or for infants and toddlers {Rule 1.8.1} or for infants and toddlers {Rule 1.10.1 (2)} {Rule 1.10.1 (2)} {Rule 1.10.1 (4)} or required, signed by veterinarian) {Rule for the first Aid Subchapter 14} or for infants and toddlers {Subchapter 15} or for infants and for)} (4) & (5)} e 1.12.6}
Vida	tson	s noted on e	ending: Correction Encounter: 2 week	8 Meny cycle
			P	
Licens		in days Probational	Restricted Designee Shild Co	Emy Say, are Representative

Mississippi State Department of Health White Copy - Facility File

Yellow Copy - Operator

Revised 12-19-13

Form 289



Food Service Facility Inspection Results

Kids "R" Us Learning Center 523 Schwen Ave. Brookhaven, MS 39601 (601) 833-7223 Lic# 6160 Capacity 97

1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Date
	5/6/19
	///

	Account in the contract of the	
CRITICAL VIOL		CORRECTION PLAN AND SCHEDULE
No Critical Vic	lations 151+	A ISSUPCI
7 /	A. A. Carre	
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection	92010 Permit No Charge 92015 Permit 1 \$30.00 92011 Permit 2 \$100.00 92012 Permit 3 \$150.00 92013 Permit 4 \$200.00	Certified Manager Licence Number
☐ 92090 Restaurant Training Permit Date	Environmentalist Code	Environmentalist Signature
Please Remit within 10 days to:		White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist

Kids "R" Us Learning Center 523 Schwen Ave. Brookhaven, MS 39601 (601) 833-7223 Lic# 6160 Capacity 97

isure Playground Checklist



v	.v.		523 S Brookha 601) 833	Is Learning Center Schwen Ave. Iven, MS 39601 3-7223 Lic# 6160 Apacity 97 Inspection Date 5/6/19
YES	NO	N/A		
			1.	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48) Gafe.
			2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)
			3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)
			4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
			5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)
	Z		6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)
			7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)
			8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)
			9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC > 3.4, 3.5, pg 15)
			10.	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
			11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg13)
P			12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5. 3. 6. 4-5 pgs 34-35)
			13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
			14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 36)
B			15.	Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 49)
			16.	Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)
P			17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
			18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC
Direc	tor	30	ebu	Stallus Licensing Official Hand