KIDS UNDER KONSTRUCTION 5400 DOGWOOD TRL Jackson, MS 39212

Lic. 25CDPFA-4701 P. 601-346-7711

**4ttn: TYLAN LEE** 

## MISSISSIPPI STATE DEPARTMENT OF HEALTH

**Child Care Facility Inspection** 

Children's belongings separated/stored  Evacuation plans posted  Menus posted and served  Plan of activities	County Minds			Date 1. 8.2020			
Children's belongings separated/stored	K AM O. Mal	/TA	Cap	1.11			
Building and Grounds Center capacity met clean and in good repair clean	All Items In Red Are Critical Qualified director present	In Out CO	S N/A	Children's belongings separated/stored Evacuation plans posted Menus posted and served		cos	
anitation Approved  arribage and garbage bins maintained  arribage and garbage bins maintained  arribage and garbage bins maintained  dector control maintained  Vaster system approved and functioning  Vaste water system approved and functioning  Vaste water system approved  and functioning  Coad service approved  Monetary Penalty  Monetary Penalty  Monetary Penalty  Sampliances located properly  Sinks and toilets working properly  Hot water at all sinks, not to  exceed 120°  Children barred from kitchen  Lexits, doors and fastening devices  single action approved and in good  working order  Exits unobstructed  Required smoke detectors, carbon  monoxide monitors, fire extinguishers  and thermomenters placed properly and  in good working order  First aid kits stocked and easily accessible   Playground area clean, shaded, well  drained and equipped and fence in good  repair  Playground equipment meets standards  Pool area clean, fenced, and adequately  maintained  Diaper changing stations adequate in  number and each fully supplied  (number  Child Care Representative  White Copy - Facility File  Yellow Copy - Facility Operator	coom and playground capacity met Center capacity met License/complaint visible			Walls, ceilings, floors, toys, equipment			
Water system approved and functioning water water system approved and functioning and functioning lood service approved look service large applications look detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order look service	anitation Approved Garbage and garbage bins maintained			Heating/cooling approved Ventilation adequate Glass approved and shielded			
Sinks and toilets working properly Hot water at all sinks, not to exceed 120° Children barred from kitchen Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good working order Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order First aid kits stocked and easily accessible U Playground area clean, shaded, well drained and equipped and fence in good repair Playground equipment meets standards Pool area clean, fenced, and adequately maintained Diaper changing stations adequate in number and each fully supplied (number Center Director/Individual White Copy - Facility File Yellow Copy - Facility Operator	Vater system approved and functioning Vaste water system approved nd functioning			and functioning			_
Children barred from kitchen Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good working order  Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order  First aid kits stocked and easily accessible  Playground area clean, shaded, well drained and equipped and fence in good repair  Playground equipment meets standards  Pool area clean, fenced, and adequately maintained  Diaper changing stations adequate in number and each fully supplied (number  Center Director/Individual  Child Care Representative  White Copy - Facility File  Yellow Copy - Facility Operator		Manatani Bar		Large appliances located properly Sinks and toilets working properly Hot water at all sinks, not to	/		
single action approved and in good working order  Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order  First aid kits stocked and easily accessible playground area clean, shaded, well drained and equipped and fence in good repair  Playground equipment meets standards Pool area clean, fenced, and adequately maintained  Diaper changing stations adequate in number and each fully supplied (number		Monetary Per \$\$	maity	Children barred from kitchen Vending machine snacks meet			_
Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order  First aid kits stocked and easily accessible  Playground area clean, shaded, well drained and equipped and fence in good repair  Playground equipment meets standards  Pool area clean, fenced, and adequately maintained  Diaper changing stations adequate in number and each fully supplied (number		\$		single action approved and in good			
in good working order  First aid kits stocked and easily accessible  Playground area clean, shaded, well drained and equipped and fence in good repair  Playground equipment meets standards  Pool area clean, fenced, and adequately maintained  Diaper changing stations adequate in number and each fully supplied (number		\$		Required smoke detectors, carbon monoxide monitors, fire extinguishers			
Playground area clean, shaded, well drained and equipped and fence in good repair  Playground equipment meets standards  Pool area clean, fenced, and adequately maintained  Diaper changing stations adequate in number and each fully supplied (number	Age/Child/Sta	ff Name		in good working order	1		
Playground equipment meets standards  Pool area clean, fenced, and adequately maintained  Diaper changing stations adequate in number and each fully supplied (number	MICE Will T	168		Playground area clean, shaded, well drained and equipped and fence in good			
Pool area clean, fenced, and adequately maintained  Diaper changing stations adequate in number and each fully supplied (number				_			
Center Director/Individual  Ce	54	-		1			0
White Copy - Facility File Yellow Copy - Facility Operator	1	4	0	number and each fully supplied	02 0		
		Topy - Facility One	erator	_ Child Care Representative	fle	1 8	re

Lic. 25CDPFA-4701 P. 601-346-7711

Attn: TYLAN LEE



Page \_\_\_\_ of \_\_\_

**Child Care Encounter** 

District	Date 8.2020
Name	License No
Address_	Conton/Oversight T. P. I. I.
Purpose_	Renewal / TA Director
Mileage S	Start Mileage End
County	Telephone No
Time In_	9:32 am. Time Out 1:59 a.m. Total Time
Findings/	Comments 1000 arrival the 10 Met With designee Ashlan, Durin at 9:32 aim, and the owner Tylan Cee at-
The	Ourose of the visit is to conduct a renewal inspection to privide technical assistance.
TA	Was provided on the following on to days Visit. Exigerator - needs to be eleaned out-remove all
-Ru	more All dent and rust can goods - Bring the cans off
-510	ruge - Clean DUT and organized
tor	the 3 state trainings.
Pleas	se see form #277 for helpful information.
Agr	een surrey card was left with the owner Tylan and director compile cee.
Coun. Center Die	White Copy - Facility File Yellow Copy - Operator

Mississippi State Department of Health

Revised 6-24-09

Form No. 287

KIDS UNDER KONSTRUCTION 5400 DOGWOOD TRL Jackson, MS 39212 Lic. 25CDPFA-4701 P. 601-346-7711 Attn: TYLAN LEE





Page 2 2 2 Date 1.6.2020

Facility Name	License No	
Reminders:	-	
Helpful Hints:		
Renewal Process see form:		
#289		
Class I II violations may result in a	<del>-</del>	
monetary penalty.		
Repeated violations may result in the		
doubling of a monetary penalty,	What each abbreviation stands for:	
suspension or revocation of license.	LO- (Licensing Official)	
	POC- (Plan of Correction)	
	TA- (Technical Assistance)	
	COS- (Corrected on Site)	
Center Director/Designed/Individual	Houde Elico	White Copy - Facility File Yellow Copy - Operator
Center Director/Designee/Individual	Child Gare Representative	

KIDS UNDER KONSTRUCTION 5400 DOGWOOD TRL Jackson, MS 39212 Lic. 25CDPFA-4701 P. 601-346-7711



Attn: TYLAN LEE

Facility Name \_\_\_\_\_

## 

	Yes / No	N/A				
1	D/0		Policies and procedures (Parent's Handbook) {Rule 1.4.1}			
2.	0		Proof of Accident/Liability Insurance or documentation that parent has been notified that no			
	1		insurance is in effect {Rule 1.4.1 (i) & (j)}			
3.	0,0		Approved arrival and departure procedures {Rule 1.4.1 (2)}			
4.			Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}			
5.			Attendance records for children and staff {Rule 1.6.3 (1)}			
6.	D , D		Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}			
7.	Q/,0		Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}			
8.	0		Monthly records of fire/disaster drills {Rule 1.6.3 (5)}			
9.	ă,o	V	Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}			
10.	0,0		Immunization Records for Children and Staff (Rule 1.6.3 (8))			
11.	0,0		Personnel records (attach employee's records form) {Rule 1.6.4}			
12.	9/0		Volunteer records {Rule 1.6.5 & Rule 1.6.6}			
13.			Children records (attach children's records form) {Rule 1.6.7}			
14.	W, 0		Reports of serious occurences made as required {Rule 1.7.1}			
15.	0/0		Communicable diseases reported as required {Rule 1.7.3}			
16.	9/0		Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}			
17.	0,0		Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}			
18.	b/ 0		Age appropriate program of activities posted in each room {Subchapter 9}			
19.	Ø , 0		Required toys present in infant room {Rule 1.10.1 (2)}			
20.	<b>a</b> , 0		Required toys present in toddler room {Rule 1.10.1 (3)}			
21.	<b>Y</b> 0		Required toys present preschool room {Rule 1.10.1 (4)}			
22.			Required toys present preschool room {Rule 1.10.1 (4)} Licensed pest control contractor {Rule 1.11.14} Pluse 50nd a copy to. through enail Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}			
23.		D	Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}			
24. Appropriate discipline policy followed {Subchapter 14}						
25.	D/		Appropriate transportation policy followed (Subchapter 15)			
26.	0		Infant feeding schedules posted (Appendix C, VII)			
Co	mments	/Rec	ommendations _ Go online to www.healthyms.com			
			to combiete your orinine application			
			and pay fees and print your license on			
			or before M431, 2020, to avoid late			
			fees and reinstatement fees. Please submit the following for your			
			renewal process: Fire Form			
			2, 4, or 6 weeks menus			
			Zoning Letter (Hinds County Only)			
			Other contact hours			
			Other contact hours			
	Pass –					
	License	to be	issued: Regular Probational Restricted			
	Fail		- // //			
		ıp witi	hin days Connected to the Color			
		-	☐ Director ☐ Designee Child Qure Representative			

## **Food Service Facility Inspection Results**

KIDS UNDER KONSTRUCTION

	Lic. 25CDPFA-470 Attn: TYLAN LEE	12 01 P. 601-346-7711	Date 1 8 2020  ON PLAN AND SCHEDULE
No Critical Observed o Visit.			A
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training Permit Date  Please Remit within 10 days to:	☐ 92010 Permit No Charge ☐ 92015 Permit 1 \$30.00 ☐ 92011 Permit 2 \$100.00 ☐ 92012 Permit 3 \$150.00 ☐ 92013 Permit 4 \$200.00  Environmentalist Code		mature ( Lace)

KIDS UNDER KONSTRUCTION 5400 DOGWOOD TRL Jackson, MS 39212

Lic. 25CDPFA-4701 P. 601-346-7711

Attn: TYLAN LEE

## Child Care Licensure Playground Checklist

	Inspection Date 1.8.2020
Center Name	
YES NO N/A  II I 1. Play no g	yground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with gaps? (Rule 1.11.9 (8), pg 60)  ntrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
□ □ 2. 2 en	If not where is it inadequate? (CPSC, 2.7.2, P8)
□ □ 4. AC	O O Jywo War Down John John John John John John John Joh
□ □ 5. No (C)	c units, high-voltage capting with a standing water present on playground or in/on playground equipment or walkways? standing water present on playground or in/on playground equipment or walkways? psc 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61) psc 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61) psc & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46) psc & equipment in good repair? (none broken/deteriorating)
	dervalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 10-17)
▼ -	Il bolts on equipment & fence <2 threads beyond the nut? Are all bolts and rending
— O Tr	rists/wires facing away from the playground areas (cree free of brush/overgrowth? (CPSC ree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 4, 3.5, pg 16) re use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
	re use zones adoquate  fe swings are present, are S-hooks in good repair? If not, state deficiency  (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37)
	f slide is present, is exit height/exit zone adequate? If not, state deficiency  (CPSC 5.3.6.4-5 pgs 34-35)
□ □ □ 13. A	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)  s age-appropriate equipment being used? If not, state which pieces are inappropriate  (Rule 1.10.2, pg 40 & CPSC 2.2.6, pg 6)
□ □ 15. I	Is playground area clean & free of hazards? If not, state deficiency.  (Rule 1.11.11 (1), pg 61
□ □ □ 17.	Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)  Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15)  Licensing Official
Director Covul	Ace Dicensing Chicago