

## MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Facility Inspection

County Hinds	Date 9 30 19			
Facility Name Jamborez Child Development	CenterLicense Number 250	FPFSH	1-2	542
Purpose Renewal Inspection TA Cap	pacity 168			
All Items In Red Are Critical  Qualified director present  Proper staff to child ratio present	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	In Out	COS	N/A
Room and playground capacity met  Center capacity met  License/complaint visible  Certified food manager	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair			
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,			
Waste water system approved and functioning Food service approved	and functioning  Electrical outlets protected  Large appliances located properly			
Possible Monetary Penalty  Monetary Penalty	Sinks and toilets working properly Hot water at all sinks, not to exceed 120° Children barred from kitchen			
2\$	Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices			
4\$	single action approved and in good working order  Exits unobstructed			
Age/Child/Staff Name	Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	ed D		
1. Infants   4   Caregiver #   2. Infants   3   Caregiver # 2	First aid kits stocked and easily accessib Playground area clean, shaded, well			
3. 1 yr. olds   8   Caregiver # 3 4. 2 yr. olds   9   Caregiver # 4	drained and equipped and fence in good repair See Playground checklis	st D		
5. 3 yr. olds 12   Caregiver # 5 6. 4 yr. olds 14   Caregiver # 6	Playground equipment meets standards  Pool area clean, fenced, and adequately maintained			
The state of the s	Diaper changing stations adequate in number and each fully supplied (number 1111)			
Center Director/Individual 9 Mary Same Facility Organia	_ Child Care Representative	Lem	se y	your
White Copy - Facility File Yellow Copy - Facility Operator				



## **Child Care Encounter**

		Child Ca	re Encounter		alalia
District	5	2		Date_	9130119
			Tenter License No. 2		4-2542
Address_4	28 W. Norths	ide Dr. Ja	ckson, MS 3	39206	
Purpose R	enewal Inspe	ction/TA	Director Nancy	Banyard/	Shirley Hampton
			Mileage End		
	linds		Telephone No. 601-		2
Time In	:05am	Time Out 3:02	Pm Total	Time_NA	
Findings/Co	mments Upon a the directors urpose of th	Nancy Bang	yard and Shirl	Denise L ey Hampton	ove metand
* 1	here were r	o critical	Violations Fr	ound in 4	he Facility.
XTI	iere were no	critical v	riolations for	rund in W	re tacility
* T	re facility,	records w	ere well or	ganized wi	th no
, v	Compliance	e.	·	4	
* 15	taff 121 Form	n expired 41	28/19 and 1 s	taff need	121 Form and
* A	areen surve	y card wa	is left with	, the direc	tor.
* IF	Vou have a	My Questic	ons Dlease Co	entact Dei	rise Love
der	115e love@h	ealthums, C	x # 601-364-	5038 or	ema, I.
				1	
each		ssrooms e	thermometer xcept the	s being to fyrold and LO notice	afterschool
Therr	nometers we		reight of adu		
to p		ermometer	stance to 9 at the heigh	he director	hildren.
Class	I and II ted violation.		It in the dow	1.	tary penalty,
Penal.	y suspensi	on, or revoc	cation of the		nny Facility File
Center Dire	ey Honyffh ctor/Designee/Individual	Child-Care	Representative	Yellow C	ppy - Facility File opy - Operator



**Child Care Program Review** 

Facility Name Jamboree Child Development License No. 2542 [Center]	Date 9	30	19
Center		1	

	Von Mo	N/A	
1	Yes No	INA	Policies and procedures (Parent's Handbook) {Rule 1.4.1}
1	9	0	Proof of Accident/Liability Insurance or documentation that parent has been notified that no
2.	<b>v</b>		insurance is in effect {Rule 1.4.1 (i) & (j)}
3.	D -D		Approved arrival and departure procedures {Rule 1.4.1 (2)}
4.	0	ō	Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}
5.	1/0	ā	Attendance records for children and staff {Rule 1.6.3 (1)}
6.	N D		Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}
7.	1	0	Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}
8.	10		Monthly records of fire/disaster drills {Rule 1.6.3 (5)}
9.	N E		Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}
10.	5	_	Immunization Records for Children and Staff {Rule 1.6.3 (8)}
111.	10	0	Personnel records (attach employee's records form) {Rule 1.6.4}
12.	1 5	0	Volunteer records {Rule 1.6.5 & Rule 1.6.6}
13.			Children records (attach children's records form) {Rule 1.6.7}
14.			Reports of serious occurences made as required {Rule 1.7.1}
15.			
16.			Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}
17.			Staff present who hold valid CPR and First Aid Certification {Rule 1.7.4}
18.	10	0	Age appropriate program of activities posted in each room {Subchapter 9}
19.	The second second	0	Required toys present in infant room {Rule 1.10.1 (2)}
20.	200	ä	Required toys present in that toom {Rule 1.10.1 (2)} Required toys present in toddler room {Rule 1.10.1 (3)}
$\begin{bmatrix} 20. \\ 21. \end{bmatrix}$		ā	Required toys present in todaler room {Rule 1.10.1 (3)} Required toys present preschool room {Rule 1.10.1 (4)}
$\begin{bmatrix} 21. \\ 22. \end{bmatrix}$			Eicensed pest control contractor {Rule 1.11.14}
23.			·
24.			Appropriate discipline policy followed {Subchapter 14}
25.	1/2	0	Appropriate transportation policy followed {Subchapter 15}
26.	D 0	0	Infant feeding schedules posted (Appendix C, VII)
	1000		and the same of th
Co			commendations Fire Inspection Report, Updated Zoning letter,
	15, 5	tat	FF contact hours, 2-4 weeks cycle of menus, 2 staff
•			
_1,	21 +	OVY	ns (1-expired 3 I need form), I LOS on 1 staff.
			16 221K
-			
,			
L			
	/ -	امما	lan
M	Pass - P	eria	D Parallel D Parketional D Particular
	License t	o be	issued: Regular Probational Restricted
	Fail Follow-u	n 17.141	hin days Shulve tampfor weuse hove
1	ronow-u	h win	Disignie Child Care Representative
			Dissignic Child Care Representative

## **Food Service Facility Inspection Results**

1 - 1	***	side. Dr. Jackson, ms 39206 9 30/19
CRITICAL VIO		CORRECTION PLAN AND SCHEDULE
	Violations	
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training	☐ 92010 Permit No Charge ☐ 92015 Permit 1 \$30.00 ☐ 92011 Permit 2 \$100.00 ☐ 92012 Permit 3 \$150.00 ☐ 92013 Permit 4 \$200.00	Certified Manager Licence Number  Expires May 8, 2023  Facility Signature
Permit Date	Environmentalist Code	Environmentalist Signature
Please Remit within 10 days to:		White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist

## Child Care Licensure Playground Checklist

Child Care
Center Name Tambores Child Development Center Inspection Date 9 30 19
YES NO N/A  Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) in getting
no gaps? (Rule 1.11.9 (8), P8 00)
3. Is surfacing adequate? If not, where is it madequate?
AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)  AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)  No standing water present on playground or in/on playground equipment or walkway:  (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)  (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)
Sidewalks provide smooth walking surface? (no trip nazards) (62.50 trip
Tree limbs at least 711 does of 3.4, 3.5, pg 16)  Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)  Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)  If swings are present, are S-hooks in good repair? If not, state deficiency  (CPSC 3.2, pg 1 & 5.3.8.1, pg 5
£, J. 2, P6 1
□ □ 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency  (CPSC 5.3.6.4-5 pgs 3)
☐ ☐ 12. If since is precess,  Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36  Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36  (Rule 1.10.2, & CPSC 2.2.6, p.
Is playground area clean & free of hazards? If not, state deficiency.  (Rule 1.11.11 (1),  (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 60 & CPSC 2.1.
☐ ☐ 16. Is adequate shade present on the plays round the surface? (Rule 1.10.2 (2), pg 4-CPSC 3.6, pg 16-17)
Is wood smooth? Documentation provided that wood has been properly treated. (1)  2.5.5, pg 15)  Licensing Official Luise how