

MISSISSIPPI STATE DEPARTMENT OF HEALTH
Child Care Facility Inspection

County humphiley	Date 11812018		
Facility Name All My Children Day CARE	License Number 2004	PA-368	3
Purpose Vertical #A Cap	pacity 12		
All Items In Red Are Critical Qualified director present Proper staff to child ratio present Room and playground capacity met Center capacity met	Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities Building and Grounds	Out COS	N/A
License/complaint visible Certified food manager	Walls, ceilings, floors, toys, equipment clean and in good repair		
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning Waste water system approved and functioning	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available, and functioning		
Food service approved	Electrical outlets protected Large appliances located properly		
Possible Monetary Penalty 1	Sinks and toilets working properly Hot water at all sinks, not to exceed 120° Children barred from kitchen		
3	Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good working order		
5 \$	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and		
2. STICO 2010.	in good working order		
3. 4.	Playground area clean, shaded, well drained and equipped and fenge in good		220000000
5. <u></u>	Playground equipment meets standards See Northwood Checkles		
7.	Pool area clean, fenced, and adequately maintained		
Center Director/Individual Coffee Melle	Diaper changing stations adequate in number and each fully supplied (number) Child Care Representative		
White Copy - Facility File Yellow Copy - Facility Operator Mississippi State Department of Health 12-10	100	Form No	. 281



MISSISSIPPI STATE DEPARTMENT OF HEALTH

District 3	Child Care Enc	ounter	4.401.
District O	I clarif and and and		Date
Name P	Mullen Day CHILL Segures 1	License No. 21 CAPT-	7-3618
Address	N. JENELSEY, ISDIA MY 39754		XX (
Purpose_ len	Wal TA Center/Organization/Indi	bobbie Miller)
Mileage Start	Mileage End		
County M	Mey Telephone No.	(1 a la O VIII D D.	710
Time In	35AM Time Out_ 11:15AM	(3)	14
Findings/Comme		A Plential I	Nspection.
Del Bobb	no Mules dientro Inches sho	has not bad	1 10. 70.
Show here	AST REPENDENCE TO POPT.	She has not	bod any
16 Links	The first grand of	010.	
THE COACLE	Observed no deficiencies on the	odays vicit I	T-there per
DO MC M	filed the last time to per its	SOUTEPI	1
Classrom	. She to planning to get chil	t mensulement aller Into hel	FOR A MEN
A Childca	esulue was left with Bobbie	mile dilean	HOWNER.
Send In ?	THE DAM HE333 & 2 WASK	male mous	
	THE THOUS Y ZWEEK	cycle menus.	
1000			
THUT an	It WOLATIONS MAN, REDUCT IN A	7 Minetalu on	MIM Down Heat
AND MADRANT OF	Nity result on the doubling	07 A MISU	JORDENN, OR
WINCH W	THE license		
α			
12.10	The Marian		
enter Director/Des	ignee/Individual Child Care Representative	Whit Yello	e Copy - Facility File w Copy - Operator



Facility Name All My Childlen NauCAR License No. B623 Date 118 2018

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 19. 19. 19. 19. 19. 19. 19. 19. 19			Policies and procedures (Pan Proof of Accident/Liability In insurance is in effect {Rule 1. Approved arrival and departur Letter of suitability for staff { Attendance records for childred Current alphabetical roster of Current staff roster (includes of Monthly records of fire/disasts Medication record with date Immunization Records for Children records (attach em) Volunteer records {Rule 1.6.5} Children records (attach children records of serious occurence Communicable diseases repor Daily written reports provided Staff present who hold valid Age appropriate program of acc Required toys present in infant Required toys present in toddle Required toys present preschool Licensed pest control contractor Pets present (proof of immunized Appropriate discipline policy	re procedures {Rule 1.4.1 (2)} Rule 1.5.2 & Rule 1.6.4 (1) (f)} en and staff {Rule 1.6.3 (1)} children (includes date of birth) {Rule date of birth & date of hire) {Rule 1. er drills {Rule 1.6.3 (5)} e, time, signature for 90 days {Rule didren and Staff {Rule 1.6.3 (8)} eployee's records form) {Rule 1.6.4} & Rule 1.6.6} dren's records form) {Rule 1.6.7} es made as required {Rule 1.7.1} erted as required {Rule 1.7.3} to parents for infants and toddlers {Intivities posted in each room {Subchait room {Rule 1.10.1 (2)} er room {Rule 1.10.1 (2)} er room {Rule 1.10.1 (3)} of {Rule 1.11.14} ention as required, signed by veterinant followed {Subchapter 14} evolicy followed {Subchapter 15}	Rule 1.6.3 (2)} 6.3 (3)} 1.6.3 (6)} Rule 1.7.4} Rule 1.8.1 (4) & (5)} apter 9}
Con	nmen	ts/Re	commendations		
/					
	Pass – License Fail Follow-		issued: Regular Drobation	Restricted Designee	Child Care Representative

Food Service Facility Inspection Results

PIMS ID F	acility Name, Address 1000	Seviel Wila M 38154 Date
3613 /		WICHRE SENICU, INC 1118/2018
CRITICAL VI	DLATIONS	CORRECTION PLAN AND SCHEDULE
M Cletical Observed.	Violations	met complaince
		Ancility Recida "A"
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training	92010 Permit No Charge 92015 Permit 1 \$30.00 92011 Permit 2 \$100.00 92012 Permit 3 \$150.00 92013 Permit 4 \$200.00	Certified Manager Licence Number Licence Number Facility Signature The Parish Parish Control of the Control
Permit Date Please Remit within 10 days to:	Environmentalist Code	Environmentalist Signature White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist

Child Care Licensure Playground Checklist

Center Name	My Children Hay CARL Selvices Inspection Date 11/8/2018
YES NO N/A	
	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
7	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
□ □ □ 3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
/ 0 0 4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
□ □ 5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)
$\not\square$ \Box \Box 6 .	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
0 0 0 7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
Z 8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
D 0 0 9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16)
	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
O O 11.	If swings are present, are S-hooks in good repair? If not, state deficiency
O O 12.	(CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37) If slide is present, is exit height/exit zone adequate? If not, state deficiency
	(CPSC5.3.6.4-5 pgs 34-35) Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)
0 0 2 14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate
	(Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6)
	Is playground area clean & free of hazards? If not, state deficiency.
□ □ 16.	(Rule 1.11.11 (1), pg 61)
□ □ 17.	Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5) Are concrete footings leasted at least (21).
	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
10.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15)
Director Bold	Licensing Official All Conf