



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Page _____ of _____

Child Care Encounter

District III Date 9/13/02

Name Weak Ark License No. pending

Address 407 Julie St. Center/Organization/Individual

Osola, ms 38754

County Humphreys Telephone No. _____

Travel Time Stop _____ Odom. Stop _____ Enc. Time Out 11:45

Travel Time Start _____ Odom. Start _____ Enc. Time In 11:30

Total Travel Time _____ Odom. Total _____ Enc. Total Time _____

Follow-Up Visit ☐ Yes ☐ No

Request/Encounter

- ☒ Initial Site Visit ☐ Routine Inspection ☐ Renewal Inspection ☐ Technical Assistance
- ☐ Complaint ☐ Program Review ☐ Quality Assurance Assessment ☐ Training/Education

Findings no one at facility to let me in

Comments/Action

White Copy - Facility File
Yellow Copy - Encounter File
Pink Copy - Individual

Director/Individual

Child Care Representative

Mississippi State Department of Health

Revised 5-18-00

Form No. 287



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Page _____ of _____

Child Care Encounter

District III Date 12/3/02

Name North's Ark Christian Center License No. pending

Address 407 Julia St
Center/Organization/Individual

Isola, ms 38754

County Humphreys Telephone No. 662 962-2160

Travel Time Stop _____ Odom. Stop _____ Enc. Time Out 9:50

Travel Time Start _____ Odom. Start _____ Enc. Time In 9:00

Total Travel Time _____ Odom. Total _____ Enc. Total Time _____

Follow-Up Visit ☐ Yes ☐ No

Request/Encounter

- ☒ Initial Site Visit
 ☐ Routine Inspection
 ☐ Renewal Inspection
 ☐ Technical Assistance
- ☐ Complaint
 ☐ Program Review
 ☐ Quality Assurance Assessment
 ☐ Training/Education

Findings Licensed fee \$100.00 check # 6203

OK to operate 12/4/02

Comments/Action Building ok. Equipment is in the building
and will be set by this evening.

No clear inspection needed.

For 333 OK

X Delores Tanner
 Center Director/Individual

C. Lewis
 Child Care Representative

White Copy - Facility File
 Yellow Copy - Encounter File
 Pink Copy - Individual



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Data Sheet

Facility Name	Noah's Ark		
Physical Address	407 Julia St		
	Isola, ms		
Operator	Delores Tinner		
Daytime Telephone Number	962-2160		
<input checked="" type="checkbox"/> Commercial Facility	<input type="checkbox"/> Occupied Residence		
Total Number of Floors	X 2	Number of Floors Used for Child Care	X 1

I. Building Grounds

A. General

- ☐ 1. Install two (2) easily opened outward opening doors (*minimum 32 inches wide*) equipped with single action opening hardware.
- ☐ 2. Walls — ☐ clean ☐ repair ☐ paint ☐ replace
- ☐ 3. Floors — ☐ clean ☐ repair ☐ paint ☐ replace
- ☐ 4. Ceiling — ☐ clean ☐ repair ☐ paint ☐ replace
- ☒ 5. Install plug covers on all outlets.
- ☐ 6. Barriers installed as needed — ☐ kitchen ☐ stairways ☐ windows ☐ porches ☐ other _____
- ☐ 7. Handrails — ☐ steps ☐ landings ☐ toilets ☐ other _____
- ☐ 8. Heating/cooling — ☐ gas ☐ electric ☐ other _____

Note — Non-electric heat/cool systems or appliances require carbon monoxide monitors to be installed as well as smoke detectors. **All** gas heaters must be vented to outdoors.

- ☐ 9. Unapproved heaters must be removed.
- ☐ 10. Install adequate, proper heating and/or cooling systems.
- ☒ 11. Hang child safe thermometers at child level in every room utilized by children.
- ☐ 12. Install additional lighting. **Note** — All lights must be shielded.
- ☐ 13. Install telephone accessible to caregivers.
- ☐ 14. Install individual compartments or hooks for each child.
- ☒ 15. Provide diaper changing stations in all rooms housing children who are not toilet trained.

Note — Diaper changing stations must have hot and cold water and may not be used for any purpose except diapering.

- ☐ 16. Approved — ☐ waste water ☐ water supply
- ☒ 17. Post emergency evacuation plan.
- ☐ 18. Hot and cold running water at all hand washing sinks

B. Kitchen/Food Preparation Area

- ☐ 1. Install adequate refrigeration with thermometer provided.
- ☐ 2. Install adequate cooking appliances (*stoves/microwaves/ovens*).

Note — Number and type must be based on menu evaluation and number of meals to be prepared.

B. Kitchen/Food Preparation Area (continued)

- ☐ 3. Install approved stove hood, vented to outside per fire codes.
- ☐ 4. Install separate freezer when 50+ children are served.
- ☐ 5. Install approved dishwasher. _____
- ☐ 6. Install three (3) compartment sink.
- ☐ 7. Install food preparation sink.
- ☐ 8. Install mop sink.
- ☐ 9. Install handwashing sink. **Note** — All sinks must have hot and cold water.

C. Grounds

- ☒ 1. Install an approved play area with fence.
- ☐ 2. Remove all hazards including non-approved playground equipment
- ☐ 3. Playground equipment must be approved before installation.
- ☐ 4. Playground evaluation must be completed before opening for business.
- ☒ 5. Safe arrival/departure areas.
- ☐ 6. Other _____

II. Furniture And Equipment

A. Furniture

- ☒ 1. Appropriate
- ☒ 2. Child size
- ☒ 3. Adequate number

B. Equipment

- ☐ 1. Approved location of laundry equipment
- ☒ 2. Required toys available (*see Section X, 10-1*)
- ☒ 3. Approved bedding — ☐ cribs ☐ cots ☒ pads

Note — 24 hour and night time care require bedding with minimum 3 inch mattresses.

III. Other

- ☒ Comply with local zoning, building and fire safety codes.

IV. Recommendations _____

Delores Tanner 9/19/02
Operator/Center / Date

White Copy - Facility File Yellow Copy - Operator

Mississippi State Department of Health

C. Brown
Licensing Officer

Revised 5-18-00

Form No. 286