

MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Facility Inspection

County Warren	Date 11-21-2019
Facility Name Good Shepherd Pres	chool License Number_ 047/
Purpose Renewall TA	Capacity 136
ruipose	Other Items - Must be corrected In Out COS N/A
All Items In Red Are Critical Qualified director present Proper staff to child ratio present	Children's belongings separated/stored
Qualified director present Proper staff to child ratio present Room and playground capacity met Center capacity met License/complaint visible Certified food manager	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair
Sanitation Approved Garbage and garbage bins maintained Vector control maintained	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded
Water system approved and functioning Waste water system approved	Telephone on premises, available, and functioning
and functioning Food service approved	Electrical outlets protected Large appliances located properly Sinks and toilets working properly
Possible Monetary Penalty Monetary Penalty	Hot water at all sinks, not to exceed 120°
2.	Children barred from kitchen Vending machine snacks meet
3\$	nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good
4	working order
5\$Age/Child/Staff Name	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers
1. 2-3vr. 12. CG/	and thermometers placed properly and in good working order
2. 10mos-lyn5. CG2	First aid kits stocked and easily accessible
3. 4.	Playground area clean, shaded, well drained and equipped and fence in good repair
5.	Playground equipment meets standards
6	Pool area clean, fenced, and adequately maintained
Dansey do	Diaper changing stations adequate in number and each fully supplied (number 3
White Copy - Facility File Yellow Copy - Facility Operator	Child Care Representative
17 7	2-1008 Eorm No. 281

Mississippi State Department of Health



Page	ot	

Form No. 287

Child Care Encounter

5	Child Care Encounter	11.01.2010
District		Date_11.21.2019
Name Good Shepherd	Preschool License No.	0471
Name Good Shepherd Address 629 Cherry St		1180
Purpose Renewal / TA	Director_Cindy	<i>McCarley</i>
Mileage Start	Mileage End	
County_ Warren	Telephone No. 601 (2367687
a4000	112700	
Findings/Comments 1000 arr CIRCCTOR, C. Terry.	rival, licensing offi	icials met with
allector, C. Terry.	· · ·	
The purpose of th	nis visit was ackno	wledged: Renewal
Technical Assistan	ce provided on t	he tollowing
	observed children's	belonging Touching
	rected on site) by p cks. Staff! Directors	are reconnable to
he sure this does	not recur by mak	ing sure items are
seperated Inot tou	iching. They will sk	id hook it possible
10day 11.21.2019 13	s date of complet	70n.
Thanks for all you	1 do 0	
Olassa da da da	College State	
Please sand LO +1	ne tollowing:	
x 2-4 WV menus for	r Opproval	
1 2 VIFTICIUS JO	approvar	
		Class I and II violations may result in a
		monetary penalty. Repeated violations may resulted in the doubling of a
		monetary penalty, suspension, or revocation of the license.
A. M. A.	Ma Ma	White Cony - Facility File
Center Director/Designee/Individual	Child Care Representative	White Copy - Facility File Yellow Copy - Operator
2 more and a constitution of the constitution	Con III Donald	



Child Care Program Review

Facility Name Good Shepher	d License No. <u>047</u> /	Date 11-21-19
----------------------------	----------------------------	---------------

Yeş	No	N/A	
1. 🕰			Policies and procedures (Parent's Handbook) {Rule 1.4.1}
2.			Proof of Accident/Liability Insurance or documentation that parent has been notified that no
1			insurance is in effect {Rule 1.4.1 (i) & (j)}
3.			Approved arrival and departure procedures {Rule 1.4.1 (2)}
4.			Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}
5. 🐴			Attendance records for children and staff {Rule 1.6.3 (1)}
6.			Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}
7. 7			Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}
8.			Monthly records of fire/disaster drills {Rule 1.6.3 (5)}
9.		8	Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}
10.			Immunization Records for Children and Staff {Rule 1.6.3 (8)}
12.			Personnel records (attach employee's records form) {Rule 1.6.4}
12.			Volunteer records {Rule 1.6.5 & Rule 1.6.6} Children records (attach children's records form) {Rule 1.6.7}
14]	<u> </u>	Reports of serious occurences made as required {Rule 1.7.1}
15/1	0		Communicable diseases reported as required {Rule 1.7.1}
16.7	0		Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}
17/1	_	ā	Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}
18.			Age appropriate program of activities posted in each room {Subchapter 9}
19.			Required toys present in infant room {Rule 1.10.1 (2)}
20.			Required toys present in toddler room {Rule 1.10.1 (3)}
21. 7			Required toys present preschool room {Rule 1.10.1 (4)}
22.			Licensed pest control contractor {Rule 1.11.14}
23. 🔾		1	Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}
24.		6	Appropriate discipline policy followed {Subchapter 14}
25.			Appropriate transportation policy followed {Subchapter 15}
26.			Infant feeding schedules posted (Appendix C, VII)
		/TD	ommendations See Encounter Forms
Comm	ents	/Rec	ommendations Oee Encounter Forms
7			
7			
-			
21			
-D Pass	-		
-Lie	ense t	to be i	ssued: Regular Probational Restricted
- Fail			Marie Marie Mora Marie
☐ Foll	ow-u	p with	in days all all all all all all all all all al
			Director Designee Chita Care Representative

Mississippi State Department of Health

White Copy - Facility File

Yellow Copy - Operator

Revised 12-19-13

Form 289

Food Service Facility Inspection Results

PIMS ID Fac	ility Name, Address	reschool icks burg MS	Date //-2/-/9
CRITICAL VIOL		CORRECTION PLAN AND	D SCHEDULE
No aitical cited		NA	
□ 92020 Scheduled □ 92030 Followup □ 92040 Complaint □ 92050 Consultation □ 92070 Plan Review/Const. □ 92080 No Inspection □ 92090 Restaurant Training Permit Date Please Remit within 10 days to:	92010 Permit No Charge 92015 Permit 1 \$30.00 92011 Permit 2 \$100.00 92012 Permit 3 \$150.00 92013 Permit 4 \$200.00 Environmentalist Code 16.56	Certified Manager Certified Manager Environmentalist Signature White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist	Mulany Safe Licence Number 12024

Child Care Licensure Playground Checklist

Cent	er Na	me (Go	od Shepherd Inspection Date 11.21.2019
YES	NO	N/A	question .	Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
A			2	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
A			3	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 4-10 & 4.3)
1		-	4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
1			5.	No standing water present on playground or in/on playground equipment or walkways?
1			6.	(CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61) Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
1			7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
1			8.	All boits on equipment & fence < threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
-			9	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC
			10.	3.4, 3.5, pg 16) Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
		7	11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14, 2.5.2, pg 1 & 5.3.8.1, pg 37)
4			12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35)
/			1	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)
Ø			13.	Are spring rockers a minimum of our appropriate Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule I 10.2, pg 46 & CPSC 2.2.6, pg 6)
, , Ø	<u> </u>] 15,	Is playground area clean & free of hazards? If not, state deficiency (Rule 1.11.11 (1), pg 61)
1	<u> </u>] [6	Is adequate shade present on the playground? (Rule 1 11 9 (7), pg 60 & CPSC 2 1 1, pg 5)
19	/ [] [17	Are concrete footings located at least 6" beneath the surface? (Rule 1 10.2 (2)) ps 10 accepted the surface? (Rule 1 10.2 (2)) ps 10 accepted the surface? (Rule 1 10.2 (2)) ps 10 accepted to the surface? (Rule 1 10.2 (2)) ps 10 accep
5 Di	rector	1 C	18 US	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15) Mudual Licensing Official Wia Draw