



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facilities Capacity Worksheet

Any change in use of space will affect maximum capacity. Attach matching floor plans.

County Me Date 7-28-2022
 Facility Strayhorn Preschool & Day Care License No. 6525
 Address 3139 Hwy 4 W Saven MS Maximum/New Capacity 50

Maximum capacity is determined by the lowest number of the five categories listed below. Facilities must be measured by one standard only, e.g., preschool or school age, not both. Licenses are issued based on one standard only.

- Kitchen Size — 10.58 x 10.58 = 111.93 15.167 x 5.083 = 77.09 111.93 + 77.09 = 189.02
 (Minimum size - 90 sq. ft./Maximum - 300 sq. ft.) 1-50 children require 90 sq. ft.; 51-70 children require 150 sq. ft.; 71-100 children require 210 sq. ft.; over 100 children require 300 sq. ft. A separate stand alone freezer is required when serving 50 or more.

- Handwashing Sinks — 111 x 15 = 75 (Preschool)

Handwashing Sinks — _____ x 30 = _____ (School Age)
 (Do not count lavatories in kitchen or for use in diaper changing area.)

Diaper Changing Sinks — 1

- Toilets — 111 x 15 = 60 (Preschool)

Toilets — _____ x 30 = _____ (School Age)

Urinals — _____ x 15 = _____ (Both Licenses)
 (Urinals shall not exceed 33 percent of the toilet fixtures)

- Playground Space 1 — 91 x 47.33 = 3852.03 75 x 3 = 153 51 @ once
 Playground Space 2 — 116.00 x 61.5 = 7134 95.12 x 3 = 285 18-16-22
 (Total outdoor playground area shall accommodate at least 33 percent of the licensed capacity at any one time.)

Playground Space 3 — _____ x _____ = _____ ÷ 75 x 3 = _____
 (Total outdoor playground area shall accommodate at least 33 percent of the licensed capacity at any one time.)

- Indoor Space — Add the total of the room capacities listed below: Refer to rule 1.11.2 and rule 1.22.3 of the regulations for required square footage per child based on age. All maximum room capacities are rounded down to the nearest whole number.

Conversion Chart

1"	= .083
2"	= .167
3"	= .25
4"	= .33
5"	= .417
6"	= .5
7"	= .58
8"	= .67
9"	= .75
10"	= .83
11"	= .917

Room Name/No.	Measurements	Maximum Capacity
Room #1	<u>19.25 x 23 = 442.75 ÷ 35 = 12</u>	<u>12</u>
Room #2	<u>23.58 x 23.167 = 546.27 ÷ 35 = 15</u>	<u>15</u>
Room #3	<u>17.167 x 18.25 = 313.29</u> <u>- 7 x 5.417 = - 37.91</u> <u>+ 16.33 x 9.417 = + 153.77</u> <u>= 429.15 ÷ 40 = 10</u>	<u>10</u>
Room #4	<u>18.33 x 25.75 = 471.99 ÷ 35 = 13</u>	<u>13</u>

Facility Operator

White Copy - Facility File


Mississippi State Department of Health

Yellow Copy - Operator

Child Care Representative

Maximum Facility Capacity = 50

Kimberly Clark 7-28-2002
Tamika Stutcher 7-28-2002
Paul Steffens





MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District IDate 7-28-22

Name Strayhorn Preschool & Daycare License No. 16525
 Address 3139 Hwy 4 W Sarah, MS 38655
 Center/Organization/Individual
 Purpose TA Director April Stephens
 Mileage Start _____ Mileage End _____
 County Tate Telephone No. 662-560-0075
 Time In 9:15 Time Out 11:05 Total Time _____

Findings/Comments Here to conduct a TA visit due to the request of the provider. Re-novation has been completed. D.O. & Supervisor rec'd written document requesting re-measurements for the facility.

Facility maximum capacity 50 children

TA was provided for playground II. Supervisor recommended playground fence be extended to prevent children from begin in blind spot. Provider states ~~one~~ potential completion date ~~is~~ before mid-year inspection

Kid Sweets play area was discuss during exit. It was recommended by the supervisor for it to be removed. If not removed it may be counted as another classroom. Provider asked if the door removed could the Kid Sweets play area be used

[Signature]
 Center Director/Designee/Individual

[Signature]
 Child Care Representative
[Signature]

White Copy - Facility File
 Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District IDate 12-15-22Name Straubhorn Preschool & Day Care License No. 6525Address 3139 Hwy 4 W Sarah MS

Center/Organization/Individual

Purpose TA Director April Stephens

Mileage Start _____ Mileage End _____

County Late Telephone No. 668-560-0073Time In 9:35 Time Out 10:19 Total Time _____Findings/Comments Here to conduct a technical assistant visit due to the adjust to the facility playground (#2).Playground #2 measures for 285 children.Capacity work sheet was updated on today's visit.

April Stephens
Center Director/Designee/Individual

Tamika Bratcher
Child Care Representative
Theresa Shegog
Revised 6-24-09

White Copy - Facility File
Yellow Copy - Operator