





MISSISSIPPI STATE DEPARTMENT OF HEALTH

## Child Care Encounter

District 9Date 1-24-19

Name Noah's Ark Childcare License No. 0150  
 Address 4322 Popp's Ferry Rd. D'Iberville, MS  
Center/Organization/Individual  
 Purpose Mid-Year Director \_\_\_\_\_  
 Mileage Start \_\_\_\_\_ Mileage End \_\_\_\_\_  
 County Harrison Telephone No. 228-392-9896  
 Time In \_\_\_\_\_ Time Out \_\_\_\_\_ Total Time \_\_\_\_\_

## Findings/Comments

No relations observed during visit.

Great Job!

A. Cole  
 Center Director/Designee/Individual

Monique Fairley  
 Child Care Representative

White Copy - Facility File  
 Yellow Copy - Operator

# Food Service Facility Inspection Results

PIMS ID	Facility Name, Address <i>Noah's Ark Childcare</i>	Date <i>1-24-19</i>
---------	---	------------------------

## CRITICAL VIOLATIONS

## CORRECTION PLAN AND SCHEDULE

<p><i>No violations observed</i></p> <p style="text-align: center; font-size: 48px;"><i>A</i></p>	
---	--

<input type="checkbox"/> 92020 Scheduled <input type="checkbox"/> 92030 Followup <input type="checkbox"/> 92040 Complaint <input type="checkbox"/> 92050 Consultation <input type="checkbox"/> 92070 Plan Review/Const. <input type="checkbox"/> 92080 No Inspection <input type="checkbox"/> 92090 Restaurant Training	<input type="checkbox"/> 92010 Permit No Charge <input type="checkbox"/> 92015 Permit 1 \$30.00 <input type="checkbox"/> 92011 Permit 2 \$100.00 <input type="checkbox"/> 92012 Permit 3 \$150.00 <input type="checkbox"/> 92013 Permit 4 \$200.00
Permit Date	Environmental Code
Please Remit within 10 days to:	

*Drucka Teale*  
Certified Manager

*Tummy Safe*  
Licence Number  
*Ex-5-11-20*

Facility Signature <i>[Signature]</i>
Environmental Signature <i>Monique Taylor</i>

White Copy - Facility  
Yellow Copy - PIMS  
Pink Copy- Environmentalist

# Child Care Licensure Playground Checklist

Center Name Noah's Ark

Inspection Date 1-24-19

YES NO N/A

- ☒ ☐ ☐ 1. Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
- ☒ ☐ ☐ 2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)
- ☒ ☐ ☐ 3. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)
- ☒ ☐ ☐ 4. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
- ☒ ☐ ☐ 5. No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)
- ☒ ☐ ☐ 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)
- ☒ ☐ ☐ 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)
- ☒ ☐ ☐ 8. All bolts on equipment & fence < 2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)
- ☒ ☐ ☐ 9. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15)
- ☐ ☐ ☒ 10. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
- ☐ ☐ ☒ 11. If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 13)
- ☐ ☐ ☒ 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35)
- ☐ ☐ ☒ 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
- ☒ ☐ ☐ 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 36)
- ☒ ☐ ☐ 15. Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 49)
- ☒ ☐ ☐ 16. Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)
- ☒ ☐ ☐ 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
- ☒ ☐ ☐ 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5)

Director A. Lee

Licensing Official Monique Ford