Explorer's, INC. 2001 Executive Drive Pearl, MS 39208 Ph.: 601-939-5955 Lic.: **61CFPFSA-5289** Director: Janna Hill

MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County	Date 03.05. 2019
Facility Name	License Number
DALAMA HO	apacity
All Items In Red Are Critical Qualified director present In Out COS N/A U	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities In Out COS N/A II
Proper staff to child ratio present Room and playground capacity met Center capacity met License/complaint visible	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair
Sanitation Approved Garbage and garbage bins maintained Vector control maintained	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,
Water system approved and functioning Waste water system approved and functioning Food service approved	and functioning Electrical outlets protected Large appliances located properly Sinks and toilets working properly
Possible Monetary Penalty Monetary Penalty Superior Sup	Hot water at all sinks, not to exceed 120° Children barred from kitchen Vending machine snacks meet
2\$	nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good working order
4\$ 5	Exits unobstructed
1. 4 Ular-16. Carea Nor	and thermometers placed properly and in good working order
2. 2 year 10 · Caregiver 3 3. 2 year 9 · Caregiver 3	Playground area clean, shaded, well drained and equipped and fence in good repair
5. I year. 8. Caregiver 5	Playground equipment meets standards
6. Intants. 9. Caregiver 4, 7	Pool area clean, fenced, and adequately maintained
3 year 14. Caregiver 10 4 year 16. Caregiver 11 3 year 14. caregiver 12, 13 Center Director/Individual	Diaper changing stations adequate in number and each fully supplied (number
White Copy - Facility File Yellow Copy - Facility Operator Mississippi State Department of Health	2-10-08 MO. 281



Child Care Encounter

District
Name License No
Address Center/Organization/Individual
Purpose Chewa A Director_
Mileage Start Mileage End_
County Telephone No
Time In Time Out 2.00 PM Total Time
Findings/Comments (100) graval the 11 censing officials met with
The purpose of this visit is to conduct a renewal
Technical assistance provided on the following:
Rule 1.16.5-Hand Washing Sinks at diaper changing stations shall not be used for any other purpose. Example: The diaper changing sink man not be used for Ivashina cups haby bottles food alshes utensis etc. To observed spoons in sink, pease label each sink. Rule 1.11.1-The ceiling shall be properly installed kept clean and in along condition, and maintained in good repair. Do observed stallned ceiling tiles.
Rule 1.11. (12)-Walls. shall be kept. Clean and free of form wall covening, chipped paint booken paster, and holes. Wobselved chipped paint throughout building.
Rule 1. 11.8(9)—Thermometers that do not present a handred to children shall be placed on intenoir walls in every activity area at children's height. In observed thermometers missing in some, not all, classrooms.
White Copy - Facility File Yellow Copy - Operator Center Director/Designee/Individual Chill Care Representative
Mississippi State Department of Health Form No. 287

Explorer's, INC. 2001 Executive Drive Pearl, MS 39208 Ph.: 601-939-5955 Lic.: **61CFPFSA-5289** Director: Janna Hill



 $_{\text{Page}} 2_{\text{of}} 3$

Date_03.05.2019

License No. Facility Name days White Copy - Facility File Yellow Copy - Operator nter Director/Designee/Individual



 $P_{\text{Age}} = 3 \cdot 3$ $O3 \cdot 05 \cdot 209$

Child Care Encounter (Continuation)

Facility Name License No. Lo Observed 5 Staff With no la torm.	pease mulumit submit
Nutritional standards Ampendix C-No cereal julce or other foods Infant's breast milk formula, just out a. pr altest, as alone for a child with special, this cocumentation in child's file. Send	may be added to the NSI dan's Implenter re- needs. (Please place downentation to LO
PULC 1.5.2(2) - At no time shall facility all bronde unsuperisored care be left alone with notifyication from MSDF veriftuning that amorganisors observed 5 staff W/no lefter of suitability. Staff	Tow that individual to a child until facility veceives gitabilty for amplyment, LO was not jeft alone wichildren
Please Submit following downmentation: *CPR 1st Aid (expires at the end of March * Contact howrs (15 per staff) * Vehicle insurance * Inst of building built * Aftersonool daily Schedule *Distance of closed vent in Kitchen	
A follow-up MI be Conducted. "Class I and II violations may result in a monetary penalty. Repeated violations may result in the doubling of a monetary penalty, suspension, or revocation of the license"	Was privided on todayis was privided on todayis west to director, turing Hill.
Center Director/Designee/Individual Charles Care Representative	White Copy - Facility File Yellow Copy - Operator

Director: Janna Hill



Child Care Program Review

Mississippi State Department of Health

Revised 12-19-13

Form 289

Child Care Representative

Follow-up within

Food Service Facility Inspection Results

PIMS ID Fac	ility Na Explorer's, INC. 2001 Executive Drive Pearl, MS 39208 Ph.: 601-939-5955	Date 02.05.8019
CRITICAL VIOL	Lic.: 61CFPFSA-5289 ATIOI Director: Janna Hill	JTION PLAN AND SCHEDULE
hu artical. Violations		
		Vanna Hill aunum Sate
☐ 92020 Scheduled	92010 Permit No Charge	Certified Manager Licence Number
□ 92030 Followup	☐ 92015 Permit 1 \$30.00	Jevh. 124-07-2002
☐ 92040 Complaint	92011 Permit 2 \$100.00	W. UT 21 2020
☐ 92050 Consultation ☐ 92070 Plan Review/Const.	92012 Permit 3 \$150.00 92013 Permit 4 \$200.00	
92070 Plan Review/Const.		
☐ 92090 Restaurant Training		Facility Signature
Permit Date	Environmentalist Code	Environmentalist Signature
Please Remit within 10 days to:		White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist

Ch	ald Core Lies Playground Checklist
Explore 2001 Experience Pearl, N	r's, INC. kecutive Drive MS 39208 1-939-5955 Inspection Date 03.05.20
Cellul Manie	CEDESA-5289
YES NO N/A	ayground fence less than 3 ½" from surface. (Rule 1.11.9 (6), pg 60)
	the one being remote from the building.
□ 3 Is	surfacing adequate? If not, where is it inadequate? (CFSC, 2-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1
D 0 4. A	C units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59) To standing water present on playground or in/on playground equipment or walkways?
5. N	CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61) Coys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
	it town lks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 10-17)
	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing
	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC)
р _□	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
d 11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37)
D 0 12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35)
	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)
13.	Is age-appropriate equipment being used? If not, state which propriate (Rule 1.10.2, pg 46)
/	& CPSC 2.2.6, pg 6)
□ □ □ 15.	Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 61)
/ - 16	Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
	Are concrete footings located at least 6" beneath the surface. (CPSC 3.6, pg 16-17)
	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 45)
Director Dull	Licensing OfficialLicensing Official