



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

Madison

County EAGLE'S NEST EARLY CHILDHOOD

LEARNING CTR

Facility Name 45CCPFSWA-2281

302 W FULTON ST

Purpose CANTON MS 390464

Date 10/18/2019

License Number 45CCPFSWA-2281

Capacity 50

Midyear Technical Asst.

All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present <i>arrived 11:42</i>	☒	☐	☐	☐
Proper staff to child ratio present	☒	☐	☐	☐
Room and playground capacity met	☒	☐	☐	☐
Center capacity met	☒	☐	☐	☐
License/complaint visible	☒	☐	☐	☐
Certified food manager	☒	☐	☐	☐

Sanitation Approved

Garbage and garbage bins maintained	☒	☐	☐	☐
Vector control maintained	☒	☐	☐	☐
Water system approved and functioning	☒	☐	☐	☐
Waste water system approved and functioning	☒	☐	☐	☐
Food service approved	☒	☐	☐	☐

Possible Monetary Penalty

	Monetary Penalty
1. <i>Supervisory review</i>	\$
2. <i>required</i>	\$
3.	\$
4.	\$
5.	\$

	Age/Child/Staff Name
1.	<i>Infants - 7 yrs old / 10 / Caregiver #1,</i>
2.	<i>#2, Volunteer.</i>
3.	
4.	
5.	
6.	
7.	

Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	☒	☐	☐	☐
Evacuation plans posted	☒	☒	☐	☐
Menus posted and served	☒	☐	☐	☐
Plan of activities	☒	☐	☐	☐

Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair <i>(TA)</i>	☐	☒	☐	☐
Lighting approved	☒	☐	☐	☐
Heating/cooling approved	☒	☐	☐	☐
Ventilation adequate	☒	☐	☐	☐
Glass approved and shielded	☒	☐	☐	☐
Telephone on premises, available, and functioning	☒	☐	☐	☐
Electrical outlets protected	☒	☐	☐	☐
Large appliances located properly <i>(later)</i>	☐	☒	☐	☐
Sinks and toilets working properly	☐	☒	☐	☐
Hot water at all sinks, not to exceed 120°	☐	☐	☐	☒
Children barred from kitchen	☒	☐	☐	☐
Vending machine snacks meet nutritional guidelines, if present	☐	☐	☐	☒
Exits, doors and fastening devices single action approved and in good working order	☒	☐	☐	☐
Exits unobstructed	☒	☐	☐	☐
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	☒	☐	☐	☐
First aid kits stocked and easily accessible	☒	☐	☐	☐
Playground area clean, shaded, well drained and equipped and fence in good repair <i>(TA)</i>	☐	☒	☐	☐
Playground equipment meets standards	☒	☐	☐	☐
Pool area clean, fenced, and adequately maintained	☐	☐	☐	☒
Diaper changing stations adequate in number and each fully supplied (number <i>1</i>)	☒	☐	☐	☐

Center Director/Individual

Lorrie Hamlin-April

Child Care Representative

(Signature)

White Copy - Facility File

Yellow Copy - Facility Operator

Mississippi State Department of Health

12-10-08

Form No. 281



Child Care Encounter

District 5Date 10/18/2019Name EAGLE'S NEST EARLY CHILDHOODLicense No. 45CCPFSWA-2281Address LEARNING CTR45CCPFSWA-2281

Organization/Individual

802 W FULTON STPurpose CANTON MS 390464Director Lonnie Hamlin AprilMidyear Technical Asst.

Mileage Start

Mileage End

County MadisonTelephone No. 601-855-0509Time In 11:40 amTime Out 1:50 pm

Total Time

Findings/Comments Upon arrival, MSDH licensing official Tonya Broger met with Lonnie Hamlin-April, Owner #1. The purpose of the visit, to conduct a Midyear Inspection, was acknowledged and the following observations were made:

- No critical violations were observed regarding the facility kitchen/meal prep area.
- The facility will have 14 days to provide verification of compliance with the cited repairs regarding the facility building and grounds. (See page 2 Child Care Encounter). Due by 11/1/2019.
- Staff record: All observed staff records, including FBI LOS and Form 121's were compliant with MSDH regulatory guidelines.
- Childrens records: The facility will have 14 days to provide verification of a valid Form 121 for one (1) child. Due by 11/1/2019.
- A green survey card and MSDH contact card was provided to Owner/Director #1
- Technical assistance provided, as needed.

Class I and Class II violations may result in a monetary penalty. Repeated violations may result in the doubling of penalties, suspension, or revocation of the license.

Lonnie Hamlin-April
Center Director/Designee/Individual

YB CCF II
Child Care Representative

White Copy - Facility File
Yellow Copy - Operator

MISSISSIPPI STATE DEPARTMENT OF HEALTH
Child Care Encounter
(Continuation)

Page 2 of 2
Date 10/18/2019

Facility Name _____ License No. #2281

Observed deficiencies:

Subchapter 11: Building and Grounds

Rule 1.11.5(4), states, "All hand washing lavatories shall both hot and cold running water. 5) Toilets, urinals, hand washing lavatories, and sinks shall be clean and operational. Bathrooms, hand washing lavatories and sinks shall be supplied with soap, and individual towels for drying hands. Each toilet shall be supplied with toilet paper."

Findings: Based on observations made during the inspection, the hot water / spout for Restroom #1 was not operational. The MSDH LO observed that no water flowed from the spout. This is the 2nd citation for this rule. Also, MSDH LO observed that the hand washing sink for Rest room #2 was clogged and water held in the basin.

5) MSDH LO observed that each restroom need toilet paper, soap, and individual towels for drying hands. Recommendation for general cleaning and maintenance for both restroom areas.

Rule 1.11.1(7) states, in part, "The child care facility shall provide a separate space for infants and toddlers away from children older children, except in facilities licensed for 12 or fewer children."

Finding 5: MSDH licensing official, observed, during a tour of the facility, that the large room #1 held 10 children ages Infant - Seven yrs of age w/ two caregivers and one grandparent volunteer.

Recommendation, due to increased enrollment, is to utilize the additional rooms designated for the younger children ages Infant, Toddlers, and preschool.

Loonie Williams-April
Center Director/Designee/Individual

Y. B. CCFI
Child Care Representative

White Copy - Facility File
Yellow Copy - Operator



Child Care Encounter (Continuation)

Page 2 of 2
Date 10/18/2019

Facility Name _____ License No. # 2281

Rule 1.11.11 (1), states, "The grounds, including the outdoor playground area, shall be free of hazardous or potentially hazardous objects".

Findings: Based on observations made during a tour of the facility ground, including the playground area, MSDH LO observed that general cleaning, maintenance, and the placement of additional loose-filled materials will be required on the playground area. (See Appendix D - Playground Safety Handbook - Appendix A Suggested General Maintenance Checklist).

Also, per recommendation for routine inspection of the facility ground, near MSDH observed cigarette butts and beer bottle caps near the entrance of the playground area.

- Per Owner-Director #1, the children have not utilized the playground area due to the weather during the summer months.

- Per Owner-Director #1, persons from the neighboring area utilize the parking area after hours leaving trash behind.

Subchapter 13: Nutrition and Meals


- Rule 1.13.2 states, "all meals shall meet the nutritional standards as prescribed in Appendix C Minimum Standards for Nutritional Care in Child Care Facilities."

- Rule 1.13.3 states, "Refreshments provided for special celebrations must meet (in part) nutritional guidelines as set forth in Appendix C."

Findings: Upon arrival, MSDH staff observed the children pizza from an area restaurant being used for the lunch meal (including juice). Per Owner-Director #1, the meal was for a special occasion. The MSDH LO did not observe any alternate meal options offered.

Technical assistance provided regarding MSDH nutritional standards. (Appendix C)

Looner Hamlin April
Center Director/Designee/Individual

 CCF111
Child Care Representative

White Copy - Facility File
Yellow Copy - Operator

Food Service Facility Inspection Results

PIMS ID	Facility Name, Address Eagles Nest Early Childhood Learning CTR 302 W. P. Hill St. Canton, MS 39046	Date 10/18/2019
---------	---	--------------------

CRITICAL VIOLATIONS

CORRECTION PLAN AND SCHEDULE

- No critical violations were observed regarding the facility kitchen meal prep area.

- Technical assistance provided regarding Nutritional Standards Appendix "C".

Per Owner - Director #1, the facility will replace the pans for the stove by 10/20/2019.

- Letter grade "A" rec'd, with technical assistance.

☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training	☐ 92010 Permit No Charge ☐ 92015 Permit 1 \$30.00 ☐ 92011 Permit 2 \$100.00 ☐ 92012 Permit 3 \$150.00 ☐ 92013 Permit 4 \$200.00
Permit Date	Environmental Code TB, DS
Please Remit within 10 days to:	

Lonnie M. Hamilton - April Training Staff
 Certified Manager Licence Number
 Exp. 10/28/2016

Facility Signature <i>Lonnie M. Hamilton - April</i>
Environmental Signature <i>(Signature)</i>

White Copy - Facility
 Yellow Copy - PIMS
 Pink Copy - Environmentalist

Child Care Licensure Playground Checklist

Inspection Date 10/18/2019

Center Name _____

YES NO N/A

- | | | | | |
|-------------------------------------|-------------------------------------|-------------------------------------|-----|---|
| ☒ | ☐ | ☐ | 1. | Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60) |
| ☒ | ☐ | ☐ | 2. | 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60) |
| ☐ | ☒ | ☐ | 3. | Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
<u>Recommendation for additional surfacing, for fall zones under the slide and merry-go-round.</u> |
| ☒ | ☐ | ☐ | 4. | AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59) |
| ☒ | ☐ | ☐ | 5. | No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61) |
| ☒ | ☐ | ☐ | 6. | Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46) |
| ☒ | ☐ | ☐ | 7. | Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17) |
| ☒ | ☐ | ☐ | 8. | All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) |
| ☒ | ☐ | ☐ | 9. | Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16) |
| ☒ | ☐ | ☐ | 10. | Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41) |
| ☐ | ☐ | ☒ | 11. | If swings are present, are S-hooks in good repair? If not, state deficiency _____ (CPSC 3.2, pg 2.5.2, pg 1 & 5.3.8.1, pg 37) |
| ☒ | ☐ | ☐ | 12. | If slide is present, is exit height/exit zone adequate? If not, state deficiency _____ (CPSC 5.3.6.4-5 pgs 34-37) |
| ☒ | ☐ | ☐ | 13. | Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7, pg 36-37) |
| ☒ | ☐ | ☐ | 14. | Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 46) |
| ☐ | ☒ | ☐ | 15. | Is playground area clean & free of hazards? If not, state deficiency. _____ (Rule 1.11.11 (1), pg 60)
<u>Recommendation for general routine inspection and maintenance.</u> |
| ☒ | ☐ | ☐ | 16. | Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 46) |
| ☒ | ☐ | ☐ | 17. | Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17) |
| ☒ | ☐ | ☐ | 18. | Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15) |

Director Laurie Hamlin - April

Licensing Official (Signature) M. C. FILL