



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District IVDate 5/20/21

| | | | |
|---------------|--|--------------------------------|--|
| Name | <u>After School Program WPR</u> | License No. | <u>53CDPSNA-6973</u> |
| Address | <u>221 M.L. King Jr. Dr. W. Starkville, MS 39759</u> | Center/Organization/Individual | |
| Purpose | <u>Technical Assistance</u> | Director | <u>Pamela Conerly / Mobyln Conerly</u> |
| Mileage Start | <u>0</u> | Mileage End | |
| County | <u>Oktibbeha</u> | Telephone No. | <u>(662) 312-1812</u> |
| Time In | <u>3:00</u> | Time Out | |
| | | Total Time | |

Findings/Comments Here to conduct a technical assistance.

Kitchen permitted - no hazard verified awaiting copy of Turning Safe Certification score.

Kitchen measured 22.16' x 13.6' = 303.02

Classroom #17 17' x 19'

$$\begin{array}{r} 5.217 \times 6.167 = \\ \hline 289.6 \end{array} \quad \div 25 = 11$$

"Child Care Questionnaire was provided to Pamela Conerly at the exit conference."

"Class I or II violations may result in a monetary. Repeated violations may result in the doubling of the monetary penalty, suspension or revocation of the license."

Pamela Conerly
 Center Director/Designee/Individual

Paula DeWitt
 Child Care Representative

White Copy - Facility File
 Yellow Copy - Operator

Food Service Facility Inspection Results

| | | |
|------------------------|---|------------------------|
| PIMS ID 6973 | Facility Name, Address After School Program | Date 5/20/21 |
|------------------------|---|------------------------|

CRITICAL VIOLATIONS

CORRECTION PLAN AND SCHEDULE

PASS

Pamela N. Conerly **Tommy S. Rife**
 Certified Manager Licence Number

- ☐ 92020 Scheduled
- ☐ 92030 Followup
- ☐ 92040 Complaint
- ☐ 92050 Consultation
- ☐ 92070 Plan Review/Const.
- ☐ 92080 No Inspection
- ☐ 92090 Restaurant Training

- ☒ 92010 Permit No Charge
- ☐ 92015 Permit 1 \$30.00
- ☐ 92011 Permit 2 \$100.00
- ☐ 92012 Permit 3 \$150.00
- ☐ 92013 Permit 4 \$200.00

Permit Date

Environmental Code

Please Remit within 10 days to:

Q-2

Facility Signature

Environmental Signature

White Copy - Facility
 Yellow Copy - PIMS
 Pink Copy - Environmentalist