

# Mississippi State Department of Health Child Care Facility Inspection

County Wayne	Date 7 23 19
Facility Name Annies Daycore	License Number_\568
Purpose Renewal	_ Capacity
Qualified director present	Other Items - Must be corrected
Room and playground capacity met  Center capacity met  License/complaint visible	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair
Sanitation Approved Garbage and garbage bins maintained	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available.
Vector control maintained  Water system approved and functioning  Waste water system approved	Telephone on premises, available, and functioning
and functioning	Electrical outlets protected  Large appliances located properly  Sinks and toilets working properly
Possible Monetary Penalty  1	_ Children barred from kitchen
2\$	Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good
4\$	working order
5 \$	Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and
Age/Child/Staff Name  1. 3 vm5-	n good working order
2.	irst aid kits stocked and easily accessible \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
3. 4.	layground area clean, shaded, well rained and equipped and fence in good epair
5.	'layground equipment meets standards \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
6.	ool area clean, fenced, and adequately maintained
Center Director/Individua  White Copy - Facility File  Yellow Copy - Facility Operator	Diaper changing stations adequate in number and each fully supplied (number)  Child Care Representative

Mississippi State Department of Health

12-10-08

Form No. 281



#### **Child Care Encounter**

District	Child Care Encounter	Date 7 23 19
NameAddress	Annie's Daycare  10 Jo Land Drive, Waynesboro, MS 39367  601-735-3678 Lic. No.: 77C3PF-1568  Director: Annie Jones	
Purpose Renewal	Director: Affilie Jones	
Mileage Start	Mileage End	
County Warpe	Telephone No	
	e Out Total Time	
Findings/Comments A Duruty	was given to Ms. annie	Jones.
Please submit application by 9/30/19.	on & fee online at health	ugns. com
Please submit fine insper Genica neap by 9/30	ection, & 2 WK cycle of 0/19. Please outmit contact	hours as well.
No deficiencies obsurça	d during the inspection.	
Center Director/Designee/Individual	Child Care Representative	White Copy - Facility File Yellow Copy - Operator



#### **Child Care Program Review**

Facility Name Onnie's Daycan License No. 1568 Date 7 23 19					
Yes No N/A  1. B					
License to be issued: Regular Probational Restricted  Fail Follow-up within days  Designee  Child Care Representative					

### **Food Service Facility Inspection Results**

Annie's Daycare

PIMS ID	Facility Name, Addr	601-735-3678 Director: Annie	, Waynesboro, MS 39367 Lic. No.: 77C3PF-1568 e Jones	Date 7 23 19
CRITICAL VI	OLATIONS		CURRECTION	LAN AND SCHEDULE
No deficiences				
□ 92020 Scheduled □ 92030 Followup □ 92040 Complaint □ 92050 Consultation □ 92070 Plan Review/Const. □ 92080 No Inspection	92010 Permi 92015 Permi 92011 Permi 92012 Permi 92013 Permi	t 1 \$30.00 t 2 \$100.00 t 3 \$150.00	Certified Manager  Facility Signature	Licence Number
☐ 92090 Restaurant Training Permit Date	Environmentalis	st Code	Environmentalist Signatur	The A. gr
Please Remit within 10 days to			White Copy - Facility Yellow Copy - PIMS Pink Copy - Environmentalis	st

## Child Care Licensure Playground Checklist

Cent	ter N	ame .	an	mis Day Carr Inspection Date 7 (23/19
YES	NO	N/A	1.	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
A			2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)
	Ö	Q	3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)
B	П		4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
B			5.	No standing water present on playground or in/on playground equipment or walkways?
\			6.	(CPSC 2.4.2.2-5, pg 10) Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)
7			7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)
Z Z			8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)
A			9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC
		D	10.	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
		苡	11.	If swings are present, are S-hooks in good repair? If not, state deficiency  (CPSC 3.2, pg13)
		艮	12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC5.3.6.4-5 pgs 34-35)
П	П	D	13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
Ø			14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate  (Rule 1.10.2, pg 36)
D			15.	Is playground area clean & free of hazards? If not, state deficiency.  (Rule 1.11.11 (1), pg 49)
A			16.	Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)
D			17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
D			18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC
Direct	or C	2	m	2.5.5)  Licensing Official Smia My