



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County NeshobaDate 5-14-21Facility Name First United Methodist Church License Number 0975Purpose Renewal Capacity 95

All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present	☒	☐	☐	☐
Proper staff to child ratio present	☒	☐	☐	☐
Room and playground capacity met	☒	☐	☐	☐
Center capacity met	☒	☐	☐	☐
License/complaint visible	☒	☐	☐	☐
Certified food manager	☒	☐	☐	☐

Sanitation Approved

	In	Out	COS	N/A
Garbage and garbage bins maintained	☒	☐	☐	☐
Vector control maintained	☒	☐	☐	☐
Water system approved and functioning	☒	☐	☐	☐
Waste water system approved and functioning	☒	☐	☐	☐
Food service approved	☒	☐	☐	☐

Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	
2.	
3.	
4.	
5.	
6.	
7.	

Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	☒	☐	☐	☐
Evacuation plans posted	☒	☐	☐	☐
Menus posted and served	☒	☐	☐	☐
Plan of activities	☒	☐	☐	☐

Building and Grounds

	In	Out	COS	N/A
Walls, ceilings, floors, toys, equipment clean and in good repair	☒	☐	☐	☐

	In	Out	COS	N/A
Lighting approved	☒	☐	☐	☐
Heating/cooling approved	☒	☐	☐	☐
Ventilation adequate	☒	☐	☐	☐
Glass approved and shielded	☒	☐	☐	☐
Telephone on premises, available, and functioning	☒	☐	☐	☐

	In	Out	COS	N/A
Electrical outlets protected	☒	☐	☐	☐
Large appliances located properly	☒	☐	☐	☐
Sinks and toilets working properly	☒	☐	☐	☐
Hot water at all sinks, not to exceed 120°	☒	☐	☐	☐
Children barred from kitchen	☒	☐	☐	☐
Vending machine snacks meet nutritional guidelines, if present	☒	☐	☐	☐
Exits, doors and fastening devices single action approved and in good working order	☒	☐	☐	☐

	In	Out	COS	N/A
Exits unobstructed	☒	☐	☐	☐
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	☒	☐	☐	☐

	In	Out	COS	N/A
First aid kits stocked and easily accessible	☒	☐	☐	☐

	In	Out	COS	N/A
Playground area clean, shaded, well drained and equipped and fence in good repair	☒	☐	☐	☐

	In	Out	COS	N/A
Playground equipment meets standards	☒	☐	☐	☐

	In	Out	COS	N/A
Pool area clean, fenced, and adequately maintained	☒	☐	☐	☒

	In	Out	COS	N/A
Diaper changing stations adequate in number and each fully supplied (number <u>5</u>)	☐	☐	☒	☐

Center Director/Individual Lindsey Stuart Child Care Representative M. B. B. B.



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District 6Date 5-14-21Name First United Methodist Church License No. 0975Address 563 East Main street Philadelphia
Center/Organization/IndividualPurpose Renewal Director Lindsey Stuart

Mileage Start _____ Mileage End _____

County Neshoba Telephone No. 601-562-1923

Time In _____ Time Out _____ Total Time _____

Findings/Comments Subchapter 5 Personnel requirements

(A) Deficiency Rule 1.5.2 Criminal Records Fingerprints states in part. Child abuse Central registry Checks and sex offenders records Check pursuant to section 43-20 Let. sec of the Mississippi Code of 1972 all operators employees and prospective employees of a child care facility and individual residing in a residence licensed as a child care facility.

Findings: During the record review one staff was found with out a letter of suitability. This staff was left alone with children. The licensing official called the finger print department the first set of finger prints ~~were~~ they were not able to read. A letter was sent to the facility in Nov. 2020.

TA. was provided on all employees shall get a letter of suitability sent to msdht regulation within the first 10 days of hiring a staff. Staff with no letter of suitability should not be left alone with children

P.O.C. The director/owner will develop a policy to ensure all new employees either have a valid letter of suitability from another facility or that within 10 days from date of employment proper documentation will be submitted to msdht 3 mths. This policy will also include that no caregiver will be left alone with children without a letter of suitability. This was ^{an} ~~correctly~~ ^{going} into the classroom with valid letter of suitability. A follow-up inspection will be conducted. Completion date for compliance 5-30-21.

Lindsey Stuart
Center Director/Designee/Individual

Min Brien
Child Care Representative

White Copy - Facility File
Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

**Child Care Encounter
(Continuation)**Date 5-14-21Facility Name First Methodist Church License No. 0975

During the record review 1 children were found without shot records 1 shot record. During the facility review 2 children with ~~shots~~ shots due. Children may not return until valid 121 is on file at the facility.

A survey was given to the director.

please submit contact hours, fire form, and menus

Lindsey Stewart
Center Director/Designee/Individual

Mia Brun
Child Care Representative

White Copy - Facility File
Yellow Copy - Operator

Food Service Facility Inspection Results

PIMS ID 0475	Facility Name, Address Lindsey Stuart	Date 5-14-21
-----------------	--	-----------------

CRITICAL VIOLATIONS

CORRECTION PLAN AND SCHEDULE

No violation observed during this inspection	
---	--

☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training	☐ 92010 Permit No Charge ☐ 92015 Permit 1 \$30.00 ☐ 92011 Permit 2 \$100.00 ☐ 92012 Permit 3 \$150.00 ☐ 92013 Permit 4 \$200.00
Permit Date	Environmental Code

Lindsey Stuart Tummy Safe
 Certified Manager Licence Number

Facility Signature <u>Lindsey Stuart</u>
Environmental Signature <u>Min. Brun</u>

White Copy - Facility
 Yellow Copy - PIMS
 Pink Copy - Environmentalist

Please Remit within 10 days to:



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Program Review

 Facility Name First United Methodist Church License No. 0975 Date 5-14-21

- | | Yes | No | N/A | |
|-----|-------------------------------------|--------------------------|--------------------------|--|
| 1. | ☒ | ☐ | ☐ | Policies and procedures (Parent's Handbook) {Rule 1.4.1} |
| 2. | ☒ | ☐ | ☐ | Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)} |
| 3. | ☒ | ☐ | ☐ | Approved arrival and departure procedures {Rule 1.4.1 (2)} |
| 4. | ☒ | ☐ | ☐ | Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)} |
| 5. | ☒ | ☐ | ☐ | Attendance records for children and staff {Rule 1.6.3 (1)} |
| 6. | ☒ | ☐ | ☐ | Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)} |
| 7. | ☒ | ☐ | ☐ | Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)} |
| 8. | ☒ | ☐ | ☐ | Monthly records of fire/disaster drills {Rule 1.6.3 (5)} |
| 9. | ☒ | ☐ | ☐ | Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)} |
| 10. | ☒ | ☐ | ☐ | Immunization Records for Children and Staff {Rule 1.6.3 (8)} |
| 11. | ☒ | ☐ | ☐ | Personnel records (attach employee's records form) {Rule 1.6.4} |
| 12. | ☒ | ☐ | ☐ | Volunteer records {Rule 1.6.5 & Rule 1.6.6} |
| 13. | ☒ | ☐ | ☐ | Children records (attach children's records form) {Rule 1.6.7} |
| 14. | ☒ | ☐ | ☐ | Reports of serious occurrences made as required {Rule 1.7.1} |
| 15. | ☒ | ☐ | ☐ | Communicable diseases reported as required {Rule 1.7.3} |
| 16. | ☒ | ☐ | ☐ | Daily written reports provided to parents for infants and toddlers {Rule 1.7.4} |
| 17. | ☒ | ☐ | ☐ | Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)} |
| 18. | ☒ | ☐ | ☐ | Age appropriate program of activities posted in each room {Subchapter 9} |
| 19. | ☒ | ☐ | ☐ | Required toys present in infant room {Rule 1.10.1 (2)} |
| 20. | ☒ | ☐ | ☐ | Required toys present in toddler room {Rule 1.10.1 (3)} |
| 21. | ☒ | ☐ | ☐ | Required toys present preschool room {Rule 1.10.1 (4)} |
| 22. | ☒ | ☐ | ☐ | Licensed pest control contractor {Rule 1.11.14} |
| 23. | ☒ | ☐ | ☐ | Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6} |
| 24. | ☒ | ☐ | ☐ | Appropriate discipline policy followed {Subchapter 14} |
| 25. | ☒ | ☐ | ☐ | Appropriate transportation policy followed {Subchapter 15} |
| 26. | ☒ | ☐ | ☐ | Infant feeding schedules posted (Appendix C, VII) |

 Comments/Recommendations _____

- ☐ Pass –
 License to be issued: ☐ Regular ☐ Probational ☐ Restricted
☐ Fail
☐ Follow-up within _____ days

☒ Director ☐ Designee

M. B. Brown
 Child Care Representative

THE UNIVERSITY OF CHICAGO

THE UNIVERSITY OF CHICAGO
DIVISION OF THE PHYSICAL SCIENCES
DEPARTMENT OF CHEMISTRY
530 SOUTH EAST ASIAN AVENUE
CHICAGO, ILLINOIS 60607-7070
TEL: 773/936-5000
FAX: 773/936-5001
WWW: WWW.CHEM.UCHICAGO.EDU
E-MAIL: CHEM@UCHICAGO.EDU

OFFICE OF THE DEAN OF THE DIVISION OF THE PHYSICAL SCIENCES

530 SOUTH EAST ASIAN AVENUE

CHICAGO, ILLINOIS 60607-7070

TEL: 773/936-5000

FAX: 773/936-5001

WWW: WWW.CHEM.UCHICAGO.EDU

E-MAIL: CHEM@UCHICAGO.EDU

CHICAGO, ILLINOIS 60607-7070

TEL: 773/936-5000

Center Name First United Methodist ChurchInspection Date 5-14-21

YES NO N/A

- ☒ ☐ ☐ 1 Playground fence less than 3 1/2" from surface (Rule 1119 (8) pg 48) in good repair with no gaps? (Rule 1119 (8) pg 48)
- ☒ ☐ ☐ 2 2 entrances/exits, with one being remote from the building? (Rule 1119 (8) pg 48)
- ☒ ☐ ☐ 3 Is surfacing adequate? If not, where is it inadequate? (CPSC 242 pg 3)
- ☒ ☐ ☐ 4 AC units, high-voltage cabling/wires inaccessible? (Rule 1119 (3) pg 47)
- ☒ ☐ ☐ 5 No standing water present on playground or in/on playground equipment or walkways? (CPSC 242 2-5 pg 10)
- ☒ ☐ ☐ 6 Toys & equipment in good repair? (none broken/deteriorating) (Rule 1102 (2) pg 36)
- ☒ ☐ ☐ 7 Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 36 pg 15)
- ☒ ☐ ☐ 8 All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1119 (5) pg 47)
- ☐ ☐ ☐ 9 Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 34, 35, pg 15) Need tree limbs cut
- ☒ ☐ ☐ 10 Are use zones adequate? If not, where are they inadequate? (CPSC 539 pg 40)
- ☒ ☐ ☐ 11 If swings are present, are S-hooks in good repair? If not, state deficiency _____ (CPSC 32 pg 13)
- ☒ ☐ ☐ 12 If slide is present, is exit height/exit zone adequate? If not, state deficiency _____ (CPSC 536 4-5 pgs 34-35)
- ☒ ☐ ☐ 13 Are spring rockers a minimum of 6 ft. apart? (ASTM 95.12 pg 15)
- ☒ ☐ ☐ 14 Is age-appropriate equipment being used? If not, state which pieces are inappropriate _____ (Rule 1102 pg 36)
- ☒ ☒ ☐ 15 Is playground area clean & free of hazards? If not, state deficiency has an ant bed _____ (Rule 1111 (1) pg 49)
- ☒ ☐ ☐ 16 Is adequate shade present on the playground? (CPSC 211 pg 5)
- ☒ ☐ ☐ 17 Are concrete footings located at least 6" beneath the surface? (Rule 1102 (2) pg 36)
- ☒ ☐ ☐ 18 Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 255)

Director Lindsey Smart Licensing Official Min. Brun

