



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection Report

PRESBYTERIAN PLAYSCHOOL

License #: 0267

Director: ARETHA DAVIS

Inspection Date: 11/15/2021

Annual/Mid Inspection

Inspector: LeKesha Sandifer

Program Administration Violations Cited

1. **COS:** Current menu is posted. (Rule 1.4.6(C) Page 18)

Kitchen Violations Cited

No violations cited.

Nutritional Guidelines Violations Cited

1. **COS:** Children are not required to wait longer than fifteen minutes at the table for food to be served.

Playground Violations Cited

No violations cited.

Infant Classroom Violations Cited

Infant - Classroom Number: 4

1. **COS:** Thermometers that are not hazardous to children are placed on interior walls at children's height. (Rule 1.11.8(9) Page 58)
2. **COS:** Each infant is placed on a separate bed, crib, or mat. Cribs are labeled so that child's name is visible. (Rule 1.17.1 Page 79)

Infant Classroom - Classroom Number: 4

Toddler Classroom Violations Cited

1 Year Old - Classroom Number: 6

No violations cited.

Toddler Classroom - Classroom Number: 6

Twos Classroom Violations Cited

2 Year Old - Classroom Number: 5

1. **COS:** Thermometers that are not hazardous to children are placed on interior walls at children's height. (Rule 1.11.8(9) Page 58)

Twos Classroom - Classroom Number: 5

2 year Old - Classroom Number: 1

1. **COS:** Daily schedule is posted in classroom. (Rule 1.4.6(b) Page 18)

Twos Classroom - Classroom Number: 1

Preschool Classroom Violations Cited

Older 2 & 3 - Classroom Number: 3

1. **Out of Compliance:** Room is well lighted, ventilated, and free of hazardous or potentially hazardous conditions. (Rule 1.11.1(9) Page 51)
2. **COS:** Thermometers that are not hazardous to children are placed on interior walls at children's height. (Rule 1.11.8(9) Page 58)

Preschool Classroom - Classroom Number: 3

1. **POC:** Room well lighted-Director stated she will contact maintenance and have lights repaired.D.O.C 12/3/21.

Person Responsible: Director **Date for Completion:** 12/3/21

4 & 5 Year Old - Classroom Number: 2

1. **COS:** Evacuation route is posted in classroom. (Rule 1.4.6(d) Page 18)
2. **COS:** Thermometers that are not hazardous to children are placed on interior walls at children's height. (Rule 1.11.8(9) Page 58)

Preschool Classroom - Classroom Number: 2

Legend

- COS: Corrected on Site
- POC: Plan of Correction

Child Care Director Signature



MSDH Licensure Representative Signature

Leksha Sana