



Child Care Facility Inspection

County _____ Date 12.02.2020

Facility Name _____ License Number _____

Purpose Renewal Capacity 22

All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper staff to child ratio present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Room and playground capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Center capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
License/complaint visible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Certified food manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Sanitation Approved

Garbage and garbage bins maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vector control maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Waste water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food service approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	<u>2-4/10/caregiver 1, 2</u>
2.	
3.	
4.	
5.	
6.	
7.	

Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Evacuation plans posted	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Menus posted and served	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Plan of activities	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Building and Grounds

Walls, <u>ceilings</u> , floors, toys, equipment clean and in good repair	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lighting approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heating/cooling approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ventilation adequate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Glass approved and shielded	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Telephone on premises, available, and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Electrical outlets protected	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Large appliances located properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sinks and toilets working properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hot water at all sinks, not to exceed 120°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Children barred from kitchen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vending machine snacks meet nutritional guidelines, if present	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Exits, doors and fastening devices single action approved and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Exits unobstructed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
First aid kits stocked and easily accessible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground area clean, shaded, well drained and equipped and fence in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground equipment meets standards	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pool area clean, fenced, and adequately maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Diaper changing stations adequate in number and each fully supplied (number <u>2</u>)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Center Director/Individual _____

Child Care Representative _____



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District 5Date 12.2.2020

Name _____

Address _____

Purpose Renewal

Mileage Start _____

County HindsTime In 12:40

District: 5 County: Hinds
 Alpha Konnections Academy
 1469 W. Northside Drive
 Jackson, MS 39213
 License # 25C3PF-5568

Director

Shervonda Gordon

Mileage End _____

Telephone No. 769-218-7642

Time Out _____ Total Time _____

Findings/Comments Upon arrival licensing official met w/ Shervonda Gordon, director.

The purpose of this visit is to conduct a renewal inspection and to provide technical assistance.

Playground: Spring Rockers and Slide need surfacing under structure as well as use zones should be left. Apart. Director stated that play structures will be remove until she can afford the surfacing underneath items. Need to be completed by 1/2/2020

Fire tags need to be changed out. exp. 4/2020

Subchapter 11: BUILDINGS AND GROUNDS

Deficiency: Rule 1.11.1 (8) States in part, ceilings, floor, and/or floor covering shall be properly installed, kept clean and in good condition, and maintained in good repair.

Director stated that she just replaced her roof and has to change out remaining tiles.

P.O.C

1. What measures will you put into place to correct the violation and how will you prevent recurrence of the violation? 2. Who will be responsible for monitoring violation from recurrence? 3. What is the date of completion?

Director called the electrician and conversed about light fixtures, because light fixture was rusted. The director stated to electrician will licensing official was present that she needed work completed within a week. She must have work completed by 12/28/2020.

Subchapter 11
 Rule 1.11.1(9)

[Signature]
 Center Director/Designee/Individual

[Signature]
 Child Care Representative

White Copy - Facility File
 Yellow Copy - Operator

District: 5 County: Hinds
Alpha Konnections Academy
1469 W. Northside Drive
Jackson, MS 39213
License # 25C3PF-5568



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter (Continuation)

Date 12/2/2020

Facility Name _____ License No. _____

Rule 1.6.3 (8)- Each facility shall maintain a notebook containing copies of the MSDH certificate of Immunization Compliance for both staff and children at the facility. The certificates shall be filed in alphabetical order to match the current staff and child rosters.

Director called parent to request form 121 for one student.

Director has 14 days to submit current form 121 to licensing official.

P.O.C

1. What measures will you put into place to correct the violation and how will you prevent recurrence of the violation? 2. Who will be responsible for monitoring violation from recurrence? 3. What is the date of completion?

Fire Form
2 to 4 weeks menu on updated form
remaining contact hours for all staff
Send picture of Fire tags changed

Go online to www.healthymms.com to complete your online application and pay fees and print your license on or before 12/2/2020 to avoid late fees and reinstatement fees.

Class I and II violations may result in
- a monetary penalty. Repeated
- violations may result in the doubling
of a monetary penalty, suspension, or
- revocation of the license.

Center Director/Designee/Individual

Child Care Representative

White Copy - Facility File
Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Program Review

Facility Name _____ License No. _____ Date 12/2/2020

	Yes	No	N/A	
1.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Policies and procedures (Parent's Handbook) {Rule 1.4.1}
2.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)}
3.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Approved arrival and departure procedures {Rule 1.4.1 (2)}
4.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}
5.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Attendance records for children and staff {Rule 1.6.3 (1)}
6.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}
7.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}
8.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Monthly records of fire/disaster drills {Rule 1.6.3 (5)}
9.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}
10.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Immunization Records for Children and Staff {Rule 1.6.3 (8)}
11.	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	Personnel records (attach employee's records form) {Rule 1.6.4} TA
12.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Volunteer records {Rule 1.6.5 & Rule 1.6.6}
13.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Children records (attach children's records form) {Rule 1.6.7}
14.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Reports of serious occurrences made as required {Rule 1.7.1}
15.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Communicable diseases reported as required {Rule 1.7.3}
16.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}
17.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}
18.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Age appropriate program of activities posted in each room {Subchapter 9}
19.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Required toys present in infant room {Rule 1.10.1 (2)}
20.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Required toys present in toddler room {Rule 1.10.1 (3)}
21.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Required toys present preschool room {Rule 1.10.1 (4)}
22.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Licensed pest control contractor {Rule 1.11.14}
23.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}
24.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Appropriate discipline policy followed {Subchapter 14}
25.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Appropriate transportation policy followed {Subchapter 15}
26.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Infant feeding schedules posted (Appendix C, VII)


Comments/Recommendations _____

☐ Pass –
License to be issued: ☐ Regular ☐ Probational ☐ Restricted

☐ Fail

☐ Follow-up within _____ days

☒ Director ☐ Designee


Child Care Representative

Food Service Facility Inspection Results

District: 5 County: Hinds
Alpha Konnections Academy
1469 W. Northside Drive
Jackson, MS 39213
License # 25C3PF-5568

PIMS

Date

12/2/2020

CRITICAL VIOLATIONS

CORRECTION PLAN AND SCHEDULE

No violations cited in the
kitchen on today's
visit

A

- ☐ 92020 Scheduled
- ☐ 92030 Followup
- ☐ 92040 Complaint
- ☐ 92050 Consultation
- ☐ 92070 Plan Review/Const.
- ☐ 92080 No Inspection
- ☐ 92090 Restaurant Training

- ☒ 92010 Permit No Charge
- ☐ 92015 Permit 1 \$30.00
- ☐ 92011 Permit 2 \$100.00
- ☐ 92012 Permit 3 \$150.00
- ☐ 92013 Permit 4 \$200.00

Permit Date

12/2/2020

Environmentalism Code

Please Remit within 10 days to:

Certified Manager

Licence Number

Facility Signature

Environmentalism Signature

White Copy - Facility
Yellow Copy - PIMS
Pink Copy - Environmentalism

Child Care Licensure Playground Checklist

Inspection Date

12/2/2020

Center Name

YES NO N/A

- ☒ ☐ ☐ 1. Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
- ☒ ☐ ☐ 2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
- ☐ ☒ ☐ 3. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
Need Surfacing under Spring rockers, slide
- ☒ ☐ ☐ 4. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
- ☒ ☐ ☐ 5. No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)
- ☒ ☐ ☐ 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
- ☒ ☐ ☐ 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
- ☒ ☐ ☐ 8. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
- ☒ ☐ ☐ 9. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16)
- ☒ ☐ ☐ 10. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
- ☐ ☐ ☒ 11. If swings are present, are S-hooks in good repair? If not, state deficiency
2.5.2, pg 1 & 5.3.8.1, pg 37
- ☐ ☒ ☐ 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency
Need Surfacing near boarder (CPSC 5.3.6.4-5 pgs 34-35)
- ☐ ☒ ☐ 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7, pg 36-37)
- ☒ ☐ ☐ 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate
(Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6)
- ☒ ☐ ☐ 15. Is playground area clean & free of hazards? If not, state deficiency.
(Rule 1.11.11 (1), pg 61)
- ☒ ☐ ☐ 16. Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
- ☒ ☐ ☐ 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
- ☐ ☐ ☒ 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15)

Director

Licensing Official

[Signature]