



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District 5Date 5.5.22

Name <u>Ajese/Shine</u>	License No. <u>7567</u>
Address <u>306 W. Cayuga St. Crystal Springs</u> Center/Organization/Individual	
Purpose <u>Technical Assistance</u>	Director <u>Shalandra Jackson</u>
Mileage Start _____	Mileage End _____
County <u>Copiah</u>	Telephone No. <u>(601) 308-5160</u>
Time In <u>1:30</u>	Time Out _____ Total Time _____

Findings/Comments Arrived at the facility per request of director
Ms Jackson to inspect facility after Renovation
has been completed.

Facility has new capacity worksheet with new Classroom
Capacity and new additional rooms added to capacity
Worksheet. New capacity is 39.

Classroom has a portable sink, license official stated that
the sink will be removed and replace with a stationary
sink that is connected to facility water source.

Playground - has debris that has to be removed from
playground. Director stated that, the debris will be
removed by May 6, 2022.

Facility is now ready to reopen for normal business
operation.

Update to facility will be upload in LARS and a new
license will be printed and sent to facility

Center Director/Designee/Individual

Child Care Representative

White Copy - Facility File
 Yellow Copy - Operator