

MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection					
County Jaundlo	Date//3/2/				
Facility Name Thind Ave Kiddie	V # 1515				
Purpose Program Reneval. Cap	acity				
Cup					
All Items In Red Are Critical Qualified director present Proper staff to child ratio present Room and playground capacity met	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities				
Room and playground capacity met Center capacity met License/complaint visible Certified food manager	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair				
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning Waste water system approved	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,				
and functioning	and functioning				
Possible Monetary Penalty	Electrical outlets protected Large appliances located properly Sinks and toilets working properly Hot water at all sinks not to				
1 Monetary Penalty \$					
2	exceed 120° Children barred from kitchen Vending machine snacks meet				
3\$	Exits, doors and fastening devices single action approved and in good				
4\$	working order				
5	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers				
Age/Child/Staff Name 1.	and thermometers placed properly and in good working order				
2.	First aid kits stocked and easily accessible				
 4. 	Playground area clean, shaded, well drained and equipped and fence in good repair				
5.	Playground equipment meets standards				
6	Pool area clean, fenced, and adequately maintained				
	Diaper changing stations adequate in number and each fully supplied (number)				
Center Director/Individual Julia Brown	Child Care Representative				
White Copy - Facility File Yellow Copy - Facility Operator Mississippi State Department of Health 12	-10-08 Form No. 281				

Page I of -



MISSISSIPPI STATE DEPARTMENT OF HEALTH

District Child Care Encounter	Date 1/13/2/
Name	
Findings/Comments (1000 Arguita)	mot with a renewal. 10 Complete
Class I and It historians a monetary smally, Reper may result in the doubling Suspension or revocation of	may result in ations of the liance
Julia Brown Jenter Director/Designee/Individual Child Care Representative	White Copy - Facility File Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Yes No N/A	[20] (150) - 150
14.	Attendance records for children and staff {Rule 1.6.3 (1)} Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)} Current staff roster (includes date of birth & date of hirt) {Rule 1.6.3 (3)} Monthly records of fire/disaster drills {Rule 1.6.3 (5)} Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)} Immunization Records for Children and Staff {Rule 1.6.3 (8)} Personnel records (attach employee's records form) {Rule 1.6.4} Volunteer records {Rule 1.6.5 & Rule 1.6.6} Children records (attach children's records form) {Rule 1.6.7} Reports of serious occurences made as required {Rule 1.7.1} Communicable diseases reported as required {Rule 1.7.3} Daily written reports provided to parents for infants and toddlers {Rule 1.7.4} Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)} Age appropriate program of activities posted in each room {Subchapter 9} Required toys present in infant room {Rule 1.10.1 (2)} Required toys present in toddler room {Rule 1.10.1 (3)} Required toys present preschool room {Rule 1.10.1 (4)} Licensed pest control contractor {Rule 1.11.14} Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6} Appropriate discipline policy followed {Subchapter 15}
Pass – License to b	pe issued: Regular Probational Restricted within days

Food Service Facility Inspection Results

PIMS ID	V	1	
Fa	Third Ave Kiddie 302 19th St. N Columbus Ms 3970 44CCPFA-1	North 1(Lowndes) 515	Date 1/13/2/
1 Charles during the Charles of the	Dir: Julia Bro	Own	PLAN AND SCHEDULE
☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection	□ 92010 Permit No Charge □ 92015 Permit 1 \$30.00 □ 92011 Permit 2 \$100.00 □ 92012 Permit 3 \$150.00 □ 92013 Permit 4 \$200.00	Certified Manager	Licence Number
92090 Restaurant Training Permit Date	Environmentalist Code	Facility Signature Environmentalist	y was mour
Please Remit within 10 days to:	MM	White Copy - Facili Yellow Copy - PIM Pink Copy- Environ	ity S

Child Care Licensure Playground Checklist

Cent	er Na	me_	the	7d Ave Kiddie Korner Inspection Date 1/9/21	
YES	NO	N/A	1	THOUGH TOURS INSPECTION 2010	
		4	1.	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)	
		中	2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)	
		ф	3.		
				Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)	
		ф	4.	AC units high walts	
		4	5.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)	
		T	٥.	No standing water present on playground or in/on playground equipment or walkways?	
		6	6.	1.1.2.2(3), pg 10 & Kule (4) ng 61)	
		-		Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)	
]		L	7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)	
		P	8.	All holts on agricus and a	
				All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (D. L. H. 1997)	
		Þ	9.	and the playground area? (Rule 1 11 0 /5) ng 50)	
		4	10	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16)	
	J	1	10.	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)	
		4	11.		
		T	11.	If swings are present, are S-hooks in good repair? If not, state deficiency	
				(CPSC 3.2, pg 14:	
		P	12.	If slide is present, is exit height/evit zone of 2.5.2, pg 1 & 5.3.8.1, pg 37)	
				If slide is present, is exit height/exit zone adequate? If not, state deficiency	
		P	13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.6.4-5 pgs 34-35) Is age-appropriate equipment being a 10.75	
		þ	14.	Is age-appropriate equipment being used? If yet a second and the second	
				Is age-appropriate equipment being used? If not, state which pieces are inappropriate	
_				(Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6)	
			15.	Is playground area clean & free of hazards? If not, state deficiency.	
-	_			(Rule 1.11.11 (1), ng 61)	
		10	16.	Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)	
		0	17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 &	
				CPSC 3.6, pg 16-17)	
		0	18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15)	
Dire	Director Julia frau Licensing Official Mary Hampton, HPSS				
		•		served are to raw	
N	1	1	Kh	solved due 10 Ului	
*	111	UI	W	or wan wow	