



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection Report

USM CENTER FOR CHILD DEVELOPMENT

License #: 1497

Director: ZKELA VARNADO

Inspection Date: 09/05/2023

Annual/Mid Inspection

Inspector: Sharetha Bennett

Program Administration Violations Cited

No violations cited.

Plan of Correction

1. **POC:** Director will submit contact hours for all staff to LO

Person Responsible: **Date for Completion:**

Kitchen Violations Cited

No violations cited.

Nutritional Guidelines Violations Cited

No violations cited.

Playground Violations Cited

1. **Out of Compliance:** Playground area is clean and free of hazards. (Rule 1.11.11 Page 61)

Plan of Correction

1. **POC:** Based on observation it was observed that weeds were present on the playground area and overgrown through the surfacing. Director will have weeds removed by 09/29/2023. A picture will be submitted to LO.

Person Responsible: Director **Date for Completion:** September 29, 2023

Infant Classroom Violations Cited

119 - Classroom Number: 119

No violations cited.

Infant Classroom - Classroom Number: 119

Toddler Classroom Violations Cited

122 - Classroom Number: 122

1. **COS:** Evacuation route is posted in classroom. (Rule 1.4.6(d) Page 18)
2. **COS:** Thermometers that are not hazardous to children are placed on interior walls at children's height. (Rule 1.11.8(9) Page 58)

Toddler Classroom - Classroom Number: 122

123 - Classroom Number: 123

1. **COS:** Thermometers that are not hazardous to children are placed on interior walls at children's height. (Rule 1.11.8(9) Page 58)

Toddler Classroom - Classroom Number: 123

Twos Classroom Violations Cited

109 - Classroom Number: 109

1. **COS:** Thermometers that are not hazardous to children are placed on interior walls at children's height. (Rule 1.11.8(9) Page 58)

Twos Classroom - Classroom Number: 109

111 - Classroom Number: 111

1. **COS:** Thermometers that are not hazardous to children are placed on interior walls at children's height. (Rule 1.11.8(9) Page 58)

Twos Classroom - Classroom Number: 111

Preschool Classroom Violations Cited

115 - Classroom Number: 115

1. **COS:** Evacuation route is posted in classroom. (Rule 1.4.6(d) Page 18)
2. **COS:** Thermometers that are not hazardous to children are placed on interior walls at children's height. (Rule 1.11.8(9) Page 58)

Preschool Classroom - Classroom Number: 115

107 - Classroom Number: 107

1. **COS:** Thermometers that are not hazardous to children are placed on interior walls at children's height. (Rule 1.11.8(9) Page 58)

Preschool Classroom - Classroom Number: 107


Legend

- COS: Corrected on Site
- POC: Plan of Correction

Child Care Director Signature

A handwritten signature in black ink, appearing to read "Z Kelatto". The signature is fluid and cursive, with a large initial "Z" and a stylized "Kelatto".

MSDH Licensure Representative Signature

A handwritten signature in black ink, appearing to read "Shanellia Bennett". The signature is written in two lines, with "Shanellia" on the top line and "Bennett" on the bottom line. The handwriting is cursive and somewhat stylized.A handwritten signature in black ink, appearing to read "Demetria Jackson". The signature is written in two lines, with "Demetria" on the top line and "Jackson" on the bottom line. The handwriting is cursive and somewhat stylized.