



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County <u>Rankin</u>	Date <u>2.1.2021</u>
Facility Name <u>Kingdom Preschool</u>	License Number <u>6598</u>
Purpose <u>midyear / TA</u>	Capacity <u>30</u>

All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper staff to child ratio present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Room and playground capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Center capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
License/complaint visible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Certified food manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Sanitation Approved

Garbage and garbage bins maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vector control maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Waste water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food service approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	<u>2-4 yr. 10. CG 1,2</u>
2.	
3.	<u>School age. 10. CG 3</u>
4.	
5.	<u>School age. 1. CG 4</u>
6.	
7.	

Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Evacuation plans posted	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Menus posted and served	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Plan of activities	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair

Lighting approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heating/cooling approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ventilation adequate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Glass approved and shielded	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Telephone on premises, available, and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Electrical outlets protected	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Large appliances located properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sinks and toilets working properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hot water at all sinks, not to exceed 120°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Children barred from kitchen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vending machine snacks meet nutritional guidelines, if present	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Exits, doors and fastening devices single action approved and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Exits unobstructed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

First aid kits stocked and easily accessible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--	-------------------------------------	--------------------------	--------------------------	--------------------------

Playground area clean, shaded, well drained and equipped and fence in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
---	-------------------------------------	--------------------------	--------------------------	--------------------------

Playground equipment meets standards	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------

Pool area clean, fenced, and adequately maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--	-------------------------------------	--------------------------	--------------------------	--------------------------

Diaper changing stations adequate in number and each fully supplied (number _____)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--	--------------------------	--------------------------	--------------------------	--------------------------

Center Director/Individual James Brown Child Care Representative Tara Herman

White Copy - Facility File Yellow Copy - Facility Operator

Mississippi State Department of Health 12-10-08 Form No. 281

LO= Licensing Official(s)
POC= Plan of Correction
TA=Technical Assistance
LOS= Letter Of Suitability
COS= Corrected on Site

Page ____ of ____



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District 5

Date 2.1.2021

Name	<u>Kingdom Preschool</u>	License No.	<u>6598</u>
Address	<u>700 Old Whitfield Rd. Pearl, MS</u>		
	Center/Organization/Individual		
Purpose	<u>Midyear/TA</u>	Director	<u>Janices Brown</u>
Mileage Start	<u> </u>	Mileage End	<u> </u>
County	<u>Hankin</u>	Telephone No.	<u>601 238 7104</u>
Time In	<u>8¹⁵ a.m</u>	Time Out	<u>9¹⁰ a.m</u>
		Total Time	<u> </u>

Findings/Comments Upon arrival, licensing official met with Director.

Midyear Inspection was conducted.

No critical violations cited on today's visit.

Please continue to self report COVID 19 cases to
jemeria.davis@msdh.ms.gov
chriscella.clay@msdh.ms.gov

COVID-19 Guidelines can be found www.healthymss.com

Thanks for all you do

Be Blessed
Stay Safe.

Received menus, updated CPR/ First Aid cards, addendum to parent handbook.

Class I and II violations may result in a monetary penalty. Repeated violations may result in the doubling of a monetary penalty, suspension, or revocation of the license.

Class I and II violations may result in a

Janices Brown
Center Director/Designee/Individual

Lera Herman
Child Care Representative

White Copy - Facility File
Yellow Copy - Operator

Food Service Facility Inspection Results

PIMS ID 6598	Facility Name, Address Kingdom Preschool 700 Old Whitfield Rd. Pearl, MS	Date 2-1-2021
-----------------	--	------------------

CRITICAL VIOLATIONS

CORRECTION PLAN AND SCHEDULE

<p>No violations cited.</p> <p style="text-align: center; font-size: 2em;">(A)</p>	<p>N/A</p>
--	------------

<input checked="" type="checkbox"/> 92020 Scheduled <input type="checkbox"/> 92030 Followup <input type="checkbox"/> 92040 Complaint <input type="checkbox"/> 92050 Consultation <input type="checkbox"/> 92070 Plan Review/Const. <input type="checkbox"/> 92080 No Inspection <input type="checkbox"/> 92090 Restaurant Training	<input type="checkbox"/> 92010 Permit No Charge <input type="checkbox"/> 92015 Permit 1 \$30.00 <input type="checkbox"/> 92011 Permit 2 \$100.00 <input type="checkbox"/> 92012 Permit 3 \$150.00 <input type="checkbox"/> 92013 Permit 4 \$200.00
Permit Date	Environmental Code TGS
Please Remit within 10 days to:	

Janices Brown Tunny Safe
 Certified Manager Licence Number
 exp: 8/28/2023

Facility Signature Janices Brown
Environmental Signature Lera German

White Copy - Facility
 Yellow Copy - PIMS
 Pink Copy- Environmentalist

Child Care Licensure Playground Checklist

Center Name Kingdom Preschool Inspection Date 2.1.2021

- | YES | NO | N/A | |
|-------------------------------------|--------------------------|-------------------------------------|--|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1. Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 3. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 43) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 4. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 5. No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 8. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 9. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 10. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 11. If swings are present, are S-hooks in good repair? If not, state deficiency
(CPSC 3.2, pg 14, 2.5.2, pg 1 & 5.3.8.1, pg 37) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency
(CPSC 5.3.6.4-5 pgs 34-35) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1 2 & CPSC 5.3.7, pg 36-37) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate
(Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 15. Is playground area clean & free of hazards? If not, state deficiency.
(Rule 1.11.11 (1), pg 61) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 16. Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.3, pg 15) |

Director

Licensing Official

Jenica Brown Lera Herman