



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Jonestown Head Start Center **Child Care Facility Inspection**

270 Matagorda Road

Jonestown, MS 38639

License # 0242 COAHOMA

Date

02/05/2020

License Number

Purpose

Six month

Capacity

4/3

**All Items In Red Are Critical**

Qualified director present  
Proper staff to child ratio present  
Room and playground capacity met  
Center capacity met  
License/complaint visible  
Certified food manager

In Out COS N/A

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**Sanitation Approved**

Garbage and garbage bins maintained  
Vector control maintained  
Water system approved and functioning  
Waste water system approved and functioning  
Food service approved

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**Possible Monetary Penalty**

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

Age/Child/Staff Name

1.	3/4 yrs - 12 - Staff #1 #2
2.	
3.	4/5 yrs - 11 - Staff #3 #4
4.	
5.	3/4 yrs - 12 - Staff #5 #6
6.	
7.	

**Other Items - Must be corrected**

Children's belongings separated/stored  
Evacuation plans posted  
Menus posted and served  
Plan of activities

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**Building and Grounds**

Walls, ceilings, floors, toys, equipment clean and in good repair

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Lighting approved

Heating/cooling approved

Ventilation adequate

Glass approved and shielded

Telephone on premises, available, and functioning

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Electrical outlets protected

Large appliances located properly

Sinks and toilets working properly

Hot water at all sinks, not to exceed 120°

Children barred from kitchen

Vending machine snacks meet

nutritional guidelines, if present

Exits, doors and fastening devices single action approved and in good working order

Exits unobstructed

Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

First aid kits stocked and easily accessible

Playground area clean, shaded, well drained and equipped and fence in good repair

Playground equipment meets standards

Pool area clean, fenced, and adequately maintained

Diaper changing stations adequate in number and each fully supplied (number \_\_\_\_\_)

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Center Director/Individual

Mary Cow

Child Care Representative

Rahma Shoggy

White Copy - Facility File

Yellow Copy - Facility Operator

Mississippi State Department of Health

12-10-08

Form No. 281



MISSISSIPPI STATE DEPARTMENT OF HEALTH

# Child Care Encounter

## Jonestown Head Start Center

District 1Date 02/05/2020

Name \_\_\_\_\_

270 Matagorda Road

Address \_\_\_\_\_

Jonestown, MS 38639

License # 0242 COAHOMA

Purpose Six MonthDirector Mary Cox

Mileage Start \_\_\_\_\_

Mileage End \_\_\_\_\_

County \_\_\_\_\_

Telephone No. (662) 358-7748Time In 9:50Time Out 11:31

Total Time \_\_\_\_\_

## Findings/Comments

Here for six month inspection. The licensing official met with Mary Cox, director.

The licensing official observed one (1) child missing a current MSDH 121 form. The child immunization expired 02/04/2020. Please submit within 14 days to avoid monetary penalty. Rule 1.6.3(8)

Technical assistance. Rule 1.8.1(2) Children shall not be left unattended at any time. The licensing official observed children going to bathroom alone in classroom #2. The staff should be assist the children with bathroom time.

Kitchen received letter grade 'A'

Child care questionnaire left with director

Class I and II violations may result in a monetary penalty. Repeated violations may result in doubling of a monetary penalty, suspension or revocation of the license.

Mary Cox  
Center Director/Designee/Individual

Rahma Shagel  
Child Care Representative

White Copy - Facility File  
Yellow Copy - Operator

# Food Service Facility Inspection Results

Jonestown Head Start Center

PIMS ID	Facility Name	270 Matagorda Road Jonestown, MS 38639 License # 0242 COAHOMA	Date 12/05/2020
---------	---------------	---	--------------------

## CRITICAL VIOLATION

## VIOLATION PLAN AND SCHEDULE

No critical violations during today inspection.	A
---	---

<input type="checkbox"/> 92020 Scheduled <input type="checkbox"/> 92030 Followup <input type="checkbox"/> 92040 Complaint <input type="checkbox"/> 92050 Consultation <input type="checkbox"/> 92070 Plan Review/Const. <input type="checkbox"/> 92080 No Inspection <input type="checkbox"/> 92090 Restaurant Training	<input type="checkbox"/> 92010 Permit No Charge <input type="checkbox"/> 92015 Permit 1 \$30.00 <input type="checkbox"/> 92011 Permit 2 \$100.00 <input type="checkbox"/> 92012 Permit 3 \$150.00 <input type="checkbox"/> 92013 Permit 4 \$200.00
Permit Date	Environmental Code ITS
Please Remit within 10 days to:	

Prince Walker  
Certified Manager

ServSafe  
Licence Number

Facility Signature Mary Corp
Environmental Signature Theresa Stacey

White Copy - Facility  
Yellow Copy - PIMS  
Pink Copy- Environmentalist

# Child Care Licensure Playground Checklist

Jonestown Head Start Center

270 Matagorda Road

Jonestown, MS 38639

Inspection Date 02/05/2020

Center Name \_\_\_\_\_

YES NO N/A

License # 0242 COAHOMA

- |                                     |                          |                                     |     |   |
|-------------------------------------|--------------------------|-------------------------------------|-----|---|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 1.  | Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)                                 |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 2.  | 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 3.  | Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 4.  | AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 5.  | No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 6.  | Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)   |
| <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 7.  | Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 8.  | All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 9.  | Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 10. | Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 11. | If swings are present, are S-hooks in good repair? If not, state deficiency _____ (CPSC 3.2, pg13)  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 12. | If slide is present, is exit height/exit zone adequate? If not, state deficiency _____ (CPSC 5.3.6.4-5 pgs 34-35)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 13. | Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 14. | Is age-appropriate equipment being used? If not, state which pieces are inappropriate _____ (Rule 1.10.2, pg 36)  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 15. | Is playground area clean & free of hazards? If not, state deficiency. _____ (Rule 1.11.11 (1), pg 49)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 16. | Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 17. | Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 18. | Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5)  |

Director

Mary Lee

Licensing Official

Belma Shegoc