



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County HarrisonDate 11-30-18Facility Name FB Preschool Long Beach License Number 4608Purpose Renewal Capacity 145

All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper staff to child ratio present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Room and playground capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Center capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
License/complaint visible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Certified food manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Sanitation Approved

Garbage and garbage bins maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vector control maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Waste water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food service approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Possible Monetary Penalty

	Monetary Penalty
1. <u>0</u>	\$ <u>0</u>
2. <u>0</u>	\$ <u>0</u>
3. <u>0</u>	\$ <u>0</u>
4. <u>0</u>	\$ <u>0</u>
5. <u>0</u>	\$ <u>0</u>

	Age/Child/Staff Name
1.	
2.	<u>See 2nd Encounter</u>
3.	
4.	
5.	
6.	
7.	

Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Evacuation plans posted	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Menus posted and served	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Plan of activities	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lighting approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heating/cooling approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ventilation adequate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Glass approved and shielded	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Telephone on premises, available, and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Electrical outlets protected	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Large appliances located properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sinks and toilets working properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hot water at all sinks, not to exceed 120°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Children barred from kitchen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vending machine snacks meet nutritional guidelines, if present	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Exits, doors and fastening devices single action approved and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Exits unobstructed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
First aid kits stocked and easily accessible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground area clean, shaded, well drained and equipped and fence in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground equipment meets standards	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pool area clean, fenced, and adequately maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Diaper changing stations adequate in number and each fully supplied (number <u> </u>)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Center Director/Individual Ruby BlackmanChild Care Representative Amber K. S.



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District 14Date 11-30-18

Name	FIRST BAPTIST PRESCHOOL LONG BEACH
Address	300 N CLEVELAND AVE LONG BEACH, MS 39560
Purpose	228-864-2589 Lic. No.: 4608 Director: RUBY BLACKWELL
Mileage Start	Mileage End
County	Telephone No.
Time In	Time Out
<u>9:15</u>	
Total Time	

Findings/Comments

All in compliance for Renewal inspection.
No violations observed at this time.

FOR RENEWAL:

Application

Fee

Fire

2 week cycle menus

Ruby Blackwell
 Center Director/Designee/Individual

Amanda K. Smith
 Child Care Representative

White Copy - Facility File
 Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Program Review

Facility Name FIRST BAPTIST PRESCHOOL LONG BEACH
300 N CLEVELAND AVE
LONG BEACH, MS 39560
228-864-2589 Lic. No.: 4608
 Director: RUBY BLACKWELL

License No. _____ Date 11-30-18

- | | Yes | No | N/A | |
|-----|-------------------------------------|--------------------------|-------------------------------------|---|
| 1. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Policies and procedures (<i>Parent's Handbook</i>) {Rule 1.4.1} |
| 2. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)} |
| 3. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Approved arrival and departure procedures {Rule 1.4.1 (2)} |
| 4. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)} |
| 5. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Attendance records for children and staff {Rule 1.6.3 (1)} |
| 6. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Current alphabetical roster of children (<i>includes date of birth</i>) {Rule 1.6.3 (2)} |
| 7. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Current staff roster (<i>includes date of birth & date of hire</i>) {Rule 1.6.3 (3)} |
| 8. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Monthly records of fire/disaster drills {Rule 1.6.3 (5)} |
| 9. | <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)} |
| 10. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Immunization Records for Children and Staff {Rule 1.6.3 (8)} |
| 11. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Personnel records (<i>attach employee's records form</i>) {Rule 1.6.4} |
| 12. | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | Volunteer records {Rule 1.6.5 & Rule 1.6.6} |
| 13. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Children records (<i>attach children's records form</i>) {Rule 1.6.7} |
| 14. | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | Reports of serious occurrences made as required {Rule 1.7.1} |
| 15. | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | Communicable diseases reported as required {Rule 1.7.3} |
| 16. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Daily written reports provided to parents for infants and toddlers {Rule 1.7.4} |
| 17. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)} |
| 18. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Age appropriate program of activities posted in each room {Subchapter 9} |
| 19. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Required toys present in infant room {Rule 1.10.1 (2)} |
| 20. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Required toys present in toddler room {Rule 1.10.1 (3)} |
| 21. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Required toys present preschool room {Rule 1.10.1 (4)} |
| 22. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Licensed pest control contractor {Rule 1.11.14} |
| 23. | <input type="checkbox"/> | <input type="checkbox"/> | <input checked="" type="checkbox"/> | Pets present (<i>proof of immunization as required, signed by veterinarian</i>) {Rule 1.12.6} |
| 24. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Appropriate discipline policy followed {Subchapter 14} |
| 25. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Appropriate transportation policy followed {Subchapter 15} |
| 26. | <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | Infant feeding schedules posted (<i>Appendix C, VII</i>) |

Comments/Recommendations

☒ Pass –

License to be issued: ☐ Regular ☐ Probational ☐ Restricted

☐ Fail

☐ Follow-up within _____ days

☐ Director ☐ Designee

Ruby Blackwell

[Signature]
Child Care Representative

Food Service Facility Inspection Results

PIMS ID	Facility Name	Date
	FIRST BAPTIST PRESCHOOL LONG BEACH 300 N CLEVELAND AVE LONG BEACH, MS 39560 228-864-2589 Lic. No.: 4608 Director: RUBY BLACKWELL	11-30-18

CRITICAL VIOLATIONS

CORRECTION PLAN AND SCHEDULE

	A
--	---

<input type="checkbox"/> 92020 Scheduled <input type="checkbox"/> 92030 Followup <input type="checkbox"/> 92040 Complaint <input type="checkbox"/> 92050 Consultation <input type="checkbox"/> 92070 Plan Review/Const. <input type="checkbox"/> 92080 No Inspection <input type="checkbox"/> 92090 Restaurant Training	<input type="checkbox"/> 92010 Permit No Charge <input type="checkbox"/> 92015 Permit 1 \$30.00 <input type="checkbox"/> 92011 Permit 2 \$100.00 <input type="checkbox"/> 92012 Permit 3 \$150.00 <input type="checkbox"/> 92013 Permit 4 \$200.00	<u>Bethie Williams</u> Certified Manager	<u>Serv Safe</u> Licence Number Exp. 2020
Permit Date	Environmental Code	Facility Signature <u>Ruby Blackwell</u>	Environmental Signature <u>Amanda D. Smith</u>
Please Remit within 10 days to:		White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist	

Child Care Licensure Playground Checklist

Center Name FBC Long Beach

Inspection Date 11-30-18

YES NO N/A

- ☒ ☐ ☐ 1. Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
- ☒ ☐ ☐ 2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)
- ☒ ☐ ☐ 3. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)
- ☒ ☐ ☐ 4. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
- ☒ ☐ ☐ 5. No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)
- ☒ ☐ ☐ 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)
- ☒ ☐ ☐ 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)
- ☒ ☐ ☐ 8. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)
- ☐ ☐ ☒ 9. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15)
- ☒ ☐ ☐ 10. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
- ☐ ☐ ☒ 11. If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg13)
- ☒ ☐ ☐ 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35)
- ☐ ☐ ☒ 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
- ☒ ☐ ☐ 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 36)
- ☒ ☐ ☐ 15. Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 49)
- ☒ ☐ ☐ 16. Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)
- ☒ ☐ ☐ 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
- ☐ ☐ ☒ 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5)

Director

Ruby Blachmeef

Licensing Official

Amber H. [Signature]