Kiddie Corral Christian Learning Center 614 Industrial Drive Richland, MS 39218 Ph.: 601-665-4235 Lic.: 61CDPFA-5819

Director: Joanne Edmiston



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Da 111	Child Car	e Facili	ity Inspe	ection,		. ^		
County KUNKIN			Date_	10/8/2	20,	20		
Facility Name Purpose	newal In	Spect	Licens	se Number				_
All Items In Red Are Critical Qualified director present Proper staff to child ratio present	In Out COS	N/A	Children's belo Evacuation plar Menus posted a Plan of activitie	and served es	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TO THE PERSON NAMED IN COLUMN T	Out	cos	N/A
Room and playground capacity met Center capacity met License/complaint visible Certified food manager			clean and in go	floors, toys, equipment od repair	1			
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning Waste water system approved			Lighting approved Heating/cooling Ventilation adec Glass approved Telephone on part and functioning	; approved quate and shielded remises, available,	A P			
and functioning Food service approved Possible Monetary Penalty			Electrical outlet Large appliance	s protected s located properly s working properly				
1 2 3.	Monetary Penal \$\$	lty	exceed 120° Children barred Vending machir nutritional guide	from kitchen				/
4 5	ss	_	working order Exits unobstruc	proved and in good ted e detectors, carbon	K			
Age/Child/Staf	1, 2 3, 4		and thermometer in good working	tors, fire extinguishers ers placed properly and g order ocked and easily accessib	ble D			
3 4 1 10 · CG 4 3 4 r 9 · CG	5		drained and equi repair	a clean, shaded, well hipped and fence in good	1/2			
5. IIITUIIIO, 2, UG				ipment meets standards, fenced, and adequately				
7				g stations adequate in fully supplied	1	R	41	NZ:
Center Director/Individual			Child Care	Representative	4		11	172
White Copy - Facility File Yellow (Mississippi State Department of Hea	Copy - Facility Opera hth	12-10-	-08	(ſ	Fo	rm No.	. 281

Ph.: 601-665-4235 Lic.: 61CDPFA-5819 Director: Joanne Edmiston



Page ____ of ___

Child Care Encounter District_ Name. License No. Address Center/Organization/Individual Mileage Mileage End Telephone No. **Total Time** LO-Licensing Official **COS-Corrected on Site** TA-Technical Assistance POC-Plan of Correction LOS-Letter of Suitability Class I and II violations may result in a monetary penalty. Repeated violations may result in the doubling of a monetary penalty, suspension or revocation of the license. White Copy - Facility File Yellow Copy - Operator

Center Director/Designee/Individual

Mississippi State Department of Health

Revised 6-24-09

Child Care Representative

Form No. 287

Food Service Facility Inspection Results

PIMS ID Fa	Kiddie Corral Christian Learning acility 614 Industrial Drive Richland, MS 39218 Ph.: 601-665-4235 Lic.: 61CDPFA-5819	Center	Pate 18/2020
CRITICAL VIC	1	ECTION PLAN AND	SCHEDULE
Observed			
ho critical violatio			
VID latic	ins		
			,
A			
☐ 92020 Scheduled	92010 Permit No Charge	Certified Manager Lice	ence Number
☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const.	☐ 92015 Permit 1 \$30.00 ☐ 92011 Permit 2 \$100.00 ☐ 92012 Permit 3 \$150.00 ☐ 92013 Permit 4 \$200.00		.2022
☐ 92080 No Inspection ☐ 92090 Restaurant Training		Facility Signature	
Permit Date	Environmentalist Code	Envinghmentalist Signature	MS
Please Remit within 10 days to:		White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist	

Mississippi State Department of Health

Form 301 Revised 2/15/08

Director: Joanne Edmiston



Child Care Program Review

	Child Care Program Review				
Facility Name	License No Date Date				
12.					
Pass – License to be issued: Regular Probational Restricted Fail Follow-up within days Director Designee Probational Restricted Child Care Representative					

Mississippi State Department of Health

White Copy - Facility File Yellow Copy - Operator

Revised 12-19-13

Form 289

Kiddie Corral Christian Learning Center 614 Industrial Drive Richland, MS 39218 Ph.: 601-665-4235 Lic.: 61CDPFA-5819

Director: Joanne Edmiston

d Care Licensure Playground Checklist

Joanne Edr	niston			Inspection Date 6 8 2020
Cen	er N	ame_		Inspection Date 0 8 2020
YES	NO	Course and Elizabeth	1.	Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
7			2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
A			3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)
d			4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
1			5.	No standing water present on playground or in/on playground equipment or walkways?
7			6.	Toys & equipment in good repair? (none broken/detenorating) (Rule 1.10.2 (2), pg 40)
A			7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
A			8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
7			9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC
9			10.	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)
_		×	11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg 14 2.5.2, pg 1 & 5.3.8.1, pg 37)
Ø			12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC5.3.6.4-5 pgs 34-35)
1			13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7. pg 36-37)
7			14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 4 & CPSC 2.2.6, pg 6)
ø,	n sign i		15.	Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 6.
			16.	Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
7			17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)
7			18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15) Licensing Official
Direc	tor			Difference of the same of the