

MISSISSIPPI STATE DEPARTMENT OF HEALTH Child Care Facility Inspection

Purpose Capacity Other Items - Must be corrected n Out COS N/A Children's belongings separated/stored Progress and to child rate present Personal and playmond capacity met Center capacity met Center capacity met Center capacity met	County Parallel	Date 05-05-0	1 - 1			
Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Mems posted and served Plan of activities Plan of a	Facility Name WH LO WIND Chi	Cheense Number	XIC)		
Children's belongings separated/stored	Purpose 13 Cheux Cap	pacity				
Proper staff to child ratio present Room and playground capacity met Cenier capacity met License/complaint visible Centified food manager Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning Waste water system approved Water system approved Possible Monetary Penalty Monetary Penalty Monetary Penalty S. S. S. S. S. S. S. S. S. S	All Items In Red Are Critical In Out COS N/A	Children's belongings separated/stored Evacuation plans posted Menus posted and served		Out	COS	
Certified food manager Sanitation Approved Garbage and garbage bins maintained Vector control maintained Waste mater system approved and functioning Waste water system approved and functioning Waste water system approved Possible Monetary Penalty Monetary Penalty Monetary Penalty Sanitation adequate Glass approved and shielded Telephone on premises, available, and functioning Children barred protected Large appliances located properly Sinks and toilets working properly Hot water at all sinks, not to exceed 120° Children barred from kitchen Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good working order Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order Playground area clean, shaded, well drained and equipped and fence in good repair Playground equipment meets standards Playground equipment meets standards Playground equipment meets standards Diaper changing stations adequate in	Proper staff to child ratio present Room and playground capacity met	Walls, ceilings, floors, toys, equipment				
Vector control maintained Water system approved and functioning Water water system approved and functioning Food service approved Nonetary Penalty Monetary Penalty Monetary Penalty Monetary Penalty Sinks and toilets working properly Hot water at all sinks, not to exceed 120° Children barred from kitchen Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good working order Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thremometers placed properly and in good working order First aid kits stocked and easily accessible Playground area clean, shaded, well drained and equipped and fence in good repair Playground equipment meets standards Pool area clean, fenced, and adequately maintained Diaper changing stations adequate in	Certified food manager Sanitation Approved	Heating/cooling approved Ventilation adequate Glass approved and shielded				
Waste water system approved and functioning Food service approved Carge appliances located properly Carge appliances located properly	Vector control maintained					
Possible Monetary Penalty Monetary Penalty Children barred from kitchen character of the	Waste water system approved and functioning	Large appliances located properly Sinks and toilets working properly				
Vending machine snacks meet nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good working order Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order Age/Child/Staff pame 1.		exceed 120°				
working order Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order First aid kits stocked and easily accessible Playground area clean, shaded, well drained and equipped and fence in good repair Playground equipment meets standards Pool area clean, fenced, and adequately maintained Diaper changing stations adequate in	1,	nutritional guidelines, if present Exits, doors and fastening devices				B
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order 1.	3,	working order				
in good working order In good working order In go		Required smoke detectors, carbon monoxide monitors, fire extinguishers				
2. 25010011 6-100011 9 Playground area clean, shaded, well drained and equipped and fence in good repair Playground equipment meets standards Playground equipment meets standards Pool area clean, fenced, and adequately maintained Diaper changing stations adequate in	Age/Child/Staff Name	in good working order				
drained and equipped and fence in good repair Playground equipment meets standards Pool area clean, fenced, and adequately maintained Diaper changing stations adequate in	1 2 1000010 1 1000000000		e Z			
5. Pool area clean, fenced, and adequately maintained Diaper changing stations adequate in		drained and equipped and fence in good				
6. Diaper changing stations adequate in	4.	Playground equipment meets standards				
Diaper changing stations adequate in			\Box			
Center Director/Individual Man Smuth Child Care Representative	7. lb 2 1/2	number and each fully supplied (number)	/ [par	124	(D	ATH!

12-10-08



MISSISSIPPI STATE DEPARTMENT OF HEALTH

District Date (15-0)	02/
- 1	
Name TUST AUS CHILDRE License No. 1980	
Address 310 (In Free Center/Organization/Individual 3000)	
Purpose Nr. + Wall Wight CFill Director Grain Morth	
Mileage Start Mileage End	
County (In) (County (In) (Count	
Time In Total Time	
Findings/Comments Here. De Concluded on renewal Inspection	\.
afour can work the recurrency orthograms when the	
Place Login to the dicensing portal to Submit the	<u>)</u>
Reperson (Ipplication)	
DOUMENT	
#We form 333 Complete)	
Montre L'Actionnolete) Due Gline 18, 2021	
all pinns and without air and I are will also	<u> </u>
The zolloround rock in complicating on loads in	JE,
trinery doll for State	
Threat 1930 for State and Children	
Philipping that the completed and chimas	
History reach the print of the second	
Show Joy White Copy - Facily Center Director/Designee/Individual Child Care Representative White Copy - Facily Yellow Copy - Open	ity File ator



Facility Name Date 5-15-21

Yes	No	N/A	
1. 6			Policies and procedures (Parent's Handbook) {Rule 1.4.1}
2. 🗹	ā	ā	Proof of Accident/Liability Insurance or documentation that parent has been notified that no
	_		insurance is in effect {Rule 1.4.1 (i) & (j)}
2 🖽			Approved arrival and departure procedures {Rule 1.4.1 (2)}
3. 1/4			**
4. 🔟			Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}
3. 4			Attendance records for children and staff {Rule 1.6.3 (1)}
6. 🔟			Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}
7. 🗷			Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}
8. 🔼			Monthly records of fire/disaster drills {Rule 1.6.3 (5)}
3.			Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}
10. ZŽ			Immunization Records for Children and Staff (Rule 1.6.3 (8))
11. Ø			Personnel records (attach employee's records form) {Rule 1.6.4}
12. 🗖		\mathcal{P}	Volunteer records {Rule 1.6.5 & Rule 1.6.6}
13. ,⊿′		۵	Children records (attach children's records form) {Rule 1.6.7}
14. Q		2	Reports of serious occurences made as required {Rule 1.7.1}
15. 🔾	ā	3	Communicable diseases reported as required {Rule 1.7.3}
16.	ā	6	Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}
17.		ā	Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}
19 🖼			Age appropriate program of activities posted in each room {Subchapter 9}
18. Dr 19. Dr			
20.			Required toys present in infant room {Rule 1.10.1 (2)}
			Required toys present in toddler room {Rule 1.10.1 (3)}
21. 🔼			Required toys present preschool room {Rule 1.10.1 (4)}
22.			Licensed pest control contractor {Rule 1.11.14}
23. 🛘			Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}
24.			Appropriate discipline policy followed {Subchapter 14}
25. Þ			Appropriate transportation policy followed {Subchapter 15}
26,0			Infant feeding schedules posted (Appendix C, VII)
Comm	ents	/Rec	ommendations
			1
06	_		
Pass -			
License to be issued: Regular Probational Restricted			
☐ Fail			$\frac{1}{2} \frac{1}{2} \frac{1}$
☐ Foll	ow-u	p with	
			Director Designee Child Care Representative

Food Service Facility Inspection Results

PIMS ID Fac	ility Name, Address		Date
E SAN	1. 1. J.	Shell was Bleet	(5050)
CRITICAL VIO	LATIONS	CORRECTION PLAN AN	D SCHEDULE
And the second of the second o			
☐ 92020 Scheduled ☐ 92030 Followup ☐ 92040 Complaint ☐ 92050 Consultation ☐ 92070 Plan Review/Const. ☐ 92080 No Inspection ☐ 92090 Restaurant Training	☐ 92010 Permit No Charge ☐ 92015 Permit 1 \$30.00 ☐ 92011 Permit 2 \$100.00 ☐ 92012 Permit 3 \$150.00 ☐ 92013 Permit 4 \$200.00	Facility Signature	Licence Number
Permit Date	Environmentalist Code	Environmentalist Signature White Copy - Facility	The way
Please Remit within 10 days to:		Yellow Copy - PiMS Pink Copy - Environmentalist	

Child Care Licensure Playground Checklist

Cen	ter N	ame	5	187 US Kills Chiller Inspection Date 05-05-21
ves Z	NO	N/A	-	Playground fence less than 3 ½" from surface. (Rule 1 11 9 (8) pg 60) In good repair, with no gaps? (Rule 1 11 9 (8) pg 60)
			2	2 entrances exits, with one being remote from the building? (Rule 1 11 9 18), pg 60)
Z			3	Is surfacing adequate? If not, where is it inadequate? (CPSC 2 4 2 pg 9-10 & 4 3)
A			4	AC units, high-voltage cabling/wires inaccessible? (Rule 1 11 9 15) pg 59)
P		<u>,</u>	5	No standing water present on playground or in/on playground equipment or walkways '(CPSC 2 4 2.2/5), pg 10 & Rule 1 11.11 (4), pg 61)
A			6	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1 10 2 (2), pg 46)
A			7	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3 6 pg 16-17)
Æ			8	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1 11 9 (5) pg 59)
			9 10.	Tree limbs at least 7ft, above play surfaces? Is fence free of brush/overgrowth? (CPSC 3 4, 3 5, pg 16) Are use zones adequate? If not, where are they inadequate? (CPSC 5 3.9, pg 41)
	Π.	2		If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2. pg 14
Æ			12	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC5 3 6.4-5 pgs 34-35)
D			13	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5 1.2 & CPSC 5.3 7 pg 36-37)
Ó			1 +	Is age-appropriate equipment being used? If not, state which pieces are inappropriate
K -			³ 5	Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11 11 (1), pg 61)
6			16	Is adequate shade present on the playground? (Rule 1.11 9 (7), pg 60 & CPSC 2 1 1. pg 5)
Ð			17	Are concrete footings located at least 6" beneath the surface? (Rule 1 10.2 (2), pg 46 & CPSC 3 6 pg 16-17)
9				Is wood smooth? Documentation provided that wood has been properly treated. (CPSC)
Directi)f';	St.	rai	255, pg 15) Licensing Official MM Stucker