



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County <u>Harrison</u>	Date <u>4-12-18</u>
Facility Name <u>The Mustard Seed</u>	License Number <u>4223</u>
Purpose <u>Mid-Year</u>	Capacity <u>57</u>

All Items In Red Are Critical

Qualified director present
 Proper staff to child ratio present
 Room and playground capacity met
 Center capacity met
 License/complaint visible
 Certified food manager

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Sanitation Approved

Garbage and garbage bins maintained
 Vector control maintained
 Water system approved and functioning
 Waste water system approved and functioning
 Food service approved

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

Age/Child/Staff Name

4yr - 15
 Infant - 5
 1yr - 7
 2yr - 11
 3yr - 13

Other Items - Must be corrected

Children's belongings separated/stored
 Evacuation plans posted
 Menus posted and served
 Plan of activities

In	Out	COS	N/A
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair

<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
-------------------------------------	--------------------------	--------------------------	--------------------------

Lighting approved

Heating/cooling approved

Ventilation adequate

Glass approved and shielded

Telephone on premises, available, and functioning

<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Electrical outlets protected

Large appliances located properly

Sinks and toilets working properly

Hot water at all sinks, not to exceed 120°

Children barred from kitchen

Vending machine snacks meet

nutritional guidelines, if present

Exits, doors and fastening devices single action approved and in good working order

<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Exits unobstructed

Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order

<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

First aid kits stocked and easily accessible

<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
-------------------------------------	--------------------------	--------------------------	--------------------------

Playground area clean, shaded, well drained and equipped and fence in good repair

<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
-------------------------------------	--------------------------	--------------------------	--------------------------

Playground equipment meets standards

<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
-------------------------------------	--------------------------	--------------------------	--------------------------

Pool area clean, fenced, and adequately maintained

<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
--------------------------	--------------------------	--------------------------	-------------------------------------

Diaper changing stations adequate in number and each fully supplied (number _____)

<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
-------------------------------------	--------------------------	--------------------------	--------------------------

Center Director/Individual

[Signature]

Child Care Representative

[Signature]

White Copy - Facility File

Yellow Copy - Facility Operator

Mississippi State Department of Health

12-10-08

Form No. 281



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District 9Date 4-12-18

Name	<u>The Mustard Seed</u>	License No.	<u>4223</u>
Address	<u>4247 Pops Ferry Rd. D'Iberville, MS 39540</u>		
Purpose	<u>Mid Year</u>	Director	<u>Nancy Wielgosz</u>
Mileage Start		Mileage End	
County	<u>Harrison</u>	Telephone No.	<u>228-392-7405</u>
Time In		Time Out	
		Total Time	

Findings/Comments Upon arrival, met with the Director Nancy Wielgosz.

Building - No Violations Observed

Playground - No Violations Observed

Kitchen - A

Staff's Records - In Compliance

Children's Records - In Compliance

Great Job!

Nancy Wielgosz
Center Director/Designee/Individual

Monique Fairley
Child Care Representative

White Copy - Facility File
Yellow Copy - Operator

Food Service Facility Inspection Results

PIMS ID	Facility Name, Address 4247 Pops The Mustard Seed Ferry Rd	Date 4-12-18
---------	--	-----------------

CRITICAL VIOLATIONS

CORRECTION PLAN AND SCHEDULE

<p>No Violations Observed</p> <p style="font-size: 48pt; text-align: center;">A</p>	
---	--

<input type="checkbox"/> 92020 Scheduled	<input type="checkbox"/> 92010 Permit No Charge
<input type="checkbox"/> 92030 Followup	<input type="checkbox"/> 92015 Permit 1 \$30.00
<input type="checkbox"/> 92040 Complaint	<input type="checkbox"/> 92011 Permit 2 \$100.00
<input type="checkbox"/> 92050 Consultation	<input type="checkbox"/> 92012 Permit 3 \$150.00
<input type="checkbox"/> 92070 Plan Review/Const.	<input type="checkbox"/> 92013 Permit 4 \$200.00
<input type="checkbox"/> 92080 No Inspection	
<input type="checkbox"/> 92090 Restaurant Training	

Permit Date	Environmental Code
-------------	--------------------

Please Remit within 10 days to:

Nancy Wielgosz 4223
 Certified Manager Licence Number
 Ex. September, 2021

Facility Signature <i>[Signature]</i>
Environmental Signature <i>[Signature]</i>

White Copy - Facility
 Yellow Copy - PIMS
 Pink Copy - Environmentalist

Child Care Licensure Playground Checklist

Center Name The Mustard Seed Inspection Date 4-12-18

YES NO N/A

- ☒ ☐ ☐ 1. Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
- ☒ ☐ ☐ 2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)
- ☒ ☐ ☐ 3. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)
- ☒ ☐ ☐ 4. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
- ☒ ☐ ☐ 5. No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)
- ☒ ☐ ☐ 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)
- ☒ ☐ ☐ 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)
- ☒ ☐ ☐ 8. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)
- ☒ ☐ ☐ 9. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15)
- ☒ ☐ ☐ 10. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
- ☐ ☐ ☒ 11. If swings are present, are S-hooks in good repair? If not, state deficiency _____ (CPSC 3.2, pg13)
- ☒ ☐ ☐ 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency _____ (CPSC 5.3.6.4-5 pgs 34-35)
- ☐ ☐ ☒ 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
- ☒ ☐ ☐ 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate _____ (Rule 1.10.2, pg 36)
- ☒ ☐ ☐ 15. Is playground area clean & free of hazards? If not, state deficiency. _____ (Rule 1.11.11 (1), pg 49)
- ☒ ☐ ☐ 16. Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)
- ☒ ☐ ☐ 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
- ☒ ☐ ☐ 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5)

Director Jancy Wilgus Licensing Official Monique Fairley