



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County LeFloreDate 2/11/2020Facility Name God's Little AngelsLicense Number 42CBPF-7474Purpose Temp to RegularCapacity 21

All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper staff to child ratio present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Room and playground capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Center capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
License/complaint visible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Certified food manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Sanitation Approved

Garbage and garbage bins maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vector control maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Waste water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food service approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	<u>infants/4/one caregiver</u>
2.	<u>two/5/one caregiver</u>
3.	<u>two/9/one caregiver</u>
4.	
5.	
6.	
7.	

Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Evacuation plans posted	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Menus posted and served	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Plan of activities	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair ☒ ☐ ☐ ☐Lighting approved ☒ ☐ ☐ ☐Heating/cooling approved ☒ ☐ ☐ ☐Ventilation adequate ☒ ☐ ☐ ☐Glass approved and shielded ☒ ☐ ☐ ☐Telephone on premises, available, and functioning ☒ ☐ ☐ ☐Electrical outlets protected ☒ ☐ ☐ ☐Large appliances located properly ☒ ☐ ☐ ☐Sinks and toilets working properly ☒ ☐ ☐ ☐Hot water at all sinks, not to exceed 120° ☒ ☐ ☐ ☐Children barred from kitchen ☒ ☐ ☐ ☐Vending machine snacks meet nutritional guidelines, if present ☐ ☐ ☐ ☒Exits, doors and fastening devices single action approved and in good working order ☒ ☐ ☐ ☐Exits unobstructed ☒ ☐ ☐ ☐Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order ☒ ☐ ☐ ☐First aid kits stocked and easily accessible ☒ ☐ ☐ ☐Playground area clean, shaded, well drained and equipped and fence in good repair playground has standing water ☐ ☐ ☐ ☐Playground equipment meets standards ☐ ☐ ☐ ☒Pool area clean, fenced, and adequately maintained ☐ ☐ ☐ ☒Diaper changing stations adequate in number and each fully supplied (number 2) ☒ ☐ ☐ ☐

Center Director/Individual

Vanessa Horne

Child Care Representative

Shirley C

White Copy - Facility File

Yellow Copy - Facility Operator

Mississippi State Department of Health

12-10-08

Form No. 281



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District 3Date 2/11/2020

Name <u>God's Little Angels Learning Center</u>	License No. <u>42CBPF-7474</u>
Address <u>609 Pine Street Greenwood, MS 38930 / 1509 LeFlore Ave</u>	
Center/Organization/Individual	
Purpose <u>Temp-to-Regular</u>	Director <u>Vanessa Flowers</u>
Mileage Start _____	Mileage End _____
County <u>LeFlore</u>	Telephone No. <u>662-458-3571</u>
Time In <u>11:48</u>	Time Out <u>1:00</u>
Total Time _____	

Findings/Comments This visit is for temp to Regular child care license.

The licensing official did not observe any concerns at the time of visit with the building, kitchen, staff and student records.

The playground will be inspected at a later date due to rain and standing water on playground.

Technical assistance provided on menu writing on what food items were allowed and not allowed to be served to children.

A customer service card was provided to Director/owner.

If any questions or concerns please contact the licensing agency at 662-455-9429 or 601-364-2827

"Class I and Class II violations may result in a monetary penalty. Repeated violations may result in the doubling of a monetary penalty, suspension or revocation of the license."

Vanessa Flowers
Center Director/Designee/Individual

Sharon O.
Child Care Representative

White Copy - Facility File
Yellow Copy - Operator

Child Care Licensure Playground Checklist

Center Name God's Little Angels Learning

Inspection Date 2/11/2020

YES NO N/A

- | | | | | |
|--------------------------|-------------------------------------|--------------------------|-----|---|
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1. | Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 2. | 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 3. | Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 4. | AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47) |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | <input type="checkbox"/> | 5. | No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10) <u>Rain</u> |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 6. | Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 7. | Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 8. | All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 9. | Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 10. | Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 11. | If swings are present, are S-hooks in good repair? If not, state deficiency _____ (CPSC 3.2, pg 1) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 12. | If slide is present, is exit height/exit zone adequate? If not, state deficiency _____ (CPSC 5.3.6.4-5 pgs 34-3) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 13. | Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 14. | Is age-appropriate equipment being used? If not, state which pieces are inappropriate _____ (Rule 1.10.2, pg 3) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 15. | Is playground area clean & free of hazards? If not, state deficiency. _____ (Rule 1.11.11 (1), pg 4) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 16. | Is adequate shade present on the playground? (CPSC 2.1.1, pg 5) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 17. | Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36) |
| <input type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 18. | Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5) |

Director

Vanessa Holmes

Licensing Official

Shoh C

*Playground has standing water due to Rain *

Food Service Facility Inspection Results

PIMS ID <i>421BPF-7474</i>	Facility Name, Address <i>God's Little Angels Learning Center 609 Pine Street Greenwood, MS 38930</i>	Date <i>2/11/2020</i>
-------------------------------	--	--------------------------

CRITICAL VIOLATIONS

CORRECTION PLAN AND SCHEDULE

<p><i>NO Critical violations</i></p>	<p><i>PASS</i></p> <p><i>"A"</i></p>
--------------------------------------	--------------------------------------

<input type="checkbox"/> 92020 Scheduled <input type="checkbox"/> 92030 Followup <input type="checkbox"/> 92040 Complaint <input type="checkbox"/> 92050 Consultation <input type="checkbox"/> 92070 Plan Review/Const. <input type="checkbox"/> 92080 No Inspection <input type="checkbox"/> 92090 Restaurant Training	<input checked="" type="checkbox"/> 92010 Permit No Charge <input type="checkbox"/> 92015 Permit 1 \$30.00 <input type="checkbox"/> 92011 Permit 2 \$100.00 <input type="checkbox"/> 92012 Permit 3 \$150.00 <input type="checkbox"/> 92013 Permit 4 \$200.00
---	---

Permit Date	Environmental Code <i>863</i>
-------------	----------------------------------

Please Remit within 10 days to:

Vanessa Horne *Tummy Site*
 Certified Manager Licence Number

Facility Signature <i>Vanessa Horne</i>
Environmental Signature <i>[Signature]</i>

White Copy - Facility
 Yellow Copy - PIMS
 Pink Copy- Environmentalist