

MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County Wayne	Date 7 25 17
Facility Name Annie's Day Care	License Number 1568
Purpose Mid you Renewal	Capacity_20
All Items In Red Are Critical Qualified director present Proper staff to child ratio present	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities In Out COS N/A
Qualified director present Proper staff to child ratio present Room and playground capacity met Center capacity met License/complaint visible Certified food manager	Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair
Sanitation Approved Garbage and garbage bins maintained Vector control maintained Water system approved and functioning Waste water system approved	Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,
and functioning Food service approved Possible Monetary Penalty	and functioning Electrical outlets protected Large appliances located properly Sinks and toilets working properly
Monetary Penalty \$	Hot water at all sinks, not to exceed 120° Children barred from kitchen Vending machine snacks meet
3\$	nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good working order
5\$Age/Child/Staff Name ___________________	Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers
1. 2 yr2-Annie Change	and thermometers placed properly and in good working order
2. 3.	First aid kits stocked and easily accessible
4.	Playground area clean, shaded, well drained and equipped and fence in good repair
5.	Playground equipment meets standards
6.7.	Pool area clean, fenced, and adequately maintained
Center Director/Individual	Diaper changing stations adequate in number and each fully supplied (number) Child Care Representative

White Copy - Facility File Yellow Cop Mississippi State Department of Health

Yellow Copy - Facility Operator



Child Care Encounter

District VIII	——	Date 7 25 17
	10 Jo Land Drive, Waynesboro, MS 39367 601-735-3678 Lic. No.: 1568 Director: Annie Jones	•
urpose Mid Wan Rene	ewal	
fileage Start	Mileage End	
ounty Walpe	Telephone No	
ime In 12:15	10.110	al Time
ndings/Comments No (deficiencies observed du optien to Ms. annie Gor	ning the inspection.
8		
		H
enter Director/Designee/Individ	ual Child Care Representative	White Copy - Facility File Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Program Review

Facility Name Annie's Day Care License No. 1568 Date 7 25 17			
Ves No N/A 1.			
Pass – License to be issued: Regular Probational Restricted Fail Follow-up within days Director Designee Pass –			

Food Service Facility Inspection Results

Annie's Daycare

PIMS ID Fa	cility Na 601-735-3678 i.ic. No Director: Annie Jones		Date 7 25 7
CRITICAL VIO	LATIONS	CURRECTION PL	AN AND SCHEDULE
No deficiencies	Observed	Jack'ts an "A"	
	92010 Permit No Charge 92015 Permit 1 \$30.00 92011 Permit 2 \$100.00 92012 Permit 3 \$150.00 92013 Permit 4 \$200.00	Certified Manager Facility Signature Environmentalist Signature	Licence Number
Please Remit within 10 days to:	Environmentalist Code	White Copy - Facility Yellow Copy - PIMS Pink Copy- Environmentalist	8

Child Care Licensure Playground Checklist

Cent	er Na	ame]	Ann	ies Day Care Inspection Date 7/25/17
YES	NO	N/A		
A			1.	Playground fence less than 3 ½" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)
d			2.	2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)
	Ü	Ø	3.	Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)
Ø			4.	AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)
Ø			5.	No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)
d			6.	Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)
Z			7.	Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)
Ø			8.	All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47)
Ø			9.	Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC
Ø			10.	Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)
		Ø	11.	If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg13)
		Ø	12.	If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC5. 3, 6.4-5 pgs 34-35)
П	П	Ø	13.	Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)
Ø			14.	Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 36)
Ø			15.	Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 49)
d			16.	Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)
d			17.	Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)
Ø			18.	Is wood smooth? Documentation provided that wood has been properly treated. (CPSC
Direct	tor_	a	m	Licensing Official Junia Map