

First Baptist Church Child Care  
301 East Street  
Mendenhall Ms 39114  
(601) 847-2625 Lic# 1293  
Capacity: 110



County Simpson Date 3/13/19  
Facility Name \_\_\_\_\_ License Number \_\_\_\_\_  
Purpose Renewal Capacity \_\_\_\_\_

**All Items In Red Are Critical**

	In	Out	COS	N/A
Qualified director present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper staff to child ratio present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Room and playground capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Center capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
License/complaint visible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Certified food manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**Sanitation Approved**

Garbage and garbage bins maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vector control maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Waste water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food service approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**Possible Monetary Penalty**

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1. Infant (4)	
2. Infant (4)	
3. 1yrs (8)	
4. 2yrs (5)	
5. 3/5 (4)	
6. 2/3 (6)	
7. 4/5 (6)	
After Schoolers (5)	

**Other Items - Must be corrected**

	In	Out	COS	N/A
Children's belongings separated/stored	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Evacuation plans posted	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Menus posted and served	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Plan of activities	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**Building and Grounds**

Walls, ceilings, floors, toys, equipment clean and in good repair	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
---	--------------------------	-------------------------------------	--------------------------	--------------------------

Lighting approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heating/cooling approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ventilation adequate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Glass approved and shielded	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Telephone on premises, available, and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Electrical outlets protected	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Large appliances located properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sinks and toilets working properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hot water at all sinks, not to exceed 120°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Children barred from kitchen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Vending machine snacks meet nutritional guidelines, if present	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Exits, doors and fastening devices single action approved and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Exits unobstructed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

First aid kits stocked and easily accessible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--	-------------------------------------	--------------------------	--------------------------	--------------------------

Playground area clean, shaded, well drained and equipped and fence in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
---	-------------------------------------	--------------------------	--------------------------	--------------------------

Playground equipment meets standards	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------

Pool area clean, fenced, and adequately maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
--	--------------------------	--------------------------	--------------------------	-------------------------------------

Diaper changing stations adequate in number and each fully supplied (number <u>5</u> )	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--	--------------------------	--------------------------	--------------------------	--------------------------

Center Director/Individual Mary Floyd

Child Care Representative Mary Floyd



## MISSISSIPPI STATE DEPARTMENT OF HEALTH

First Baptist Church Child Care  
301 East Street  
Mendenhall Ms 39114  
(601) 847-2625 Lic# 1293  
Capacity: 110

Center

District 5Date 3/13/19

Name \_\_\_\_\_

License No. \_\_\_\_\_

Address \_\_\_\_\_

Center/Organization/Individual

Purpose RenewalDirector Mary Floyd

Mileage Start \_\_\_\_\_

Mileage End \_\_\_\_\_

County Simpson

Telephone No. \_\_\_\_\_

Time In 10:27Time Out 2:00

Total Time \_\_\_\_\_

Findings/Comments Arrived at the facility met w/director Mary Floyd

Acknowledge reason for visit, conduct a Renewal inspection after a tour of facility, the following violation were observed.

Subchapter II Buildings / Grounds

Deficiency: Rule 1.11.1(8) state in part, the ceiling floor, and/or floor covering shall be properly installed, kept clean and in good condition, and maintained in good repair.

Finding: Licensing official observed in classroom (3/5 year old) the rug on the floor, had rolled edges ~~at~~ that was causing it to be a trip hazard for children and teacher.

POC. 1.) ~~We~~ We will attach rug to floor with velcro.

2.) We will monitor to see if the velcro works & will provide another method if it doesn't work.

3.) ~~by~~ by next Friday 3/22/19

Technical Assistance was provided on Rule 1.11.1(8)

Follow-up will be conducted on or before March 22, 2019

Mary Floyd  
Center Director/Designee/Individual

J. Henry Slay  
Child Care Representative

White Copy - Facility File  
Yellow Copy - Operator





MISSISSIPPI STATE DEPARTMENT OF HEALTH

# Child Care Encounter (Continuation)

Date 3/13/19Facility Name First Baptist Church CC. License No. \_\_\_\_\_

Rule 1.10.9 Licensing official observed in the two year old classroom, students mats torn and had holes in it. LO provided technical assistance by explaining that all cribs, sleep units, and mats must be maintained clean, in sanitary condition and without chips, holes, fraying, tears, or stains.

## Subchapter 11 Buildings/Grounds

Deficiency: Rule 1.11.5(5) Toilets, urinals, hand washing lavatories, and sinks shall be clean and operational.

Finding: LO observed in boys bathroom a sink continually running water, LO tried to turn water off but could not. LO reported finding to director, sink was not operational.

POC.1.) Director will call maintenance/building superintendent to check and correct problem.

2.) Director & assistant director will monitor & make sure it doesn't reoccur.

3.) Will have fixed within 1 week (by 3/22/19)

Technical assistance was provided on Rule 1.11.5(5)

TA was provided on Rule 1.6.3(8) LO observed while reviewing records (3)-three students with expired 121 on file. Please submit within 14 days to LO via email or fax.

Green survey card was provided

"Class I and II violations may result in a monetary penalty. Repeated violations may result in the doubling of a monetary penalty, suspension, or revocation of the license."

Mary Floyd  
Center Director/Designee/Individual

Anthony Skay  
Child Care Representative

White Copy - Facility File  
Yellow Copy - Operator



STATE DEPARTMENT OF HEALTH

First Baptist Church Child Care  
301 East Street  
Mendenhall Ms 39114  
(601) 847-2625 Lic# 1293  
Capacity: 110

## e Program Review

License No. \_\_\_\_\_ Date 3/13/19

Yes	No	N/A	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1. Policies and procedures ( <i>Parent's Handbook</i> ) {Rule 1.4.1}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2. Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3. Approved arrival and departure procedures {Rule 1.4.1 (2)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4. Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5. Attendance records for children and staff {Rule 1.6.3 (1)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	6. Current alphabetical roster of children ( <i>includes date of birth</i> ) {Rule 1.6.3 (2)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7. Current staff roster ( <i>includes date of birth &amp; date of hire</i> ) {Rule 1.6.3 (3)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	8. Monthly records of fire/disaster drills {Rule 1.6.3 (5)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	9. Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10. Immunization Records for Children and Staff {Rule 1.6.3 (8)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11. Personnel records ( <i>attach employee's records form</i> ) {Rule 1.6.4}
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	12. Volunteer records {Rule 1.6.5 & Rule 1.6.6}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	13. Children records ( <i>attach children's records form</i> ) {Rule 1.6.7}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	14. Reports of serious occurrences made as required {Rule 1.7.1}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	15. Communicable diseases reported as required {Rule 1.7.3}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16. Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	17. Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18. Age appropriate program of activities posted in each room {Subchapter 9}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	19. Required toys present in infant room {Rule 1.10.1 (2)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	20. Required toys present in toddler room {Rule 1.10.1 (3)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	21. Required toys present preschool room {Rule 1.10.1 (4)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	22. Licensed pest control contractor {Rule 1.11.14}
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	23. Pets present ( <i>proof of immunization as required, signed by veterinarian</i> ) {Rule 1.12.6}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	24. Appropriate discipline policy followed {Subchapter 14}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	25. Appropriate transportation policy followed {Subchapter 15}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	26. Infant feeding schedules posted ( <i>Appendix C, VII</i> )

Comments/Recommendations Pass pending: 2 weeks menu cycle  
fire safety form 333, contact hours for staff  
License will be made available to print when  
all documents are submitted and all  
violations are corrected. Follow-up will be conducted  
on or before March 22, 2019

☒ Pass - pending  
 License to be issued: ☒ Regular ☐ Probational ☐ Restricted  
☐ Fail  
☐ Follow-up within \_\_\_\_\_ days

Mary Sharp  
☒ Director ☐ Designee

Jenny Staley  
 Child Care Representative



First Baptist Church Child Care  
301 East Street  
Mendenhall Ms 39114  
(601) 847-2625 Lic# 1293  
Capacity: 110

# ility Inspection Results

Date

## CRITICAL VIOLATIONS

## CORRECTION PLAN AND SCHEDULE

No critical violations  
during this visit

Issued

<input type="checkbox"/> 92020 Scheduled	<input checked="" type="checkbox"/> 92010 Permit No Charge
<input type="checkbox"/> 92030 Followup	<input type="checkbox"/> 92015 Permit 1 \$30.00
<input type="checkbox"/> 92040 Complaint	<input type="checkbox"/> 92011 Permit 2 \$100.00
<input type="checkbox"/> 92050 Consultation	<input type="checkbox"/> 92012 Permit 3 \$150.00
<input type="checkbox"/> 92070 Plan Review/Const.	<input type="checkbox"/> 92013 Permit 4 \$200.00
<input type="checkbox"/> 92080 No Inspection	
<input type="checkbox"/> 92090 Restaurant Training	
Permit Date	Environmental Code
Please Remit within 10 days to:	

Rita Eubanks  
Certified Manager

129.3  
Licence Number

Facility Signature

Environmental Signature

White Copy - Facility  
Yellow Copy - PIMS  
Pink Copy- Environmentalist

First Baptist Church Child Care  
301 East Street  
Mendenhall Ms 39114  
(601) 847-2625 Lic# 1293  
Capacity: 110

## re Playground Checklist

Inspection Date 3/13/19

- | YES                                 | NO                       | N/A                                 |  |
|-------------------------------------|--------------------------|-------------------------------------|--|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 1. Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)                                 |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 3. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 4. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 5. No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 8. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 9. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 10. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)   |
| <input type="checkbox"/>            | <input type="checkbox"/> | <input checked="" type="checkbox"/> | 11. If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg13)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35)  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 36)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 15. Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 49)  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 16. Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/>            | 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5)   |

Director

Mary Floyd

Licensing Official

J. Mary Skay