



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County WashingtonDate 05/09/18Facility Name Little Einstein's Day CareLicense Number 6039Purpose Six Month Inspection/TACapacity 30**All Items In Red Are Critical**

	In	Out	COS	N/A
Qualified director present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper staff to child ratio present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Room and playground capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Center capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
License/complaint visible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Certified food manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Sanitation Approved

Garbage and garbage bins maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vector control maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Waste water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food service approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	<u>1 yr. old / 2 / caregiver #1</u>
2.	
3.	
4.	
5.	
6.	
7.	

Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Evacuation plans posted	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Menus posted and served	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Plan of activities	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lighting approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heating/cooling approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ventilation adequate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Glass approved and shielded	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Telephone on premises, available, and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Electrical outlets protected	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Large appliances located properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sinks and toilets working properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hot water at all sinks, not to exceed 120°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Children barred from kitchen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vending machine snacks meet nutritional guidelines, if present	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Exits, doors and fastening devices single action approved and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Exits unobstructed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
First aid kits stocked and easily accessible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground area clean, shaded, well drained and equipped and fence in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground equipment meets standards	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pool area clean, fenced, and adequately maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Diaper changing stations adequate in number and each fully supplied (number <u>01</u>)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Center Director/Individual

Carl Lator

Child Care Representative

Jeresa Liggins

White Copy - Facility File

Yellow Copy - Facility Operator

Mississippi State Department of Health

12-10-08

Form No. 281



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District III

Date 5/9/2018

Name	<u>Little Einstein's Day Care + Learning Center</u>		
License No.	<u>6039</u>		
Address	<u>712 S. Broadway Street, Greenville, MS 38701</u>		
Purpose	<u>Six Month Inspection/TA</u>	Director	<u>Lakesha W. Holmes</u>
Mileage Start	<u>—</u>	Mileage End	<u>—</u>
County	<u>Washington</u>	Telephone No.	<u>662-335-9388</u>
Time In	<u>11:10 a.m.</u>	Time Out	<u>12:13 p.m.</u>
		Total Time	<u>—</u>

Findings/Comments The licensing official met with designee, Carlene Watson.
The purpose for this visit was for a ^{six month} renewal inspection/TA visit.

Subchapter 25: Hearings, Emergency Suspensions, Legal Actions and Penalties.

Deficiency: Rule 1.25.9(2L) states in part, "Failure to have proper (up-to-date) immunization documentation in each child's record and each employees record."

Findings: The licensing official observed during the program review children's record check that one child did not have a MSOH 121 form on file; and one child's MSOH 121 form had expired.

POC: Carlene Watson, designee will be responsible for notifying the parents to submit MSOH 121 forms. The facility has (14) days from today's date to submit (2) children's MSOH 121 forms.

TA: Technical assistance was provided by the licensing official calling the local Health Dept. for an up-to-date MSOH 121 form. The licensing official spoke with the parent of the child with no MSOH 121 form on file. The parents are from out-of-state. Per parent, she will submit the child's immunization from out-of-state to the local Health Dept. today.

A green child care survey card was left with Carlene W. Wilson.
Class I and II violations may result in a monetary penalty. Repeated violations may result in the doubling of a monetary penalty, suspension, or revocation of the license.

Center Director/Designee/Individual Lakesha W. Holmes
Child Care Representative Jessie Higgins

White Copy - Facility File
 Yellow Copy - Operator

Food Service Facility Inspection Results

PIMS ID 6039	Facility Name, Address Little Einstein's Day care 712 S. Broadway St. Greenville, MS	Date 05/09/2018
-----------------	--	--------------------

CRITICAL VIOLATIONS

CORRECTION PLAN AND SCHEDULE

<p>— observed no violations</p>	<p>Facility received a grade of "A"</p>
---------------------------------	---

<input type="checkbox"/> 92020 Scheduled	<input checked="" type="checkbox"/> 92010 Permit No Charge
<input type="checkbox"/> 92030 Followup	<input type="checkbox"/> 92015 Permit 1 \$30.00
<input type="checkbox"/> 92040 Complaint	<input type="checkbox"/> 92011 Permit 2 \$100.00
<input type="checkbox"/> 92050 Consultation	<input type="checkbox"/> 92012 Permit 3 \$150.00
<input type="checkbox"/> 92070 Plan Review/Const.	<input type="checkbox"/> 92013 Permit 4 \$200.00
<input type="checkbox"/> 92080 No Inspection	
<input type="checkbox"/> 92090 Restaurant Training	

Permit Date	Environmental Code TL3
-------------	---------------------------

Please Remit within 10 days to:

Carlene Watson Tummy Safe
 Certified Manager Licence Number
 Exp. 12/10/2019

Facility Signature <u>Carlene Watson</u>
Environmental Signature <u>Teresa Figgins</u>

White Copy - Facility
 Yellow Copy - PIMS
 Pink Copy- Environmentalist

Child Care Licensure Playground Checklist

Center Name Little Einstein's Day Care Inspection Date 05/09/18

YES NO N/A

- ☒ ☐ ☐ 1. Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 60) In good repair, with no gaps? (Rule 1.11.9 (8), pg 60)
- ☒ ☐ ☐ 2. 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 60)
- ☒ ☐ ☐ 3. Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg 9-10 & 4.3)

- ☒ ☐ ☐ 4. AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 59)
- ☒ ☐ ☐ 5. No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2(5), pg 10 & Rule 1.11.11 (4), pg 61)
- ☒ ☐ ☐ 6. Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 46)
- ☒ ☐ ☐ 7. Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 16-17)
- ☒ ☐ ☐ 8. All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 59)
- ☒ ☐ ☐ 9. Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 16)
- ☒ ☐ ☐ 10. Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 41)

- ☐ ☐ ☒ 11. If swings are present, are S-hooks in good repair? If not, state deficiency

(CPSC 3.2, pg 14; 2.5.2, pg 1 & 5.3.8.1, pg 37)
- ☒ ☐ ☐ 12. If slide is present, is exit height/exit zone adequate? If not, state deficiency

(CPSC 5.3.6.4-5 pgs 34-35)
- ☒ ☐ ☐ 13. Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2 & CPSC 5.3.7, pg 36-37)
- ☒ ☐ ☐ 14. Is age-appropriate equipment being used? If not, state which pieces are inappropriate

(Rule 1.10.2, pg 46 & CPSC 2.2.6, pg 6)

- ☒ ☐ ☐ 15. Is playground area clean & free of hazards? If not, state deficiency.

(Rule 1.11.11 (1), pg 61)
- ☒ ☐ ☐ 16. Is adequate shade present on the playground? (Rule 1.11.9 (7), pg 60 & CPSC 2.1.1, pg 5)
- ☒ ☐ ☐ 17. Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 46 & CPSC 3.6, pg 16-17)

- ☐ ☐ ☒ 18. Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5, pg 15)

Director

Licensing Official

Carla Watson Teresa Liggins