



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection Report

THE CHRISTIAN MISSION LEARNING CENTER INC., II

License #: 1610

Director: MARY KING

Inspection Date: 03/02/2021

Annual/Mid Inspection

Inspector: Lisa Allen

Program Administration Violations Cited

No violations cited.

Kitchen Violations Cited

No violations cited.

Nutritional Guidelines Violations Cited

No violations cited.

Playground Violations Cited

1. Appropriate surfacing material is present and meets minimum required compressed loose-fill surfacing depths (e.g., 6 inches for shredded/recycled rubber; 9 inches for sand, pea gravel, wood mulch (non-CCA), and woodchips). (Appendix D 2.4 & 2.5 Page 8-10)
2. No standing water is present on playground or in/on playground equipment or walkways. (CPSC 2.4.2.2(5) Page 10)

Infant Classroom Violations Cited

Infant - Classroom Number: 1

1. Thermometers that are not hazardous to children are placed on interior walls at children's height. (Rule 1.11.8(9) Page 58)

Infant Classroom - Classroom Number: 1

Twos Classroom Violations Cited

Two Year Old - Classroom Number: 3

No violations cited.

Twos Classroom - Classroom Number: 3

Preschool Classroom Violations Cited

4-5 Year Olds - Classroom Number: 4

No violations cited.

Preschool Classroom - Classroom Number: 4

3 Year Olds - Classroom Number: 6

1. Thermometers that are not hazardous to children are placed on interior walls at children's height. (Rule 1.11.8(9) Page 58)

Preschool Classroom - Classroom Number: 6

School Age Room Violations Cited

School Age - Classroom Number: 1

No violations cited.

School Age Room - Classroom Number: 1

1st and 2nd Grade - Classroom Number: 5

1. Thermometers that are not hazardous to children are placed on interior walls at children's height. (Rule 1.11.8(9) Page 58)

School Age Room - Classroom Number: 5

Legend

- COS: Corrected on Site
- POC: Plan of Correction

Child Care Director Signature



MSDH Licensure Representative Signature

D Allen ^{MD}