

Child Care Facility Inspection					
County Harrison		Date	018		
Facility Name Alphabor	st Syman	License Number 450	00		
Purpose Revowel	Ca	pacity&&			
All Items In Red Are Critical Qualified director present	In Out COS N/A	Other Items - Must be corrected Children's belongings separated/stored Evacuation plans posted Menus posted and served Plan of activities	In Out	COS	N/A
Proper staff to child ratio present Room and playground capacity met Center capacity met License/complaint visible		Building and Grounds Walls, ceilings, floors, toys, equipment clean and in good repair			
Certified food manager  Sanitation Approved Garbage and garbage bins maintained Vector control maintained		Lighting approved Heating/cooling approved Ventilation adequate Glass approved and shielded Telephone on premises, available,			
Water system approved and functioning Waste water system approved		and functioning			
and functioning Food service approved		Electrical outlets protected Large appliances located properly Sinks and toilets working properly			
Possible Monetary Penalty  1	Monetary Penalty \$	Hot water at all sinks, not to exceed 120° Children barred from kitchen Vending machine snacks meet			
2.	\$\$ \$	nutritional guidelines, if present Exits, doors and fastening devices single action approved and in good			
4.	\$	working order			
5		Exits unobstructed Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and			
1		in good working order			
2.		First aid kits stocked and easily accessible	e 🗹 🗆		
3. 4.		Playground area clean, shaded, well drained and equipped and fence in good repair			
5. 40- SA		Playground equipment meets standards			
6.		Pool area clean, fenced, and adequately maintained			

Center Director/Individual

White Copy - Facility File Yellow Copy - Facility Operator Mississippi State Department of Health

12-10-08

(number\_

Diaper changing stations adequate in number and each fully supplied

Child Care Representative

Form No. 281



## **Child Care Encounter**

Child Care Encounter	11 / 0 10
District \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	11-62-18
Name appraisant west wortham License No. 4560	
Address 1422 Old Huy 49, Genter/Organization/Individual	
Purpose Director Tonga myas	00
Mileage Start Mileage End	
County Haveson Telephone No	=======================================
Time In 3.15 Time Out 4'.00 Total Time	
Findings/Comments all in compliance ifor ver	rewal
no Violations appended at whis ten	ne,
In Renewal	
0	
application	
Déc Inspection	
Sonya Mondo Jamandak & White Co	opy - Facility File opy - Operator

Mississippi State Department of Health

Revised 6-24-09

Form No. 287



## **Child Care Program Review**

Facility Name AB Syman License No. 4560 Date 11-2-18
Ves No N/A  1.
Nu Pass _ /