



MISSISSIPPI STATE DEPARTMENT OF HEALTH

## Child Care Facility Inspection

County <u>Lincoln</u>	Date <u>1.21.21</u>
Facility Name <u>First United Methodist</u>	License Number <u>2745</u>
Purpose <u>Renewal</u>	Capacity _____

## All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper staff to child ratio present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Room and playground capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Center capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
License/complaint visible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Certified food manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## Sanitation Approved

Garbage and garbage bins maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vector control maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Waste water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food service approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff	
1.	1yr old (6)	
2.	2yrs old (10)	
3.	Infant (2)	
4.	Infant (5)	
5.	3yrs old (2)	
6.	3/4 yrs old (10)	
7.		

## Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Evacuation plans posted	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Menus posted and served	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Plan of activities	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lighting approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heating/cooling approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ventilation adequate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Glass approved and shielded	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Telephone on premises, available, and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Electrical outlets protected	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Large appliances located properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sinks and toilets working properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hot water at all sinks, not to exceed 120°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Children barred from kitchen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vending machine snacks meet nutritional guidelines, if present	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Exits, doors and fastening devices single action approved and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Exits unobstructed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
First aid kits stocked and easily accessible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground area clean, shaded, well drained and equipped and fence in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Playground equipment meets standards	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Pool area clean, fenced, and adequately maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Diaper changing stations adequate in number and each fully supplied (number <u>23</u> )	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Center Director/Individual Nicole ZinnichChild Care Representative Tiffany Stacy



MISSISSIPPI STATE DEPARTMENT OF HEALTH

## Child Care Encounter

District 7Date 1.21.21

Name <u>First United Methodist</u>	License No. <u>6445</u>
Address <u>215 W Cherokee St Brookhaven, MS 39601</u>	
Center/Organization/Individual	
Purpose <u>Renewal</u>	Director <u>Nicole Froelicher</u>
Mileage Start <u>      </u>	Mileage End <u>      </u>
County <u>Lincoln</u>	Telephone No. <u>(601) 990-2323</u>
Time In <u>11:30</u>	Time Out <u>      </u> Total Time <u>      </u>

Findings/Comments ARRIVED at the facility met w/ director  
Ms Froelicher, acknowledge reason for today's visit  
was to conduct a Renewal inspection.

After a tour of the facility, no critical violation  
observed during this Renewal inspection.

Need documents:  
Fire safety, term  
Contact hrs for two staff

"Class I and II violations may  
 result in a monetary penalty.  
 Repeated violations may result in  
 the doubling of a monetary penalty,  
 suspension, or revocation of the license."

Nicole Froelicher  
 Center Director/Designee/Individual

[Signature]  
 Child Care Representative

White Copy - Facility File  
 Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

## Child Care Program Review

Facility Name

First United Methodist

License No.

2445

Date

1.21.21

Yes	No	N/A	
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	1. <b>Policies and procedures (<i>Parent's Handbook</i>)</b> {Rule 1.4.1}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	2. Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	3. Approved arrival and departure procedures {Rule 1.4.1 (2)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	4. Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	5. Attendance records for children and staff {Rule 1.6.3 (1)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	6. Current alphabetical roster of children ( <i>includes date of birth</i> ) {Rule 1.6.3 (2)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	7. Current staff roster ( <i>includes date of birth &amp; date of hire</i> ) {Rule 1.6.3 (3)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	8. Monthly records of fire/disaster drills {Rule 1.6.3 (5)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	9. <b>Medication record with date, time, signature for 90 days</b> {Rule 1.6.3 (6)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	10. Immunization Records for Children and Staff {Rule 1.6.3 (8)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	11. <b>Personnel records</b> ( <i>attach employee's records form</i> ) {Rule 1.6.4}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	12. <b>Volunteer records</b> {Rule 1.6.5 & Rule 1.6.6}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	13. <b>Children records</b> ( <i>attach children's records form</i> ) {Rule 1.6.7}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	14. <b>Reports of serious occurrences made as required</b> {Rule 1.7.1}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	15. <b>Communicable diseases reported as required</b> {Rule 1.7.3}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	16. Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	17. <b>Staff present who hold valid CPR and First Aid Certification</b> {Rule 1.8.1 (4) & (5)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	18. Age appropriate program of activities posted in each room {Subchapter 9}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	19. Required toys present in infant room {Rule 1.10.1 (2)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	20. Required toys present in toddler room {Rule 1.10.1 (3)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	21. Required toys present preschool room {Rule 1.10.1 (4)}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	22. Licensed pest control contractor {Rule 1.11.14}
<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	23. <b>Pets present</b> ( <i>proof of immunization as required, signed by veterinarian</i> ) {Rule 1.12.6}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	24. <b>Appropriate discipline policy followed</b> {Subchapter 14}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	25. <b>Appropriate transportation policy followed</b> {Subchapter 15}
<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	26. Infant feeding schedules posted ( <i>Appendix C, VII</i> )

**Comments/Recommendations** \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

☒ ~~Pass~~

License to be issued: ☒ Regular ☐ Probational ☐ Restricted

☒ ~~Fail~~

☐ Follow-up within \_\_\_\_\_ days

☒ Director ☐ Designee

*Debbie Z...* *Jeffery Say*  
Child Care Representative



# Food Service Facility Inspection Results

PIMS ID <b>2445</b>	Facility Name, Address <i>First United Methodist</i> <i>815 W Cherokee St. Brookhaven, MS</i> <i>39601</i>	Date <i>1.31.21</i>
------------------------	---	------------------------

CRITICAL VIOLATIONS	CORRECTION PLAN AND SCHEDULE
<i>No critical violations during the renewal inspection</i>  <div style="border: 1px solid black; border-radius: 50%; width: 150px; height: 150px; display: flex; align-items: center; justify-content: center; margin: 20px auto;"> <i>Issued</i> </div>	

<input type="checkbox"/> 92020 Scheduled <input type="checkbox"/> 92030 Followup <input type="checkbox"/> 92040 Complaint <input type="checkbox"/> 92050 Consultation <input type="checkbox"/> 92070 Plan Review/Const. <input type="checkbox"/> 92080 No Inspection <input type="checkbox"/> 92090 Restaurant Training	<input checked="" type="checkbox"/> 92010 Permit No Charge <input type="checkbox"/> 92015 Permit 1 \$30.00 <input type="checkbox"/> 92011 Permit 2 \$100.00 <input type="checkbox"/> 92012 Permit 3 \$150.00 <input type="checkbox"/> 92013 Permit 4 \$200.00
Permit Date	Environmental Code
Please Remit within 10 days to:	

*Chloe Johnson*  
 Certified Manager

*TS exp 3/23*  
 Licence Number

Facility Signature <i>Debra Zinger</i>
Environmental Signature <i>Jeffrey Say</i>

White Copy - Facility  
 Yellow Copy - PIMS  
 Pink Copy - Environmentalist

# Child Care Licensure Playground Checklist

Center Name

First United Methodist

Inspection Date

1.21.21

YES NO N/A

- |                                     |                          |                          |     |   |
|-------------------------------------|--------------------------|--------------------------|-----|---|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1.  | Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48)                                 |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 2.  | 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48)  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 3.  | Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8)   |
| <hr/>                               |                          |                          |     |   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 4.  | AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 5.  | No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10)  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 6.  | Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 7.  | Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 8.  | All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 9.  | Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 10. | Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40)  |
| <hr/>                               |                          |                          |     |   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 11. | If swings are present, are S-hooks in good repair? If not, state deficiency _____ (CPSC 3.2, pg13)  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 12. | If slide is present, is exit height/exit zone adequate? If not, state deficiency _____ (CPSC 5.3.6.4-5 pgs 34-35)   |
| <input type="checkbox"/>            | <input type="checkbox"/> | <input type="checkbox"/> | 13. | Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15)  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 14. | Is age-appropriate equipment being used? If not, state which pieces are inappropriate _____ (Rule 1.10.2, pg 36)  |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 15. | Is playground area clean & free of hazards? If not, state deficiency. _____ (Rule 1.11.11 (1), pg 49)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 16. | Is adequate shade present on the playground? (CPSC 2.1.1, pg 5)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 17. | Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36)   |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 18. | Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5)  |

Director

Deborah Zundt

Licensing Official

[Signature]