



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection Report

FRANKLIN HEADSTART COMPLEX

License #: 0499

Director: ROSA GRIFFIN

Inspection Date: 09/02/2021

Annual/Mid Inspection

Inspector: Tiffany Slay

Program Administration Violations Cited

No violations cited.

Kitchen Violations Cited

No violations cited.

Nutritional Guidelines Violations Cited

No violations cited.

Playground Violations Cited

No violations cited.

Twos Classroom Violations Cited

Two - Classroom Number: 1

No violations cited.

Twos Classroom - Classroom Number: 1

Preschool Classroom Violations Cited

Four - Classroom Number: 1

1. **COS:** Thermometers that are not hazardous to children are placed on interior walls at children's height.
(Rule 1.11.8(9) Page 58)

Preschool Classroom - Classroom Number: 1

Three - Classroom Number: 2

No violations cited.

Preschool Classroom - Classroom Number: 2

Three/four - Classroom Number: 3

1. **COS:** Thermometers that are not hazardous to children are placed on interior walls at children's height.
(Rule 1.11.8(9) Page 58)

Preschool Classroom - Classroom Number: 3


1. **POC:** LO observed in classrooms 1 & 3 thermometers was in the classrooms but was not hanging on the interior wall. LO provided TA by explaining to the cgs/ director that the thermometers must be placed on the interior wall in the classroom at child's height. Director had cg place thermometer on wall with command stripes immediately. This violation was corrected on site, Sept. 2, 2021.

Person Responsible: Director **Date for Completion:** Sept 2, 2021

Legend

- COS: Corrected on Site
- POC: Plan of Correction

Child Care Director Signature



MSDH Licensure Representative Signature



