



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Facility Inspection

County JonesDate 11/16/2020Facility Name Millcreek DaycareLicense Number 2420Purpose JonesCapacity 50

All Items In Red Are Critical

	In	Out	COS	N/A
Qualified director present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Proper staff to child ratio present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Room and playground capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Center capacity met	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
License/complaint visible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Certified food manager	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Sanitation Approved

Garbage and garbage bins maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vector control maintained	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Waste water system approved and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Food service approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Possible Monetary Penalty

	Monetary Penalty
1. _____	\$ _____
2. _____	\$ _____
3. _____	\$ _____
4. _____	\$ _____
5. _____	\$ _____

	Age/Child/Staff Name
1.	1 yr. - 9
2.	3 yr. - 12
3.	4 yr. - 13
4.	1 yr. - 6
5.	
6.	infant - 4 -
7.	

Other Items - Must be corrected

	In	Out	COS	N/A
Children's belongings separated/stored	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Evacuation plans posted	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Menus posted and served	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Plan of activities	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Building and Grounds

Walls, ceilings, floors, toys, equipment clean and in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Lighting approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Heating/cooling approved	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Ventilation adequate	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Glass approved and shielded	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Telephone on premises, available, and functioning	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Electrical outlets protected	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Large appliances located properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Sinks and toilets working properly	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Hot water at all sinks, not to exceed 120°	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Children barred from kitchen	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Vending machine snacks meet nutritional guidelines, if present	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
Exits, doors and fastening devices single action approved and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

Exits unobstructed	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Required smoke detectors, carbon monoxide monitors, fire extinguishers and thermometers placed properly and in good working order	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

First aid kits stocked and easily accessible	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--	-------------------------------------	--------------------------	--------------------------	--------------------------

Playground area clean, shaded, well drained and equipped and fence in good repair	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
---	-------------------------------------	--------------------------	--------------------------	--------------------------

Playground equipment meets standards	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--------------------------------------	-------------------------------------	--------------------------	--------------------------	--------------------------

Pool area clean, fenced, and adequately maintained	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
--	--------------------------	--------------------------	--------------------------	-------------------------------------

Diaper changing stations adequate in number and each fully supplied (number <u>2</u>)	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
--	-------------------------------------	--------------------------	--------------------------	--------------------------

Center Director/Individual Stephanie CoodeChild Care Representative Janice Ry



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Encounter

District 8Date 11/16/2020

Name _____ Millcreek Church of God Daycare Center o. _____
 Address _____ 2247 Millcreek Rd, Laurel, MS 39443
 _____ 601-428-4292 Lic. No.: 34C4RF-2420
 Director: Stephanie Goode

Purpose Renewal

Mileage Start _____ Mileage End _____

County Jones Telephone No. _____Time In 10:00 Time Out 11:00 Total Time _____

Findings/Comments Here to conduct a renewal inspection with
Ms. Stephanie.

No deficiencies observed during the inspection.

Stephanie Goode
 Center Director/Designee/Individual

Jemina Sp
 Child Care Representative

White Copy - Facility File
 Yellow Copy - Operator



MISSISSIPPI STATE DEPARTMENT OF HEALTH

Child Care Program Review

Facility Name Millcreek Daycare License No. 2420 Date 11/16/2020

	Yes	No	N/A	
1.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Policies and procedures (Parent's Handbook) {Rule 1.4.1}
2.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Proof of Accident/Liability Insurance or documentation that parent has been notified that no insurance is in effect {Rule 1.4.1 (i) & (j)}
3.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Approved arrival and departure procedures {Rule 1.4.1 (2)}
4.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Letter of suitability for staff {Rule 1.5.2 & Rule 1.6.4 (1) (f)}
5.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Attendance records for children and staff {Rule 1.6.3 (1)}
6.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Current alphabetical roster of children (includes date of birth) {Rule 1.6.3 (2)}
7.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Current staff roster (includes date of birth & date of hire) {Rule 1.6.3 (3)}
8.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Monthly records of fire/disaster drills {Rule 1.6.3 (5)}
9.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Medication record with date, time, signature for 90 days {Rule 1.6.3 (6)}
10.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Immunization Records for Children and Staff {Rule 1.6.3 (8)}
11.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Personnel records (attach employee's records form) {Rule 1.6.4}
12.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Volunteer records {Rule 1.6.5 & Rule 1.6.6}
13.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Children records (attach children's records form) {Rule 1.6.7}
14.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Reports of serious occurrences made as required {Rule 1.7.1}
15.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Communicable diseases reported as required {Rule 1.7.3}
16.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Daily written reports provided to parents for infants and toddlers {Rule 1.7.4}
17.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Staff present who hold valid CPR and First Aid Certification {Rule 1.8.1 (4) & (5)}
18.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Age appropriate program of activities posted in each room {Subchapter 9}
19.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Required toys present in infant room {Rule 1.10.1 (2)}
20.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Required toys present in toddler room {Rule 1.10.1 (3)}
21.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Required toys present preschool room {Rule 1.10.1 (4)}
22.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Licensed pest control contractor {Rule 1.11.14}
23.	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	Pets present (proof of immunization as required, signed by veterinarian) {Rule 1.12.6}
24.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Appropriate discipline policy followed {Subchapter 14}
25.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Appropriate transportation policy followed {Subchapter 15}
26.	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	Infant feeding schedules posted (Appendix C, VII)

Comments/Recommendations _____

☒ Pass –
 License to be issued: ☒ Regular ☐ Probational ☐ Restricted
☐ Fail
☐ Follow-up within _____ days

Stephanie Doodle Jenica Neg
☒ Director ☐ Designee *Child Care Representative*

Food Service Facility Inspection Results

Millcreek Church of God Daycare Center
2247 Millcreek Rd, Laurel, MS 39443
601-428-4292 Lic. No.: 34C4RF-2420
Director: Stephanie Goode

PIMS ID	Facility Name	Date
		11/16/2020

CRITICAL VIOLATIONS

CORRECTION PLAN AND SCHEDULE

No deficiencies observed

<input checked="" type="checkbox"/> 92020 Scheduled	<input checked="" type="checkbox"/> 92010 Permit No Charge
<input type="checkbox"/> 92030 Followup	<input type="checkbox"/> 92015 Permit 1 \$30.00
<input type="checkbox"/> 92040 Complaint	<input type="checkbox"/> 92011 Permit 2 \$100.00
<input type="checkbox"/> 92050 Consultation	<input type="checkbox"/> 92012 Permit 3 \$150.00
<input type="checkbox"/> 92070 Plan Review/Const.	<input type="checkbox"/> 92013 Permit 4 \$200.00
<input type="checkbox"/> 92080 No Inspection	
<input type="checkbox"/> 92090 Restaurant Training	
Permit Date	Environmental Code

~~Stephanie Goode~~
Certified Manager
Stephanie Goode

~~Stephanie Goode~~
Licence Number
ServSafe

Facility Signature Stephanie Goode
Environmental Signature Jerica

Please Remit within 10 days to:

White Copy - Facility
Yellow Copy - PIMS
Pink Copy - Environmentalist

Child Care Licensure Playground Checklist

Center Name Millcreek Daycare Inspection Date 11/16/2020

- | YES | NO | N/A | | |
|-------------------------------------|--------------------------|--------------------------|-----|---|
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 1. | Playground fence less than 3 1/2" from surface. (Rule 1.11.9 (8), pg 48) In good repair, with no gaps? (Rule 1.11.9 (8), pg 48) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 2. | 2 entrances/exits, with one being remote from the building? (Rule 1.11.9 (8), pg 48) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 3. | Is surfacing adequate? If not, where is it inadequate? (CPSC, 2.4.2, pg8) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 4. | AC units, high-voltage cabling/wires inaccessible? (Rule 1.11.9 (5), pg 47) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 5. | No standing water present on playground or in/on playground equipment or walkways? (CPSC 2.4.2.2-5, pg 10) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 6. | Toys & equipment in good repair? (none broken/deteriorating) (Rule 1.10.2 (2), pg 36) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 7. | Sidewalks provide smooth walking surface? (no trip hazards) (CPSC 3.6, pg 15) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 8. | All bolts on equipment & fence <2 threads beyond the nut? Are all bolts and fencing twists/wires facing away from the playground area? (Rule 1.11.9 (5), pg 47) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 9. | Tree limbs at least 7ft. above play surfaces? Is fence free of brush/overgrowth? (CPSC 3.4, 3.5, pg 15) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 10. | Are use zones adequate? If not, where are they inadequate? (CPSC 5.3.9, pg 40) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 11. | If swings are present, are S-hooks in good repair? If not, state deficiency (CPSC 3.2, pg13) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 12. | If slide is present, is exit height/exit zone adequate? If not, state deficiency (CPSC 5.3.6.4-5 pgs 34-35) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 13. | Are spring rockers a minimum of 6 ft. apart? (ASTM 9.5.1.2, pg 15) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 14. | Is age-appropriate equipment being used? If not, state which pieces are inappropriate (Rule 1.10.2, pg 36) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 15. | Is playground area clean & free of hazards? If not, state deficiency. (Rule 1.11.11 (1), pg 49) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 16. | Is adequate shade present on the playground? (CPSC 2.1.1, pg 5) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 17. | Are concrete footings located at least 6" beneath the surface? (Rule 1.10.2 (2), pg 36) |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | <input type="checkbox"/> | 18. | Is wood smooth? Documentation provided that wood has been properly treated. (CPSC 2.5.5) |

Director Stephanie Dade Licensing Official Jemila Neff